

ELKAY®



EDUCATION PRODUCT PORTFOLIO

Commercial sinks and drinking solutions for schools.



TOP OF THE CLASS

Elkay® sets the standard in schools by providing them with solutions that put fresh, filtered water within reach. Our range of commercial-grade products supports all of your education facility's plumbing needs—so you get a complete solution from the name you trust.



HYGIENIC FEATURES

Hands-free water delivery options and antimicrobial materials prevent the spread of germs.



SUSTAINABLE DESIGN

Eco-friendly drinking solutions are made from recycled and recyclable materials, and are approved by BREEAM, the leading product energy efficiency authority.



FILTERED SOLUTIONS

Filtered bottle filling stations and fountains provide cleaner, healthier drinking water.



ACCESSIBLE FOR ALL

Compliant with the Americans with Disabilities Act, the gold standard to accommodate physically disabled or visually impaired users.

*ADA compliant when properly installed.



GREEN OPERATION

Select drinking solutions reduce energy usage and plastic waste to keep schools green.



VANDAL RESISTANT

Tamper-resistant features withstand heavy use and defend against abuse.

Shown on cover

Top: LZOOTL8WSLK Bottle Filler Station & Cooler; Bottom Left: CDKR2517 Sink; Bottom Right: LK4430BF1UEVG Bottle Filler Station



ELUHAD211555PD Sink
LK500HA08T4 Faucet



LZOOTL8WSLK Cooler

WATER WHEREVER THEY NEED IT

From classroom sinks to bottle filling stations, Elkay has solutions for every space.

Top Products

1
Classroom



DRKAD222055

2
Hallways



VRCTL8WSK

3
Gymnasium



LVRCTL8SC

4
Outdoor



LK4400BFEVG

5
Cafeteria



WNSF8372LR4

6
Break Room



ELUHAD2115PD

7
Facility Closet




ESSB2520C

8
Nurses Station



LRAD2521



ELKAY'S DIFFERENTIATORS

- **Some of our units** include the Green Ticker™, a counter that informs users of the number of 500mL plastic water bottles saved from waste
- **The first manufacturer** to use refrigerants with an ozone-depletion potential (ODP) ratio of 0%
- **Our equipment** exceeds all energy-efficiency standards
- **Many components** made from recycled content, including stainless steel, galvanised steel, brass and corrugated cardboard (packing)
- **Product packaging** and the majority of our components are recyclable

SINK SOLUTIONS

Made with Types 304 and 316 stainless steel, our heavy-duty sinks are ideal for handwashing and multitasking within school environments. Easy to clean and extremely durable, they won't chip, crack or discolor over time.

ADA



LRAD252155



Overall Size (LxWxD)	63.5cm x 54cm x 14cm
Bowl Size (LxWxD)	53.5cm x 38.5cm x 13.5cm
Faucet Holes	1, 2, 3, 4, MR2
Gauge	18
Installation Type	Drop-in
Minimum Cabinet Size	30"
ADA Compliant	Yes
Other Depths	4", 5", 6", 6-1/2"

[Learn More](#)



ELUHAD211555PD



Overall Size (LxWxD)	59.5cm x 46.5cm x 13.5cm
Bowl Size (LxWxD)	53.5cm x 38.5cm x 13.5cm
Gauge	18
Installation Type	Undermount
Minimum Cabinet Size	27"
ADA Compliant	Yes
Other Depths	4-1/2" and 5"

[Learn More](#)



DRKAD222055



Overall Size (LxWxD)	56cm x 49.5cm x 14cm
Bowl Size (LxWxD)	34.3cm x 40.5cm x 13.5cm
Faucet Holes	2, 2FRM, 2LM, 4, FR4
Gauge	18
Installation Type	Drop-in
Minimum Cabinet Size	27"
ADA Compliant	Yes
Other Depths	4", 4-1/2", 5", 6" and 6-1/2"

[Learn More](#)

HYGIENIC FEATURES

SUSTAINABLE DESIGN

FILTERED SOLUTIONS

ADA COMPLIANT

GREEN OPERATION

VANDAL RESISTANT

GENERAL USE



DLR252210



Overall Size (LxWxD)	63.5cm x 55.8cm x 26.5cm
Bowl Size (LxWxD)	53.5cm x 38.5cm x 25.5cm
Faucet Holes	1, 2, 3, 4, MR2
Gauge	18
Installation Type	Drop-in
Minimum Cabinet Size	30"
ADA Compliant	No

[Learn More](#)



CHSP1716C



Overall Size (LxWxD)	42.5cm x 39.5cm x 33cm
Bowl Size (LxWxD)	30.5cm x 23.5cm x 15cm
Faucet Holes	1
Gauge	18
Installation Type	Scullery
Minimum Cabinet Size	0
ADA Compliant	No

[Learn More](#)



CHSP1716LRSC



Overall Size (LxWxD)	42.5cm x 39.5cm x 33cm
Bowl Size (LxWxD)	30.5cm x 23.5cm x 15cm
Faucet Holes	1
Gauge	20
Installation Type	Scullery
Minimum Cabinet Size	0
ADA Compliant	No

[Learn More](#)

SERVICE SINK



ESSB2520C



Overall Size (LxWxD)	63.5cm x 49.5cm x 73.5cm
Bowl Size (LxWxD)	56cm x 40.5cm x 30.5cm
Faucet Holes	1
Gauge	14
ADA Compliant	No

[Learn More](#)

FAUCET SOLUTIONS

Designed for standard sink applications, our faucets are available in a range of models to fit every configuration.



LK500HA08T4 Faucet



LKD208513LC

Spout Type

Handle Type

Cartridge

Finish

ADA Compliant

[Learn More](#)



Gooseneck

2.6" Lever Handle

Quarter Turn Ceramic Disc - Cold

Chrome (CR)

Yes



LKD2439C

Spout Type

Handle Type

Cartridge

Finish

ADA Compliant

[Learn More](#)



Arc Tube

2.6" Lever Handle

Quarter Turn Ceramic Disc

Chrome (CR)

Yes



LK1141A

Spout Type

Handle Type

Finish

ADA Compliant

[Learn More](#)



Bubblers + Other

Push Button

Chrome (CR)

Yes

HYGIENIC FEATURES
 SUSTAINABLE DESIGN
 FILTERED SOLUTIONS
 ADA COMPLIANT
 GREEN OPERATION
 VANDAL RESISTANT



LKF413945RS

Spout Type

Handle Type

Cartridge

Finish

ADA Compliant

[Learn More](#)



Fixed Spout

Remote Lever Handle

Ceramic Disc

Chrome (CR)

Yes



LKD2423BHC

Spout Type

Handle Type

Cartridge

Finish

ADA Compliant

[Learn More](#)



Gooseneck

4" Lever Handle

Quarter Turn Ceramic Disc

Chrome (CR)

Yes



LK500HA08T4

Spout Type

Handle Type

Cartridge

Finish

ADA Compliant

[Learn More](#)



High Arc

4" Wristblade Handle

Quarter Turn Ceramic Disc

Chrome (CR)

Yes

DRINKING SOLUTIONS

Built for busy areas throughout school buildings, our trusted drinking solutions give students and staff access to cleaner, healthier water. Some of our filtration products are NSF International certified to reduce lead, chlorine and other contaminants - providing students and staff with fresh, filtered water to stay hydrated and focused.

BOTTLE FILLERS



VRC8WSK



Overall Size (LxWxD) 45.5cm x 47cm x 98.5cm
Chilling Option 30 LPH
Power 115V/60Hz
Activation Vandal-resistant, push-button activation for both the bottle filler and the water cooler
Features Green Ticker, Laminar Flow, Real Drain, Vandal Resistant
ADA Compliant Yes

[Learn More](#)



VRCGRN8WSK



Overall Size (LxWxD) 46cm x 47cm x 101cm
Chilling Option 30 LPH
Power 115V/60Hz
Activation Touchless, sensor activation (bottle filler) designed for easy use; vandal-resistant, push-button activation for the water cooler
Features Antimicrobial, Green Ticker, Hands Free, High Efficiency, Laminar Flow, Real Drain, Vandal Resistant
ADA Compliant Yes

[Learn More](#)



EVS8WSLK



Overall Size (LxWxD) 46.5cm x 48cm x 99cm
Chilling Option 30 LPH
Power 115V/60Hz
Activation Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-bar activation (bubbler)
Features Antimicrobial, Green Ticker, Hands Free, Laminar Flow, Real Drain
ADA Compliant Yes

[Learn More](#)




EZO8WSLK



Overall Size (LxWxD) 47cm x 48cm x 99.5cm
Chilling Option 30 LPH
Power 115V/60Hz
Activation Touchless, sensor activation (bottle filler & bubbler) designed for easy hands free use
Features Antimicrobial, Green Ticker, Hands Free, Laminar Flow, Real Drain
ADA Compliant Yes

[Learn More](#)



VRCTL8WSK



Overall Size (LxWxD) 91.5cm x 47cm x 98.5cm
Chilling Option 30 LPH
Power 115V/60Hz
Activation Vandal-resistant, push-button activation for both the bottle filler and the water cooler
Features Green Ticker, Laminar Flow, Real Drain, Vandal Resistant
ADA Compliant Yes

[Learn More](#)



EZOTL8WSLK



Overall Size (LxWxD) 93.5cm x 48cm x 99.5cm
Chilling Option 30 LPH
Power 115V/60Hz
Activation Touchless, sensor activation (bottle filler & bubbler) designed for easy hands free use; paired with easy-to-operate push-bar activation (bubbler)
Features Antimicrobial, Green Ticker, Green Ticker, Hands Free, Laminar Flow, Real Drain
ADA Compliant Yes

[Learn More](#)



EZOOTL8WSLK



Overall Size (LxWxD) 93.5cm x 48cm x 99.5cm
Chilling Option 30 LPH
Power 115V/60Hz
Activation Touchless, sensor activation (bottle filler & bubbler) designed for easy hands free use
Features Antimicrobial, Green Ticker, Hands Free, Laminar Flow, Real Drain
ADA Compliant Yes

[Learn More](#)

WATER WHEREVER THEY NEED IT

From bottle filling stations to water coolers and fountains, our drinking products offer the ultimate solution for your educational environment.



COOLERS



EMABF8L



Overall Size (LxWxD)	46cm x 47.5cm x 52.5cm
Chilling Option	30 LPH
Power	115V/60Hz
Activation	Mechanical bubbler push bars continue to provide water when electrical service is interrupted
Features	Flexi-Guard® Safety Bubbler, Filtered
ADA Compliant	Yes

[Learn More](#)



VRC8S



Overall Size (LxWxD)	45.5cm x 47cm x 52.5cm
Chilling Option	30 LPH
Power	115V/60Hz
Activation	Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted
Features	Vandal-resistant
ADA Compliant	Yes

[Learn More](#)



EZS8L



Overall Size (LxWxD)	46.5cm x 48.5cm x 50.5cm
Chilling Option	30 LPH
Power	115V/60Hz
Activation	Electronic bubbler push bars for easy activation
Features	Flexi-guard® bubbler
ADA Compliant	Yes

[Learn More](#)



EZO8L



Overall Size (LxWxD)	46.5cm x 48.5cm x 50.5cm
Chilling Option	30 LPH
Power	115V/60Hz
Activation	Touchless, sensor-activated units are designed for easy use and improved hygiene
Features	Hands-free
ADA Compliant	Yes

[Learn More](#)

HYGIENIC FEATURES

SUSTAINABLE DESIGN

FILTERED SOLUTIONS

ADA COMPLIANT

GREEN OPERATION

VANDAL RESISTANT

OUTDOOR



VRCTL8SC



Overall Size (LxWxD)	92cm x 47.5cm x 69cm
Chilling Option	30 LPH
Power	115V/60Hz
Activation	Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
Features	Vandal-resistant
ADA Compliant	Yes

[Learn More](#)



EZOOSTL8LC



Overall Size (LxWxD)	93.5cm x 48cm x 64cm
Chilling Option	30 LPH
Power	115V/60Hz
Activation	Touchless, dual sensor-activated units are designed for easy use and improved hygiene
Features	Hands-free
ADA Compliant	Yes

[Learn More](#)



LK4400BF



Overall Size (LxWxD)	35.5cm x 35.5cm x 162.5cm
Chilling Option	Non-refrigerated
Power	No Electrical Required
Activation	Mechanical Front Bubbler Button
Features	316 Stainless, Heavy Duty Vandal Resistant, Laminar Flow
ADA Compliant	Yes

[Learn More](#)

ACCESSORIES



WSP35000



Overall Size (LxWxD)	28cm x 14cm x 47.5cm
Compliance	NOM-244

[Learn More](#)



LET'S PLAN **YOUR** PROJECT

For all the tools and resources you need to get started, visit latam.elkay.com

Any questions?
Please contact us at latam@elkay.com

LZ58WSLK Bottle Filling Station

Certifications

We continuously test our products to high internal standards. Many of our products are tested and certified to one or more of the following independent certifications. Check individual product listings for more information.



Built in the USA

100 years strong, Elkay has been using premium materials to build sinks and drinking solutions in the United States.