


# ELKAY

**International Commercial Product Guide** Product list effective November 2020.



### Innovation for Today, Tomorrow, Forever

Elkay<sup>®</sup> makes plumbing products that are at the heart of life's moments. Whether it's a new sink feature to enhance the workspace or a more hygienic approach to water delivery, our customers' needs are what inspire our innovation. And with hygiene and sustainability top of mind, we're committed to building solutions for a safer, healthier life. That's Elkay.

Flip through this price guide and discover our expansive portfolio of plumbing products. Visit elkay.com for more information.



### **Connect With Us!**

Limited lifetime warranty on select products.









# **Table of Contents**

### **Commercial Products**

Product Overview C-1	
Health Smart Solutions	C-1
Drinking Water Products	C-4
Coolers and Fountains	C-5
ezH2O Liv Pro	C-6
Outdoor Bottle Filling Stations and Fountains	C-7
Filters	C-8
Commercial Sinks	C-9
ADA Sinks	C-10
Commercial Faucets	C-11
Foodservice Products	C-12
Custom Stainless Solutions	C-13
Drinking Water Customization	C-14
ezH2O Nameplate Customization	C-15
ezH2O Bottle Filling Stations	C-16
ezH2O Bottle Filling Stations	C-16
Cooler Combination	C-18
Green	C-22
Vandal Resistant	C-23
Vandal Resistant Green	C-24
Mechanical	C-25
ezH2O Liv Pro	C-27
Mechanical Surface Mount	C-29
Retrofit	C-29
Architectural Inwall Fountain with Integral Bottle Filler	C-30
Architectural Inwall Fountain with Bottle Filling Station	C-31
Inwall	C-32
Architectural Retrofit	C-34

#### Water Coolers, Fountains and Water Dispensers C-35 Water Coolers C-36 EZ Green C-37 EZ Hands-Free C-39 ΕZ C-40 Vandal Resistant C-43 Vandal Resistant Green C-45 Vandal Resistant Combination C-46 Mechanically Activated C-50 SwirlFlo Green C-51 SwirlFlo C-52 Soft Sides C-53 C-55 Legacy Compact C-56 Legacy Deluxe Wall-Mount Legacy C-58 C-58 High Ambient Legacy Vandal-Resistant C-59 Legacy Floor Stantard Space-ette C-60 Legacy Fully Recessed C-62 Legacy Standard Semi-Recessed C-63 C-64 Legacy Deluxe Legacy Sensor-Activated Deluxe C-67 Legacy Water-Cooled Deluxe C-67 Legacy Hot and Cold Service Deluxe C-68 Legacy Special Use C-69 C-70 Drinking Fountains Heavy-Duty Slimline Soft Sides C-70 Slimline Soft Sides C-72 Soft Sides C-73 Soft Sides Premium Composite C-75 SwirlFlo C-76 Legacy Fully Recessed C-78 Legacy Simulated Semi-Recessed C-78 Legacy Multistation Stainless Steel C-79 Legacy Bracket C-79 Legacy Countertop C-80

Water Chillers	C-80
Remote Water Chillers	C-81
High Ambient Remote	C-82
Outdoor Drinking Solutions	C-83
Outdoor Drinking Solutions	C-84
Outdoor Bottle Filling Stations	C-85
Outdoor Fountains	C-86
Stone Aggregate Fountains	C-87
Filtration and Accessories	C-88
Watersentry® Filters	C-89
ADA Sinks	C-101
ADA Sinks Commercial Sinks	C-101 C-133
Commercial Sinks	C-133
Commercial Sinks ADA Accessories	C-133 C-179
Commercial Sinks ADA Accessories General Use Sinks	C-133 C-179 C-183
Commercial Sinks ADA Accessories General Use Sinks Accessories	C-133 C-179 C-183 C-191

Terms and Conditions Inside Back Cover



## Health Smart Solutions

At Elkay, we take pride in providing commercial customers with solutions that can help better their facilities — making them healthier, safer.

### **Antimicrobial Copper Sinks**

Our antimicrobial copper sinks are tough on germs, killing more than 99.9% of bacteria\* within 2 hours. They're ideal for hospitals and medical centers, as well as other public spaces where hygiene is top of mind.

### **Touchless Handwashing Station**

For washing hands on the go, look to our touchless handwashing station. With sensor-activated operation, your employees and guests never have to touch a thing.

### **Hands-free Faucets**

With sensor-activated options, our faucets help keep scrub and hand wash stations sanitary.

### **Bottle Filling Stations**

Our touchless bottle filling stations, many with lead-reducing filters, are also hygienic and provide cleaner water in offices, schools and airports.

### ezH2O Liv Pro™

And for more convenient hydrating, our ezH2O Liv Pro can sit right in a conference room wall, making drinking water more accessible.

\*Testing demonstrates effective antibacterial activity against MRSA, Staphylococcus aureus, Enterobacter aerogenes, Pseudomonas aeruginosa, and E. coli O157:H7.

# ELKAY.

### Hands-free Bottle Filling Stations









LZOTL8WSSK C-21



LZOOTL8WSSK C-18



LZWSSM C-27



LZWSM8K C-31





LZO8S C-37



LZO8L C-37



C-37

ENOBM28RAK

C-52



LZOSTL8LC C-37



EROM8K C-53



LZOOSTL8LC C-37



EROM28K C-52



ENOBM8K C-51



Hands-free Water Dispensers



LBWDC00WHC C-26

C-204











LKB721CNC C-204

### CuVerro<sup>®</sup> Antimicrobial Copper Sinks



LRAD252255-CU C-117



LRAD252155-CU C-118



LRAD191955-CU C-122

LRAD191855-CU



LRAD222255-CU C-119



LRAD221955-CU C-120



LRAD152255-CU C-127



LRAD202255-CU C-121





LRAD172255-CU

C-124

CHS1716C C-151



DRKR24119LC C-186



DRKR2517 C-182





14-1C16X20-L-18X C-139



EWSF13026KWSC C-158



### Drinking Water Products

Our drinking water solutions are designed to meet your needs and exceed your expectations. Choose from a wide variety of bottle filling stations, water coolers, drinking fountains, water dispensers and remote chillers that comply with adult and child ADA standards.

Many of these products have the option to add WaterSentry<sup>®</sup> filters for cleaner, safer water. For an even more hygienic experience, go with a touchless unit.

### **Bottle Filling Stations**

We continue to expand our ezH2O bottle filling station offerings to include innovative technology, such as automatic filter reset. This award-winning product line upholds our commitment to delivering cleaner water in a safer, more hygienic way through sustainable design. Many operate hands free and all provide a rapid fill of drinking water to quench thirst and minimize plastic bottle waste in the environment.

We have models for both indoor and outdoor applications. Whether you're looking for vandal resistant, mechanical activated or architectural design, you'll find just what you need among our large assortment of bottle filling stations.



### **Coolers and Fountains**

Elkay water coolers and drinking fountains come in a variety of styles. From standard design with enhanced hands-free operation to sleek, architectural SwirlFlo fountains, there's a model for any space. Many coolers can even be retrofitted – add a bottle filler or make them touchless by swapping out components with sensor-activated ones.


Most units offer our WaterSentry filters as options and our Flexi-Guard<sup>®</sup> Safety Bubblers, which feature an antimicrobial agent for an extra level of hygiene.

### Water Dispensers

We have the perfect water dispenser to keep your employees and guests hydrated.

Our ezH2O Liv Pro provide fresh, filtered water on demand, reducing dependency on plastic water bottles.





### ezH2O Liv Pro

This hands-free water dispenser is designed for commercial and hospitality environments such as lobbies and conference rooms. Say goodbye to ordering expensive cases of bottled water that take up precious storage space.

- Sleek glass and brushed stainless steel design that looks great in any space
- WaterSentry 3,000-gallon NSF-certified filter to reduce harmful contaminants
- Backlit LED Green Ticker displays number of plastic bottles saved from waste
- · Hands-free filling with automatic timed shut off to prevent accidental spills
- Fits within 16" OC 2" x 4" studs near water and electrical; includes drip tray with optional drain connection
- Unit can be installed with or without chiller; various options, sold separately
- Two color options: Aspen White or Midnight
- Filter box kit and remote filter cable included; install based on application



Orange<br/>(ORN)Purple<br/>(PUR)Red<br/>(RED)Terracotta<br/>(TER)White<br/>(WHT)Yellow<br/>(YLW)

Custom outdoor solutions, including Pantone® colors\* available. \*Based on min. order quantity.

stainless steel — standard on all Elkay outdoor tubular models. They are built for busy areas such as parks, pools, golf courses,


and school and work campuses.

Multiple configurations available.

### **Filters**

Elkay water filters provide cleaner, great tasting water for our bottle filling stations, water coolers, drinking fountains and water dispensers. All of our filters are made with activated carbon to improve taste and odor. Many also reduce contaminants such as lead. Our WaterSentry<sup>®</sup> filters are NSF certified to NSF/ANSI 42 and 53 for reduction of lead, Class 1 particulate, chlorine, taste and odor. Elkay filters are easy to connect and are self-contained replaceable cartridges, limiting exposure to contaminated media.

Most of our drinking water products are made in our Savanna, Illinois, plant, which is ISO 9001 registered.







Z.

This symbol means model is ADA compliant when properly installed. See specification sheets for details.

# **Commercial Sinks**

The name Elkay is synonymous with commercial-grade stainless steel sinks. We've been manufacturing quality stainless steel sinks for more than 100 years. Elkay's ongoing commitment to superior quality, styling and functionality is evident. More than a century of experience at forming, welding, trimming and polishing goes into every sink we make. The breadth of our line allows you to select from features, sizes and gauges based on your specific needs.

Elkay stainless steel finishes provide superior bacterial cleanability and are easy to sanitize when compared to other sink materials.

From health care facilities, schools and stadiums to restaurants, airports and office buildings, we have the ideal sink for public and professional facilities:

- Service and utility
- Lavatory
- Scrub and hand wash
- General use
- Classroom
- Custom
- Foodservice



# **ADA Sinks**

Our ADA sinks work well in any commercial space, beyond restrooms. Not only do they make washing hands easier, they're stylish enough to complement any design.

### **Multifamily Housing**

With heavy-duty stainless steel options and stain-resistant quartz models, our sinks are built to meet the everyday demands of residents and staff. A variety of bowl configurations and installation types offers options for in-unit kitchens, clubhouses and other common areas.

### **Assisted Living Centers**

Ideal for seniors, ADA sinks accommodate those who have trouble reaching or are more comfortable sitting while working at the sink. They're great assets in residents' rooms and in common areas throughout the facility.

### Dart Canyon<sup>™</sup>

Stylish and practical, Dart Canyon is our ADA farmhouse sink that provides better everyday solutions in commercial spaces. Used in the communities stated above, as well as in office lunchrooms, this workstation sink with built-in ledge makes cleaning and prepping much easier. Set soap and scrub pads on the shallow ledge at the front and use the extra-deep rear bowl for filling with large items. This sink goes beyond ADA compliance; it's great for multipurpose use and has a beautiful apron front.

# ELKAY.

#### BASIC PART NUMBER\*

**LK402** Deck Mount, 4" Dual Control

**LK403** Deck Mount, 4" Dual Control, with Pop up

**LK406** Exposed Deck Mount, 4"

**LK422** Deck Mount, 4" Single Control

**LK423** Deck Mount, 4" Single Control, with Pop up

**LK500** Deck Mount, Single Hole

**LK535** Deck Mount, Single Hole

**LK800** Concealed Deck Mount, 8"

**LK801** Concealed Deck Mount, 8" with Side Spray

**LK804** Concealed Deck Mount, Fixed Spout, 8"

**LK804F** Concealed Deck Mount, Fixed Spout, 8" Fancy

**LK810** Exposed Deck Mount, 8"

**LK811** Exposed Deck Mount, 8" with Side Spray

**LK940** Wall Mount, 8" Chrome Finish

LK943C Prerinse

**LK945** Wall Mount, 3"– 8" Adjustable Centers

\*Based off of the waterway

	TYPE OF SPOUT	SIZE OF SPOUT	TYPE AND SIZE OF HANDLE	WALL-MOUNT INLETS		
	AT Arc Tube	<b>AT</b> 08", 10", 12" or 14"	L2 Lever, 2", Two Piece	H 1/2" NPT Female Inlets		
	<b>BP</b> Bucket Hook Polished	<b>BP</b> 03" or 07"	L4 Lever, 4", One Piece†	<b>S</b> Shut-off Valve, 1/2"		
	BR Bucket Hook Rough	<b>BR</b> 03" or 07"	L7 Lever, 7", One Piecet	NPT Female Inlets		
	<b>CF</b> Cast Fixed	<b>CF</b> 06"	<b>T4</b> Wrist Blade,	<b>T</b> 2" Offset, 1/2" NPT Female Inlets		
	<b>DS</b> Double Swing	DS 20" 4", Two Piece				
	<b>GN</b> Gooseneck	<b>GN</b> 04", 05" or 08"	<b>T6</b> Wrist Blade, 6", Two Piece			
	HA High Arc	<b>HA</b> 08" or 10"	,			
)	<b>TS</b> Tube Spout	<b>TS</b> 08"	† For LK422 and			
	<b>VS</b> Vented Spout	<b>VS</b> 07"	LK423 series only.			








## Commercial Faucets

Complete your Elkay sink with an Elkay faucet. We have the ideal faucet for every application.

- Foodservice
- Lavatory
- Classroom
- Scrub and hand wash
- General use
- Service and utility



Shown: LK406AT08T4

Interchangeable spouts available in many styles and sizes

ADA-compliant interchangeable handle options; wrist blade and lever

1.5 GPM vandal-resistant aerator standard with 2.2 and .5 GPM inserts; key included for low-flow

Ceramic disc cartridge for long-lasting performance and ease of use

Durable and attractive polished chrome finish

Solid brass construction ensures longevity and NSF/ANSI 61 compliance



This symbol means model is ADA compliant when properly installed. See specification sheet for details.





# Elkay has the ideal product for every foodservice application:

- Scullery sinks
- Utility sinks
- Mop and hand sinks
- Work tables




# Foodservice Products


Why Elkay Foodservice products for plumbing wholesale? There are six key benefits.

- 1. Complementary line: Elkay foodservice products that are NSF certified, expand and supplement our other foodservice offerings to give you the products you need at competitive prices.
- 2. Lead times: Large product inventory allows us to serve customers quickly and hassle free.
- 3. One source: Whether you need one table or a complete kitchen, Elkay can serve all your needs.
- 4. Easy cleanup: Seamlessly welded, coved corners and die stamped to ensure proper drainage.
- 5. Certifications: NSF for foodservice application.
- 6. Quality: Durable products that our customers have come to expect.

Designed for kitchens in school cafeterias to	Dependabilt <sup>™</sup>	Rigidbilt®	Weldbilt®
five-star restaurants, we have a wide variety of scullery sink options:	16 or 18 gauge	16 gauge	14 gauge
of scallery sink options.	Type 300 stainless	Type 304 stainless	Type 304 stainless
	12" or 14" deep	12-3/4" deep	14" deep
	Prefinished material	Hand polished	Hand polished

### How to read a scullery sink SKU





### Custom Stainless Solutions

Can't find what you're looking for? Whether you need a sink modification or a custom sink, Elkay can help. We are America's No. 1 selling kitchen sink company. Put our experience to work for you.





14 gauge 16 gauge Gauge



Bowl Configuration

### Sink Modifications

- Select SKUs from our catalog may be modified
- Only die-drawn, machine-driven products
- 18 gauge; Type 304 or Type 316 stainless steel

### **Custom Fabrication**

- Hand-fabricated sinks and sink tops for residential and commercial applications
- One piece seamlessly crafted to your specifications
- 14 or 16 gauge; Type 304 or Type 316 stainless steel



Download custom or modification forms at elkay.com/custom.



### Drinking Water Product Customization

If you are looking for a drinking solution that is outside of our standard offerings, we can help you tailor an existing Elkay product to meet your unique specifications. Whether you want to change activation to fully touchless or create a unique triple fountain combination, our custom program will exceed your expectations.

### **Custom Product Capabilities and Colors:**

- Unique stainless steel panels
- Multilevel cooler and fountain configurations
- Vandal-resistant bubbler installation
- Sensor-activated modifications
- Pantone<sup>®</sup> colors\*

\*Based on min. order quantity.





Vandal Resistant

### ezH2O Nameplate Customization

All ezH2O bottle filling stations are customizable with university- or company-specific logos. Orders can include a combination of units (retrofit, in wall, ezH2O cooler combos, surface mounts).

Customization is available for orders of 10 units or more. Units ordered must be either all filtered or all non-filtered within the same order.

### **Creating Your Custom Nameplate:**

- 1. Choose your Elkay bottle filling stations.
- 2. Send us your desired logo and Pantone<sup>®</sup> colors.
- 3. Elkay's custom team will handle the rest!

Please contact your sales team for complete details about available options in your region.



Enhanced ezH2O Bottle Filling Station LZOTL8WSSK



# ezH2O<sup>®</sup> BOTTLE FILLING STATIONS





### **Cooler Combination Bottle Filling Stations**

- Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-bar activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Optional Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor use.





LZS8WSLK

### **Optional Accessories**

LKAPREZL	Cane Apron for EZ Gray
98551C	Filter Mounting Cover (Gray Granite)
98568C	Filter Mounting Cover (Stainless Steel)
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
WSF6000R-2PK	WaterSentry Fresh CTO Replacement Filter
EWF3000	WaterSentry Plus Filter System Kit
51300C	WaterSentry Plus Replacement Filter

Retro-fit models 📩	Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZWSRK	-	•		•
EZWSRK	-			•

Single ezH2O with Dual Hands-F	Cooler C	abinet	Bubbler		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZO8WSLK ▼	8.0	•	•		•
LZO8WSSK▼	8.0	•		•	•
EZO8WSLK ▼	8.0		•		•
EZO8WSSK▼	8.0			•	•

Includes Hands-Free Bubbler and Hands-Free Bottle Filling Station.

Versatile bi-level ezH2O wit	Cooler	Cabinet	Bubbler		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOOTL8WSLK ▼	8.0	•	•		•
LZOOTL8WSSK ▼	8.0	•		•	•
EZOOTL8WSLK ▼	8.0		•		•
EZOOTL8WSSK ▼	8.0			•	•

Includes 2 Hands-Free Bubblers and 1 Hands-Free Bottle Filling Station

This products are available in 220V, contact your sales team for custom codes



LZO8WSLK



LZOOTL8WSLK

# **ELKAY**

Single ezH2O cooler 🕹			Cooler Cabinet			Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZS8WSVRS3K ⊗	8.0	•		•	220V/60Hz	
LZSDWSL2K ⊗	-	•	•		220V/50Hz	CE
LZSDWSL3K Ø	-	•	•		220V/60Hz	
LZSDWSS2K ⊗	-	•		•	220V/50Hz	CE
LZSDWSS3K ⊗	-	•		•	220V/60Hz	
EZS8WSL2K ⊗	8.0		•		220V/50Hz	CE
EZS8WSL3K Ø	8.0		•		220V/60Hz	
EZS8WSS2K ⊗	8.0			•	220V/50Hz	CE
EZS8WSS3K ⊗	8.0			•	220V/60Hz	
EZS8WSVRL2K ⊗	8.0		•		220V/50Hz	CE
EZS8WSVRL3K ⊗	8.0		•		220V/60Hz	
EZS8WSVRS2K ⊗	8.0			•	220V/50Hz	CE
EZS8WSVRS3K ⊗	8.0			•	220V/60Hz	

This products are available in 220V, contact your sales team for custom codes



# ezH2O Water Cooler Combination Bottle Filling Stations

- Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-bar activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated).
- Visual Filter Monitor: LED filter status indicator for when filter change is necessary.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction (3,000-gal. filter).
- Laminar flow provides clean fill with minimal splash.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Includes exclusive Flexi-Guard safety bubbler, which provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor use.
- Power cord sold separately.







EZSTL8WSS2K

Versatile bi-level ezH2O cooler 选			Cooler Cabinet			Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZSTL8WSL2K ⊗	8.0	•	•		220V/50Hz	CE
LZSTL8WSL3K Ø	8.0	•	•		220V/60Hz	
LZSTL8WSS2K ⊗	8.0	•		•	220V/50Hz	CE
LZSTL8WSS3K ⊗	8.0	•		•	220V/60Hz	
LZSTL8WSS3KSA Ø	8.0	•		•	220V/60Hz	SASO
LZSTL8WSVRL2K Ø	8.0	•	•		220V/50Hz	CE
LZSTL8WSVRL3K ⊗	8.0	•	•		220V/60Hz	
LZSTL8WSVRS2K ⅔ ⊗	8.0	•		•	220V/50Hz	CE
LZSTL8WSVRS3K Ø	8.0	•		•	220V/60Hz	
EZSTL8WSL2K 🖁 🛇	8.0		•		220V/50Hz	
EZSTL8WSL3K 🖁 🛇	8.0		•		220V/60Hz	
EZSTL8WSS2K 🖁 🛇	8.0			•	220V/50Hz	
EZSTL8WSS3K 💈 🛇	8.0			•	220V/60Hz	
EZSTL8WSVRL2K ⅔ ⊗	8.0		•		220V/50Hz	
EZSTL8WSVRL3K ⅔ ⊗	8.0		•		220V/60Hz	
EZSTL8WSVRS2K ⅔ ⊘	8.0			•	220V/50Hz	
EZSTL8WSVRS3K ⅔ ⊘	8.0			•	220V/60Hz	

Single ezH2O cooler 🔕			Cooler	Cabinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZS8WSL2K ⊘	8.0	•	•		220V/50Hz	CE
LZS8WSL3K ⊘	8.0	•	•		220V/60Hz	
LZS8WSS2K ⊗	8.0	•		•	220V/50Hz	CE
LZS8WSS2KWR ⅔ ⊗	8.0	•		•	220V/50Hz	CE, WRAS
LZS8WSS2QK ⊗	8.0	•		•	240V/50Hz	
LZS8WSS3K ⊗	8.0	•		•	220V/60Hz	
LZS8WSS3KSA O	8.0	•		•	220V/60Hz	SASO
LZS8WSVRL2K ⊘	8.0	•	•		220V/50Hz	CE
LZS8WSVRL3K ⊗	8.0	•	•		220V/60Hz	
LZS8WSVRS2K ⊗	8.0	•		•	220V/50Hz	CE

# ELKAY.

Versatile bi-level ezH2O with 1 H	Cooler C	abinet	Bubbler		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOTL8WSLK ▼	8.0	•	•		•
LZOTL8WSSK▼	8.0	•		•	•
EZOTL8WSLK ▼	8.0		•		•
EZOTL8WSSK▼	8.0			•	•



Includes 1 Hands-Free Bubbler, 1 Hands-Free Bottle Filling Station, and 1 Push Bar Bubbler

Single ezH2O 🕏			Cooler (	Cabinet	Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LZS8WSLK ▼	8.0	•	•		•	
LZS8WSSK ▼	8.0	•		•	•	
LZS8WSVRLK ▼	8.0	•	•			•
LZS8WSVRSK ▼	8.0	•		•		•
LZSDWSLK 🔻	-	•	•		•	
LZSDWSSK ▼	-	•		•	•	
LZSDWSVRLK ▼	-	•	•			•
LZSDWSVRSK ▼	-	•		•		•
EZS8WSLK ▼	8.0		•		•	
EZS8WSSK ▼	8.0			•	•	
EZS8WSVRLK ▼	8.0		•			•
EZS8WSVRSK ▼	8.0			•		•
EZSDWSLK ▼	-		•		•	
ezsdwssk ▼	-			•	•	
EZSDWSVRLK ▼	-		•			•
EZSDWSVRSK ▼	-			•		•

with Hands-Free Bottle Filling Station

Versatile bi-level ezH2O with Hands-free Bottle Filling Station* 🖒			Cooler (	Cooler Cabinet		Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR	
LZSTL8WSLK ▼	8.0	•	•		•		
LZSTL8WSSK ▼	8.0	•		•	•		
LZSTL8WSVRLK ▼	8.0	•	•			•	
LZSTL8WSVRSK ▼	8.0	•		•		•	
LZSTLDDWSLK 🔻	-	•	•		•		
LZSTLDDWSSK ▼	-	•		•	•		
LZSTLDDWSVRLK ▼	-	•	•			•	
LZSTLDDWSVRSK ▼	-	•		•		•	
EZSTL8WSLK ▼	8.0		•		•		
EZSTL8WSSK ▼	8.0			•	•		
EZSTL8WSVRLK ▼	8.0		•			•	
EZSTL8WSVRSK ▼	8.0			•		•	
EZSTLDDWSLK ▼	-		•		•		
EZSTLDDWSSK ▼	-			•	•		
EZSTLDDWSVRLK ▼	-		•			•	
EZSTLDDWSVRSK ▼	-			•		•	

\*Units can either be installed left-high and right-low or reversed to be right-high and left-low.

This products are available in 220V, contact your sales team for custom codes



### **Green Cooler Combo Bottle Filling Stations**

- High-performance compressor and insulation greatly reduce energy consumption.
- Fill rate is 1.1 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexi-Guard StreamSaver bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms and reduce water waste.
- GreenSpec listed and badged to demonstrate a commitment to sustainability.
- Rated for indoor use.





LZSTLG8WSLK

LZSG8WSSK

#### Optional Accessories

LKA	PREZL	Cane Apron for EZ Gray
MLP	100	In Wall Carrier (Single)
MLP	200	In Wall Carrier (Bi-Level)
3629	92C	Power Block for multistation BF stations
WSF	6000R-2PK	WaterSentry Fresh CTO Replacement Filter
EWF	3000	WaterSentry Plus Filter System Kit
5130	00C	WaterSentry Plus Replacement Filter

Single green ezH2O ち	Cooler	Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSG8WSLK ⊗	8.0	•	•	
LZSG8WSSK ⊗	8.0	•		•
EZSG8WSLK ⊗	8.0		•	
EZSG8WSSK ⊗	8.0			•

Versatile green bi-level ezH2O* ち	Cooler	Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSTLG8WSLK ⊘	8.0	•	•	
LZSTLG8WSSK ⊗	8.0	•		•
EZSTLG8WSLK ⊗	8.0		•	
EZSTLG8WSSK ⊗	8.0			•

Units can either be installed left-high and right-low or reversed to be right-high and left-low.

### Vandal-Resistant Bottle Filling Stations

- Ideal for heavy -use installations such as educational and indoor recreational facilities.
- Vandal-resistant, push -button activation for both the bottle filler and the water cooler.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is nec essary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fil I with minimal splash.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered models rated for indoor use. Non -filtered models rated for indoor/outdoor use.





VRCTL8WSK

LVRC8WSK

### **Optional Accessories**

98324C 36292C WSF6000R2PK EWF3000 51300C Cane Apron - stainless Power Block WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

Single vandal-resistant ezH2O 💰			
Model	Chilled GPH	Filtered	Green Ticker
LVRC8WSK Ø	8.0	•	•
LVRCDWSK Ø	-	•	•
VRC8WSK Ø	8.0		•
VRCDWSK ⊗	-		•

Bi-level vandal-resistant ezH2O 🖏						
Model	Chilled GPH	Filtered	Green Ticker			
LVRCTL8WSK ⊗	8.0	•	•			
LVRCTLDDWSK ⊗	-	•	•			
VRCTL8WSK ⊗	8.0		•			
VRCTLDDWSK ⊗	-		•			

Bi-level reverse vandal-resistant ezH2O 🕹					
Model	Chilled GPH	Filtered	Green Ticker		
VRCTLR8WSK⊗	8.0		•		
VRCTLRDDWSK⊗	-		•		



### Vandal-Resistant Green Bottle Filling Stations

- Touchless, sensor activation (bottle filler) designed for easy use; vandal-resistant, push-button activation for the water cooler.
- High-performance compressor and insulation greatly reduce energy consumption.
- Fill rate is 1.1 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Vandal-resistant, StreamSaver bubblers feature chrome-plated integral hood guard to prevent contamination, tampering and reduce water usage.
- Rated for indoor use.





VRCGRN8WSK

LVRCGRNTL8WSK

### **Optional Accessories**

98324C 36292C WSF6000R-2PK EWF3000 51300C Cane Apron Power Block WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

Single vandal-resistant green ezH2O 👶						
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency		
LVRCGRN8WSK	8.0	•	•	•		
VRCGRN8WSK V	8.0		•	•		

Bi-level vandal-resistant green ezH2O 👶					
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	
LVRCGRNTL8WSK 🔻	8.0	•	•	•	
VRCGRNTL8WSK	8.0		•	•	

### Vandal-Resistant Water Cooler Combination Bottle Filling Stations

- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and optional vent screens help protect against vandalism.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Non-filtered units are rated for indoor or outdoor use.
- Frost-resistant models extend outdoor usage season.
- Power cord sold separately.



LVRC8WS2KWR

Single cooler 🖏			Cooler Cabinet	Malta an	Global
Model	Chilled GPH	Filtered	Stainless Steel	Voltage	Compliance
LVRC8WS2K ⊘ ▼	8.0	•	•	220V/50Hz	
LVRC8WS2KWR ⅔ ⊗ ▼	8.0	•	•	220V/50Hz	CE, WRAS
LVRC8WS3K ⊘ ▼	8.0	•	•	220V/60Hz	
LVRC8WS3KSA ⊘ ▼	8.0	•	•	220V/60Hz	SASO
LVRCDWS2K ⊘ ▼	-	•	•	220V/50Hz	
LVRCDWS3K ⊘ ▼	-	•	•	220V/60Hz	
VRC8WS2K ⊘ ▼	8.0		•	220V/50Hz	
VRC8WS3K ⊘ ▼	8.0		•	220V/60Hz	
VRCDWS2K ⊘ ▼	-		•	220V/50Hz	
VRCDWS3K ⊘ ▼	-		•	220V/60Hz	

Bi-level cooler 🕏			Cooler Cabinet		Global
Model	Chilled GPH	Filtered	Stainless Steel	Voltage	Compliance
LVRCTL8WS2K ⊘ ▼	8.0	•	•	220V/50Hz	
LVRCTL8WS3K ⊘ ▼	8.0	•	•	220V/60Hz	
LVRCTL8WS3KSA ⊘ ▼	8.0	•	•	220V/60Hz	SASO
LVRCTLDDWS2K ⊘ ▼	-	•	•	220V/50Hz	
LVRCTLDDWS3K ⊘ ▼	-	•	•	220V/60Hz	
VRCTL8WS2K ⊘ ▼	8.0		•	220V/50Hz	
VRCTL8WS3K ⊘ ▼	8.0		•	220V/60Hz	
VRCTLR8WS2K ⊘ ▼	8.0		•	220V/50Hz	
VRCTLR8WS3K ⊘ ▼	8.0		•	220V/60Hz	
VRCTLDDWS2K 🛇 🔻	-		•	220V/50Hz	
VRCTLDDWS3K ⊘ ▼	-		•	220V/60Hz	
VRCTLRDDWS2K ⊘ ▼	-		•	220V/50Hz	
VRCTLRDDWS3K ⊘ ▼	-		•	220V/60Hz	

### **Mechanical Combination Bottle Filling Stations**

- Touchless, sensor-activated bottle filler, designed for easy use; mechanically-activated bubbler continues to supply water in service disruptions.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic
   components to inhibit the growth of mold and mildew.
   983
- Real drain system eliminates standing water.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor use.





LMABF8WSLK

EMABFTL8WSSK

### **Optional Accessories**

97446C	Bubbler Kit Vandal-Resistant	\$141.00
98313C	Cane Apron for EMABF (Gray Granite)	\$223.00
98324C	Cane Apron for HAC HVR EMABF VRC (SS)	\$267.00
MLP100	In Wall Carrier (Single)	\$685.00
MLP200	In Wall Carrier (Bi-Level)	\$1,096.00
36292C	Power Block for multistation BF stations	\$33.60
WSF6000R-2PK	WaterSentry Fresh CTO Replacement Filter	\$349.00
EWF3000	WaterSentry Plus Filter System Kit	\$121.00
51300C	W ntry Plus Replacement Filter	\$113.00
EWF172	WaterSentry VII Filter Kit	\$99.00

Retro-fit models 📩				
Model	Chilled GPH	Filtered	Green Ticker	
LMABFWS-RF	-	•	•	
EMABFWS-RF	-		•	

Single ezH2O 💰						
Model	Chilled GPH	Filtered	Green Ticker			
LMABF8WSLK ▼	8.0	•	•			
LMABF8WSSK ▼	8.0	•	•			
LMABFDWSLK ▼	-	•	•			
LMABFDWSSK ▼	-	•	•			
EMABF8WSLK ▼	8.0		•			
EMABF8WSSK ▼	8.0		•			
EMABFDWSLK ▼	-		•			
EMABFDWSSK ▼	-		•			

Bi-level ezH2O 🖏					
Model	Chilled GPH	Filtered	Green Ticker		
LMABFTL8WSLK V	8.0	•	•		
LMABFTL8WSSK 🔻	8.0	•	•		
LMABFTLDDWSLK 🔻	-	•	•		
LMABFTLDDWSSK 🔻	-	•	•		
EMABFTL8WSLK 🔻	8.0		•		
EMABFTL8WSSK ▼	8.0		•		
EMABFTLDDWSLK 🔻	-		•		
EMABFTLDDWSSK ▼	-		•		



### ezH2O Liv Pro In-Wall Commercial Water Dispensers, Non-refrigerated

- SEAMLESS DESIGN: Install a filtered water dispenser in convenient commercial spaces such as waiting areas, conference rooms, lobbies and break rooms.
- IN-WALL INSTALLATION: Fits within the width and depth of two wall studs near water and electric; includes drip tray with optional drain connection.
- FILTERED WATER: NSF-certified filter reduces lead and harmful contaminants. Filter box and remote filter cable included; optional for install.
- FILTER STATUS LIGHTS: Colorful lights indicate when quick and easy filter changes are needed.
- BOTTLES SAVED: Backlit LED Green Ticker counts the number of disposable, single-use plastic bottles served without the plastic bottle waste.
- CONVENIENT AND SUSTAINABLE: Self-serve design allows people to help themselves to refreshing water in an environmentally friendly way.
- SENSOR ACTIVATED: Hands-free filling with automatic timed shut off to help prevent accidental spills and messes.
- CHIC STYLING: Glass-front and brushed stainless steel design looks great in any space; interactive lighting brightens when dispensing water.
- CHILLER OPTIONS: Unit can be installed with or without a chiller. Various options available, based on application; chiller sold separately.
- SAFETY LOCK: Optional setting prevents unsupervised use.

Filtered ezH2O Liv Pro	<u>છ</u> ં.				Glass	Color
Model	Filtered Hands- Free Ambient Chilled GPH		Aspen White	Midnight		
LBWDC00BKC	•	•	•	-		٠
LBWDC00WHC	•	•	•	-	•	

Filter box and remote filter cable are included based on application.





### **Optional Accessories**

AP99	Access Panel 9" x 9" x 6"
ECF3000	WaterSentry Plus Commercial
	Repl Filter
ER51Y	Remote Chiller Non-Filtered 5
	GPH
ER101Y	Remote Chiller Non-Filtered 10
	GPH

### **Surface-Mount Bottle Filling Stations**

- Touchless, sensor-activated design for use in limited wall depth applications.
- Fill rate is 1.5 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.

Surface mount 💰			
Model	Voltage	Filtered	
LZWSSM	115V/60Hz	•	
EZWSSM	115V/60Hz		



LZWSSM

### **Optional Accessories**

ECH8 WSF6000R-2PK EWF3000 51300C Remote Chiller Non-Filtered 8 GPH WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

### **Surface Mount Bottle Filling Stations**

- Touchless, sensor-activation designed for use in limited wall depth applications.
- Fill rate is 1.5 GPM.
- Optional Visual Filter Monitor: LED filter status indicator for when filter change is necessary.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction (3,000-gal. filter).
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.
- Power cord sold separately.



LZWSSMJO

### **Optional Accessories**

ECH8
WSF6000R-2PK
EWF3000
51300C

Remote Chiller Non-Filtered 8 GPH WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

Surface mount 🖏					
Model	Chilled GPH	Filtered	Green Ticker	Voltage	Global Compliance
LZWSSMJO ⊗	-	•	•	220V/50-60Hz	
EZWSSMJO ⊗	-		•	220V/50-60Hz	CE



### **Mechanical Surface-Mount Bottle Filling Stations**

- Mechanical push button designed for use in limited wall depth applications, for areas where electric is not available.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.

Mechanical surface mount 👶				
Model	Filtered	Green Ticker		
LMASMB	•	•		
EMASM				
EMASMB		•		

#### **Retrofit Cooler Combo Bottle Filling Stations**

- Touchless, sensor activation (bottle filler) designed for easy use.
- Fill rate is 1.1 GPM (refrigerated, if connected to a cooler) or 1.5 (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Styles available to retrofit with existing coolers.
- Real drain system eliminates standing water.
- Rated for indoor use.

Retro-fit models 🖏		
Model	Filtered	Green Ticker
LMABFWS-RF	•	•
LZWSRK	•	•
EMABFWS-RF		•
EZWSRK		•







EMASM

#### **Optional Accessories**

56192C ECH8GRN ECH8 Aqua Sentry Replacement Filter Remote Chiller 8 GPH GreenSpec Remote Chiller Non-Filtered 8 GPH





LZWSRK

#### **Optional Accessories**

WSF6000R-2PK EWF3000

51300C

WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

# **ELKAY**

### Architectural In-Wall Fountains With Integral Bottle Filling Stations

- Styles available that are integrated with both Soft Side and SwirlFlo style fountains.
- Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-button activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.





LZWS-LRPBM28K

LZWS-EDFPBM114K

Access Panel

### **Optional Accessories**

ACCESS12X38-5 LKAPR1 97258C WSF6000R-2PK EWF3000 51300C

Cane Apron Cane Apron WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

Single SwirlFlo fountain \delta				
Model	Chilled GPH	Filtered	Green Ticker	
LZWS-EDFPBM114K ▼	-	•	•	
EZWS-EDFPBM114K ▼	-		•	

Single SwirlFlo refrigerated fountain 🖏					
Model	Chilled GPH	Filtered	Green Ticker		
LZWS-LRPBM8K ▼	8.0	•	•		
EZWS-ERPBM8K ▼	8.0		•		

Bi-level Soft Sides fountain 💰					
Model	Chilled GPH	Filtered	Green Ticker		
LZWS-EDFP217K ▼	-	•	•		
EZWS-EDFP217K ▼	-		•		

Bi-level SwirlFlo fountain 🔕					
Model	Chilled GPH	Filtered	Green Ticker		
LZWS-EDFPBM117K ▼	-	•	•		
EZWS-EDFPBM117K ▼	-		•		

Bi-level SwirlFlo refrigerated fountain 🕭					
Model	Chilled GPH	Filtered	Green Ticker		
LZWS-LRPBM28K ▼	8.0	•	•		
EZWS-ERPBM28K ▼	8.0		•		



### Architectural In-Wall Fountains With Bottle Filling Stations

- Styles available for pairing with choice of a SwirlFlo high efficiency or Soft Sides refrigerated fountain.
- Touchless, sensor activation designed for easy use (bottle filler); easy-to-operate push-button activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional high-efficiency chiller models available.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.





### **Optional Accessories**

ACCESS12X38-5Access Panel97258CCane ApronLKAPR1Cane ApronWSF6000R-2PKWaterSentry Fresh CTO Replacement FilterEWF3000WaterSentry Plus Filter System Kit51300CWaterSentry Plus Replacement Filter

Single SwirlFlo green 👶						
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency		
LZWS-SFGRN8K ▼	8.0	•	•	•		
EZWS-SFGRN8K ▼	8.0		•	•		

Bi-Level SwirlFlo green 👶						
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency		
LZWS-SFGRN28K ▼	8.0	•	•	•		
EZWS-SFGRN28K ▼	8.0		•	•		

Single Soft Sides 🕏					
Model	Chilled GPH	Filtered	Green Ticker		
LZWS-SS8K ▼	8.0	•	•		
EZWS-SS8K ▼	8.0		•		

Bi-level Soft Sides 🖏			
Model	Chilled GPH	Filtered	Green Ticker
LZWS-SS28K ▼	8.0	•	•
EZWS-SS28K ▼	8.0		•



EZWS-SS8K

# **ELKAY**

### **In-Wall Bottle Filling Stations**

- Designed as a stand-alone unit or to be paired with Elkay SwirlFlo or Soft Sides architectural fountains.
- Touchless, sensor activation (bottle filler) designed for easy use.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional high-efficiency chiller models available.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.





LZWSMDK

LZWSM8K

### **Optional Accessories**

MFWS100 WSF6000R-2PK EWF3000

51300C

Mounting Frame WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

In-wall recessed ezH2O 📩						
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	Pre-Ordered Mounting	
LZWS8K ▼	8.0	•	•		Order MFWS100	
LZWSGRN8K ▼	8.0	•	•	•	Order MFWS100	
LZWSGRNM8K ▼	8.0	•	•	•		
LZWSM8K ▼	8.0	•	•			
LZWSDK 🔻	-	•	•		Order MFWS100	
LZWSMDK 🔻	-	•	•			
EZWS8K ▼	8.0		•		Order MFWS100	
EZWSGRN8K ▼	8.0		•	•	Order MFWS100	
EZWSGRNM8K ▼	8.0		•	•		
EZWSM8K ▼	8.0		•			
EZWSMDK ▼	-		•			

For pairing with SwirlFlo EDFPB fountains 🖏						
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	Pre-Ordered Mounting	
LZWS8PK ▼	8.0	•	•		Order MFWS100	
LZWSGRN8PK ▼	8.0	•	•	•	Order MFWS100	
LZWSGRNM8PK ▼	8.0	•	•	•		
LZWSM8PK ▼	8.0	•	•			
LZWSDPK ▼	-	•	•		Order MFWS100	
LZWSMDPK ▼	-	•	•			
EZWS8PK ▼	8.0		•		Order MFWS100	
EZWSGRN8PK ▼	8.0		•	•	Order MFWS100	
EZWSGRNM8PK ▼	8.0		•	•		
EZWSM8PK ▼	8.0		•			
EZWSMDPK ▼	-		•			

If pre-ordering the (MFWS100) mounting frame for EZWSMDK, follow with order for the bottle filler only as EZWSMDC. \*\*If pre-ordering the (MFWS100) mounting frame for EZWSMDPK, follow with order for the bottle filler only as EZWSMDPC.



## **In-Wall Bottle Filling Stations**

- Designed as a stand-alone unit or to be paired with Elkay SwirlFlo or Soft Sides architectural fountains.
- Touchless, sensor activation (bottle filler) designed for easy use.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional high-efficiency chiller models available.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction (3,000-gal. filter).
- Green Ticker: Informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.
- Power cord sold separately.





LZWSM82K

LZWSMDJOK

In-wall recessed 🕹					
Model	Chilled GPH	Filtered	Green Ticker	Voltage	Global Compliance
LZWSM82K ⊗	8.0	•	•	220V/50Hz	CE
LZWSM82KWR 🖁 🛇	8.0	•		220V/50Hz	CE, WRAS
LZWSM83K ⊗	8.0	•	•	220V/60Hz	
LZWSM83KSA ⊗	8.0	•	•	220V/60Hz	SASO
LZWSMDJOK Ø	-	•	•	220V/50-60Hz	
EZWSM82K ⊗	8.0			220V/50Hz	CE
EZWSM83K ℤ ⊗	8.0			220V/60Hz	
EZWSMDJOK ⅔ ⊗	-			220V/50-60Hz	

For pairing with SwirlFlo EDFPB fountains 🕹					
Model	Chilled GPH	Filtered	Green Ticker	Voltage	Global Compliance
LZWSM82PK O	8.0	•	•	220V/50Hz	
LZWSM83PK O	8.0	•	•	220V/60Hz	
LZWSMDJOPK ⊗	-	•	•	220V/50-60Hz	
EZWSM82PK ℤ ⊗	8.0			220V/50Hz	
EZWSM83PK ℤ ⊗	8.0			220V/60Hz	
EZWSMDJOPK ⅔ ⊗	-			220V/50-60Hz	

## **Retrofit Architectural Fountains**

- Touchless, sensor activation (bottle filler) designed to retrofit with an existing refrigerated push-button fountain.
- Fill rate is 1.1 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Ships with new top panel, frame and integral ezH2O station.
- Real drain system eliminates standing water.
- Rated for indoor use.
- Bottle filler meets ADA guidelines for reach range; fountain meets ADA guidelines for wheelchair access.

Retrofit for existing Soft Sides bi-level refrigerated fountain 🕏					
Model	Filtered	Green Ticker			
LZWS-ERFP8-RF	•	•			
EZWS-ERFP8-RF		•			

Retrofit for existing SwirlFlo bi-level refrigerated fountain					
Model	Filtered	Green Ticker			
LZWS-ERPB8-RF	•	•			
EZWS-ERPB8-RF		•			

To meet full ADA compliance, building level must include a separate unit meeting standing person dimensions. For details visit www.ada.gov.





LZWS-ERPB8-RF

### EZWS-ERFP8-RF

ACCESS12X38-5	Access Panel
LKAPR1	Cane Apron
97258C	Cane Apron
WSF6000R-2PK	WaterSentry Fresh CTO Replacement Filter
EWF3000	WaterSentry Plus Filter System Kit
51300C	WaterSentry Plus Replacement Filter











# WATER COOLERS, FOUNTAINS AND WATER DISPENSERS





#### **EZ Green Water Coolers**

- High-performance compressor and insulation greatly reduce energy consumption.
- Electronic bubbler push bars for easy activation.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard StreamSaver bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms and reduce water waste.
- GreenSpec Listed and badged to demonstrate commitment to sustainability.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.





EZSG8L

#### **Optional Accessories**

98481C	Bubbler Kit Water-Efficient VR
LKAPREZL	Cane Apron
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
28410C	Wall Plate (Lo-Hi Bi-Level)
1000004539	Wall Plate (Hi-Lo Bi-Level)
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single 🖏	Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSG8L	8.0	•	•	
LZSG8S	8.0	•		•
EZSG8L	8.0		•	
EZSG8S	8.0			•

Versatile bi-level 🖏	Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSTLG8LC	8.0	•	•	
LZSTLG8SC	8.0	•		•
EZSTLG8LC	8.0		•	
EZSTLG8SC	8.0			•

Units can either be installed left-high and right-low or reversed to be right-high and left-low.

## **ELKAY**

## **EZ Hands-Free Water Coolers**

- Attractive, contemporary design matches modern architecture.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Filtered units display filter status for easy notification of expiration.





### **Optional Accessories**

97446C	Bubbler Kit Vandal-Resistant
98501C	Bubbler StreamSaver Flexi-Guard
LKAPREZL	Cane Apron for EZ Gray
98551C	Filter Mounting Cover (Gray Granite)
98568C	Filter Mounting Cover (Stainless Steel)
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
RP2130	Wall Bezel Black
1000004539	Wall Plate (Hi-Lo Bi-Level)for EZ models
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single ezH2O with Hands-Free Activation 🕏			Cooler Cabinet		Bubbler
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZO8L	8.0	•	•		•
LZO8S	8.0	•		•	•
LZODL	-	•	•		•
LZODS	-	•		•	•
EZO8L	8.0		•		•
EZO8S	8.0			•	•
EZODL	-		•		•
EZODS	-			•	•



LZO8S

with Hands-Free Bubbler

Versatile bi-level ezH2O with 2 Hands-Free Bubblers ጜ			Cooler C	Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOOSTL8LC	8.0	•	•		•
LZOOSTL8SC	8.0	•		•	•
EZOOSTL8LC	8.0		•		•
EZOOSTL8SC	8.0			•	•



Includes 2 Hands-Free Bubblers

Versatile bi-level ezH2O with 1 Hands-Free Bubbler 💰			Cooler C	Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOSTL8LC	8.0	•	•		•
LZOSTL8SC	8.0	•		•	•
EZOSTL8LC	8.0		•		•
EZOSTL8SC	8.0			•	•



Includes 1 Hands-Free Bubbler and 1 Push Bar Bubbler

Units can either be installed left-high and right-low or reversed to be right-high and left-low.



## **EZ Hands-Free Water Coolers**

- Units can either be installed left-high and rightlow or reversed to be right-high and left-low.
- Attractive, contemporary design matches modern architecture.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Filtered units display filter status for easy notification of expiration.
- Power cord sold separately.





## **Optional Accessories**

97446C 98501C LKAPREZL 98551C MLP200 RP2130 1000004539 51299C Bubbler Kit Vandal-Resistant Bubbler StreamSaver Flexi-Guard Cane Apron for EZ Gray Filter Mounting Cover (Gray Granite) In Wall Carrier (Bi-Level) Wall Bezel Black Wall Plate (Hi-Lo Bi-Level)for EZ models WaterSentry VII Replacement Filter

Single ezH2O ち	S. Cooler		abinet		Global	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZO8L2JO ⅔ ⊗	8.0	•	•		220V/50Hz	
LZO8L3JO ∑ ⊗	8.0	•	•		220V/60Hz	
LZO8S2JO ∑ ⊗	8.0	•		•	220V/50Hz	
LZO8S3JO 🖁 🛇	8.0	•		•	220V/60Hz	
EZO8S3JOSA 💈 🛇	8.0			•	220V/60Hz	SASO

Versatible bi-level 👶	Cooler Cabinet			abinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZOSTL8L2JOC 💈 🛇	8.0	•	•		220V/50Hz	
LZOSTL8L3JOC 💈 🛇	8.0	•	•		220V/60Hz	
LZOSTL8S2JOC ⅔ ⊗	8.0	•		•	220V/50Hz	
LZOSTL8S3JOC 💈 🛇	8.0	•		•	220V/60Hz	
LZOSTL8S3JOCSA ⅔ ⊗	8.0	•		•	220V/60Hz	SASO
EZOSTL8S3JOCSA ℤ ⊗	8.0			•	220V/60Hz	SASO



LZOSTL8S2JOC

## **EZ Water Coolers**

- Attractive, contemporary design matches modern architecture.
- Electronic bubbler push bars for easy activation.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



EZS8L

• • • • • • • • • • • •	
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR
98501C	Bubbler StreamSaver Flexi-Guard
LKAPREZL	Cane Apron
LK1110	Glass Filler
LK1114	Glass Filler
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
98551C	Mounting Cover (Gray Granite)
28410C	Wall Plate (Lo-Hi Bi-Level)
1000004539	Wall Plate (Hi-Lo Bi-Level)
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single 🕏			Cooler	Cabinet	Bubbler		Glass Filler
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR	Prepped
LZS8L	8.0	•	•		•		
LZS8LF ⊘	8.0	•	•		•		•
LZS8S	8.0	•		•	•		
LZS8SF ⊗	8.0	•		•	•		•
LZSVR8L	8.0	•	•			•	
LZSVR8S	8.0	•		•		•	
LZSDL	-	•	•		•		
LZSDS	-	•		•	•		
EZS8L	8.0		•		•		
EZS8LF ⊘	8.0		•		•		•
EZS8S	8.0			•	•		
EZS8SF ⊗	8.0			•	•		•
EZSVR8L	8.0		•			•	
EZSVR8S	8.0			•		•	
EZSDL	-		•		•		
EZSDLF ⊗	-		•		•		•
EZSDS	-			•	•		



Versatile bi-level 🕏			Cooler	Cabinet	Cabinet Bubbler		Glass Filler
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR	Prepped
LZSTL8LC	8.0	•	•		•		
LZSTL8LFC ⊘	8.0	•	•		•		•
LZSTL8SC	8.0	•		•	•		
LZSTL8SFC ⊘	8.0	•		•	•		•
LZSTLVR8LC	8.0	•	•			•	
LZSTLVR8SC	8.0	•		•		•	
LZSTLDDLC	-	•	•		•		
LZSTLDDSC	-	•		•	•		
EZSTL8LC	8.0		•		•		
EZSTL8LFC ⊘	8.0		•		•		•
EZSTL8SC	8.0			•	•		
EZSTL8SFC ⊗	8.0			•	•		•
EZSTLVR8LC	8.0		•			•	
EZSTLVR8SC	8.0			•		•	
EZSTLDDLC	-		•		•		
EZSTLDDSC	-			•	•		

Units can either be installed left-high and right-low or reversed to be right-high and left-low.

## ELKAY.

## **EZ Water Coolers**

- Units can either be installed left-high and right-low or reversed to be right-high and left-low.
- Attractive, contemporary design matches modern architecture.
- Electronic bubbler push bars for easy activation.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Power cord sold separately.





LZS8L2JO

## LZSTL8L2JOC

97446C	Bubbler Kit Vandal-Resistant
98501C	Bubbler StreamSaver Flexi-Guard
LKAPREZL	Cane Apron for EZ Gray
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
1000004539	Wall Plate (Hi-Lo Bi-Level)for EZ models
51299C	WaterSentry VII Replacement Filter

Single 👶			Cooler (	Cabinet	Glass		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Filler Prepped	Voltage	Compliance
LZS8L2JO 💈 🛇	8.0	•	•			220V/50Hz	
LZS8L3JO 💈 🛇	8.0	•	•			220V/60Hz	
LZS8L3JOSA ⅔ ⊗	8.0	•	•			220V/60Hz	SASO
LZS8S2JO 💈 🛇	8.0	•		•		220V/50Hz	
LZS8S2QJO 🖁 🛇	8.0	•		•		240V/50Hz	
LZS8S3JO ⅔ ⊗	8.0	•		•		220V/60Hz	
LZS8S3JOSA 🖁 🛇	8.0	•		•		220V/60Hz	SASO
EZS8L2JO ⅔ ⊗	8.0		•			220V/50Hz	CE
EZS8L3JO 💈 🛇	8.0		•			220V/60Hz	
EZS8LF2JO ∑ ⊗	8.0		•		•	220V/50Hz	CE
EZS8S2JO 💈 🛇	8.0			•		220V/50Hz	CE
EZS8S2QJO ⅔ ⊗	8.0			•		240V/50Hz	
EZS8S3JO 💈 🛇	8.0			•		220V/60Hz	
EZS8S3JOSA 🖁 🛇	8.0			•		220V/60Hz	SASO
EZS8SF2JO ⅔ ⊗	8.0			•	•	220V/50Hz	CE

ersatile bi-level 🖒			Cooler C	abinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZSTL8L2JOC ⅔ ⊗	8.0	•	•		220V/50Hz	
LZSTL8S2JOC ⅔ ⊗	8.0	•		•	220V/50Hz	
LZSTL8S3JOCSA 💈 🛇	8.0	•		•	220V/60Hz	SASO
EZSTL8L2JOC ⅔ ⊗	8.0		•		220V/50Hz	CE
EZSTL8S2JOC ⅔ ⊗	8.0			•	220V/50Hz	CE



#### Heavy-Duty Vandal-Resistant Water Coolers

- Welded and satin polished cooler provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and vent screens help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Non-filtered units are rated for indoor or outdoor use.





VRCHD8S

#### **Optional Accessories**

 98481C
 Bub

 LKAPRVRCHD
 Cane

 MLP100
 In W

 MLP200
 In W

 RP2130
 Wall

 EWF172
 Wat

 51299C
 Wat

Bubbler Kit Water-Efficient VR Cane Apron for VRCHD Stainless Steel In Wall Carrier (Single) In Wall Carrier (Bi-Level) Wall Bezel Black WaterSentry VII Filter Kit WaterSentry VII Replacement Filter

Single 🖒		
Model	Chilled GPH	Filtered
LVRCHD8S	8.0	•
LVRCHDDS	-	•
VRCHD8S	8.0	
VRCHDDS	-	

Bi-level 🕉					
Model	Chilled GPH	Filtered			
LVRCHDTL8SC	8.0	•			
LVRCHDTLDDSC	-	•			
VRCHDTL8SC	8.0				
VRCHDTLDDSC	-				

## Heavy-Duty Vandal-Resistant Water Coolers

- Welded and satin polished cooler provides an attractive and durable product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and vent screens help protect against vandalism.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Non-filtered units are rated for indoor or outdoor use.
- Power cord sold separately.





LVRCHD8S2JO

98481C	Bubbler Kit Water-Efficient VR
LKAPRVRCHD	Cane Apron for VRCHD Stainless Steel
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level) Replacement
51299C	Filter
75520C	Vandal-Resistant Pinned T25 Torx Bit
75523C	Vandal-Resistant Pinned T27 Torx Bit

Single 🕏				
Model	Chilled GPH	Filtered	Voltage	Global Compliance
LVRCHD8S2JO ⊗	8.0	•	220V/50Hz	
LVRCHD8S2QJO ⊗	8.0	•	240V/50Hz	
LVRCHD8S3JO ⊗	8.0	•	220V/60Hz	
VRCHD8S2QJO 🛇	8.0		240V/50Hz	
VRCHD8S3JO 🛇	8.0		220V/60Hz	
VRCHD8SF2JO ⊗	8.0		220V/50Hz	
VRCHD8SF2JO ⊗	8.0		220V/50Hz	
VRCHD8SF3JO ⊗	8.0		220V/60Hz	

Bi-level 🕭				
Model	Chilled GPH	Filtered	Voltage	Global Compliance
LVRCHDTL8S2JOC ⊗	8.0	•	220V/50Hz	
LVRCHDTL8S3JOC ⊗	8.0	•	220V/60Hz	
VRCHD8S3JOSA 🛇	8.0		220V/60Hz	SASO
VRCHDTL8S2JOC ⊗	8.0		220V/50Hz	
VRCHDTL8S3JOC 🛇	8.0		220V/60Hz	
VRCHDTL8S3JOCSA 🛇	8.0		220V/60Hz	SASO
VRCHDTL8SF2JOC ⊗	8.0		220V/50Hz	
VRCHDTL8SF3JOC ⊗	8.0		220V/60Hz	

## Vandal-Resistant Green Coolers

- High-performance compressor and insulation greatly reduce energy consumption.
- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners help protect against vandalism.
- Vandal-resistant StreamSaver bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering. Lower-flow water-efficient water stream.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Non-filtered units are rated for indoor or outdoor use.



optional Acces	5501105
98324C	Cane Apron - stainless
LK1110	Glass Filler
LK1114	Glass Filler
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single 🕏			
Model	Chilled GPH	Filtered	LK1110 Glass Filler
LVRCGRN8	8.0	•	
LVRCGRN8F	8.0	•	•
VRCGRN8	8.0		
VRCGRN8F	8.0		•

Bi-level 💰			
Model	Chilled GPH	Filtered	LK1110 Glass Filler
LVRCGRNTL8C	8.0	•	
LVRCGRNTL8FC	8.0	•	•
VRCGRNTL8C	8.0		
VRCGRNTL8FC	8.0		•

### Vandal-Resistant Water Coolers

- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and optional vent screens help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Non-filtered units are rated for indoor or outdoor use.
- Frost-resistant models extend outdoor usage season.



VRC8S

98481C	Bubbler Kit Water-Efficient VR
98324C	Cane Apron for HAC HVR EMABF VRC (SS)
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
75520C	Vandal-Resistant Pinned T25 Torx Bit
75523C	Vandal-Resistant Pinned T27 Torx Bit
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single ち				
Model	Chilled GPH	Filtered	Louver Screens	Frost Resistant
LVRC8S	8.0	•		
LVRCSC8S	8.0	•	•	
LVRCDS	-	•	•	
LVRCSCDS	-	•	•	
VRC8S	8.0			
VRCFR8S ⊗	8.0			•
VRCSC8S	8.0		•	
VRCSCFR8S ⊗	8.0		•	•
VRCDS	-			
VRCFRDS ⊗	-			•
VRCSCDS	-		•	

Bi-level 👶				
Model	Chilled GPH	Filtered	Louver Screens	Frost Resistant
LVRCTL8SC	8.0	•		
LVRCTLSC8SC	8.0	•	•	
LVRCTLDDSC	-	•		
LVRCTLSCDDSC	-	•	•	
VRCTL8SC	8.0			
VRCTLFR8SC	8.0			•
VRCTLSC8SC	8.0		•	
VRCTLSCFR8SC ⊗	8.0		•	•
VRCTLDDSC	-			
VRCTLFRDDSC ⊗	-			•
VRCTLSCDDSC	-		•	



Bi-level reverse 📩				
Model	Chilled GPH	Filtered	Louver Screens	Frost Resistant
VRCTLR8SC	8.0			
VRCTLRFR8SC ⊗	8.0			•
VRCTLRSC8SC	8.0		•	
VRCTLRSCFR8SC ⊗	8.0		•	•
VRCTLRDDSC	-			
VRCTLRSCDDSC	-		•	



#### Vandal-Resistant Water Coolers

- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and optional vent screens help protect against vandalism.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Non-filtered units are rated for indoor or outdoor use.
- Frost-resistant models extend outdoor usage season.
- Power cord sold separately.



LVRC8S2JO

VR

Single 🖒					
Model	Chilled GPH	Filtered	Louver Screens	Voltage	Global Compliance
LVRC8S2JO ⊗	8.0	•		220V/50Hz	
LVRC8S3JO ⊗	8.0	•		220V/60Hz	
LVRC8S3JOSA ⊗	8.0	•		220V/60Hz	SASO
LVRCSC8S2JO ⊗	8.0	•	•	220V/50Hz	
LVRCSC8S3JO ⊗	8.0	•	•	220V/60Hz	
LVRCTL8S2JO ⊗	8.0	•		220V/50Hz	
VRC8S2JO ⊗	8.0			220V/50Hz	
VRC8S3JO ⊗	8.0			220V/60Hz	
VRC8S3JOSA 🛇	8.0			220V/60Hz	SASO
VRCSC8S2JO ⊗	8.0		•	220V/50Hz	
VRCSC8S3JO ⊗	8.0		•	220V/60Hz	

Bi-level 👶					
Model	Chilled GPH	Filtered	Louver Screens	Voltage	Global Compliance
LVRCTL8S2JOC ⊗	8.0	•		220V/50Hz	
LVRCTL8S2QJOC ⅔ ⊗	8.0	•		240V/50Hz	
LVRCTL8S3JO ⊗	8.0	•		220V/60Hz	
LVRCTL8S3JOC ⊗	8.0	•		220V/60Hz	
LVRCTLSC8S2JOC ⊗	8.0	•	•	220V/50Hz	
LVRCTLSC8S3JOC ⊗	8.0	•	•	220V/60Hz	
VRCTL8S2JOC ⊗	8.0			220V/50Hz	CE
VRCTL8S2QJOC ⅔ ⊗	8.0			240V/50Hz	
VRCTL8S3JOC ⊗	8.0			220V/60Hz	
VRCTLSC8S2JOC ⊗	8.0		•	220V/50Hz	CE
VRCTLSC8S3JOC ⊗	8.0		•	220V/60Hz	

Bi-level reverse 🕉					
Model	Chilled GPH	Filtered	Louver Screens	Voltage	Global Compliance
VRCTLR8S2JOC ⊗	8.0			220V/50Hz	
VRCTLR8S3JOC ⊗	8.0			220V/60Hz	
VRCTLRSC8S2JOC Ø	8.0		•	220V/50Hz	
VRCTLRSC8S3JOC ⊗	8.0		•	220V/60Hz	

## **Mechanically Activated Water Coolers**

- Classic design fits well in all building designs.
- Mechanical bubbler push bars continue to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



EMABF8L

97446C	Bubbler Kit Vandal-Resistant Bubbler Kit
98481C	Water-Efficient VR
98313C	Cane Apron for EMABF (Gray Granite)
98324C	Cane Apron for HAC HVR EMABF VRC (SS)
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
RP2130	Wall Bezel Black
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single 🕏			Cooler	Cabinet	Bub	bbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR	
LMABF8L	8.0	•	•		•		
LMABF8S	8.0	•		•	•		
LMABFVR8L	8.0	•	•			•	
LMABFDL	-	•	•		•		
LMABFDS	-	•		•	•		
EMABF8L	8.0		•		•		
EMABF8S	8.0			•	•		
EMABFVR8L	8.0		•			•	
EMABFVR8S	8.0			•		•	
EMABFDL	-		•		•		
EMABFDS	-			•	•		
EMABFVRDL	-		•			•	
EMABFVRDS	-			•		•	

Bi-level 👶			Cooler	Cabinet	Bubbler		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR	
LMABFTL8LC	8.0	•	•		•		
LMABFTL8SC	8.0	•		•	•		
LMABFTLVR8LC	8.0	•	•			•	
LMABFTLVR8SC	8.0	•		•		•	
LMABFTLDDLC	-	•	•		•		
EMABFTL8LC	8.0		•		•		
EMABFTL8SC	8.0			•	•		
EMABFTLVR8LC	8.0		•			•	
EMABFTLVR8SC	8.0			•		•	
EMABFTLDDLC	-		•		•		
EMABFTLDDSC	-			•	•		
EMABFTLVRDDLC	-		•			•	
EMABFTLVRDDSC	-			•		•	



Bi-level reverse 💰			Cooler	Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
EMABFTLR8LC	8.0		•		•
EMABFTLR8SC	8.0			•	•
EMABFTLRDDLC	-		•		•
EMABFTLRDDSC	-			•	•

#### **SwirlFlo Green Water Coolers**

- High-performance compressor and insulation greatly reduce energy consumption.
- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard StreamSaver bubbler utilizes a pliable polyester elastomer to prevent accidental mouth injuries. Lower-flow water-efficient water stream.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.





ERPBGRNM28K

Access Panel
Bubbler Kit Water-Efficient VR
Bubbler StreamSaver Flexi-Guard
Cane Apron
Lower Back Panel Left Side Louvers
WaterSentry VII Filter Kit
WaterSentry VII Replacement Filter

Single 🕏	Bubbler			
Model	Chilled GPH	Filtered	Flex StreamSaver	VR
LRPBGRNM8K ▼	7.5	•	•	
LRPBGRNMV8K ▼	7.5	•		•
ERPBGRNM8K ▼	7.5		•	
ERPBGRNMV8K ▼	7.5			•

Bi-level 💰	Bubbler			
Model	Chilled GPH	Chilled GPH Filtered Str		VR
LRPBGRNM28K ▼	7.5	•	•	
LRPBGRNMV28K ▼	7.5	•		•
ERPBGRNM28K ▼	7.5		•	
ERPBGRNMV28K ▼	7.5			•

Bi-level reverse 🖄	Bubbler			
Model	Chilled GPH	Filtered	Flex StreamSaver	VR
LRPBGRNM28RAK ▼	7.5	•	•	
LRPBGRNMV28RAK ▼	7.5	•		•
ERPBGRNM28RAK 🔻	7.5		•	
ERPBGRNMV28RAK ▼	7.5			•

### SwirlFlo Water Coolers

- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.





ERPBM8K

ENOBM28K

ACCESS12X38-5	Access Panel for Architectural Fountains
98501C	Bubbler
97446C	Bubbler Kit Vandal-Resistant Bubbler Kit
98481C	Water-Efficient VR
LKAPR1	Cane Apron for SwirlFlo Gray
27267C	Lower Back Panel Left Side Louvers
MF100	Mounting Frame 18-3/4" x 12" x 37-3/4"
MF200	Mounting Frame 37-1/2" x 12" x 37-1/2"
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single 🖏			Bub	bler	Includes	Pre-Ordered	
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Surface Mount	Mounting
LRPB8K ▼	8.0	•		•			Order MF100
LRPBM8K ▼	8.0	•		•		•	
LRPBMV8K ▼	8.0	•			•	•	
ENOB8K 🔻	8.0		•	•			Order MF100
ENOBM8K 🔻	8.0		•	•		•	
ERPB8K ▼	8.0			•			Order MF100
ERPBM8K ▼	8.0			•		•	
ERPBMV8K ▼	8.0				•	•	
ERPBV8K ▼	8.0				•		Order MF100

Bi-level 👶	Bi-level 🖏				Bubbler		Pre-Ordered
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Surface Mount	Mounting
LRPB28K ▼	8.0	•		•			Order MF200
LRPBM28K ▼	8.0	•		•		•	
LRPBMV28K ▼	8.0	•			•	•	
ENOB28K ▼	8.0		•	•			Order MF200
ENOBM28K ▼	8.0		•	•		•	
ERPB28K ▼	8.0			•			Order MF200
ERPBM28K ▼	8.0			•		•	
ERPBMV28K ▼	8.0				•	•	
ERPBV28K ▼	8.0				•		Order MF200



Bi-level reverse 🖏			Bubbler		Includes	Pre-Ordered	
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Surface Mount	Mounting
LRPB28RAK ▼	8.0	•		•			Order MF200
LRPBM28RAK ▼	8.0	•		•		•	
ENOB28RAK ▼	8.0		•	•			Order MF200
ENOBM28RAK 🔻	8.0		•	•		•	
ERPB28RAK 🔻	8.0			•			Order MF200
ERPBM28RAK ▼	8.0			•		•	
ERPBMV28RAK ▼	8.0				•	•	
ERPBV28RAK ▼	8.0				•		Order MF200

#### **Soft Sides Water Coolers**

- Contoured fountain provides an attractive and safe product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



EROM28K

LCRSP8K

ACCESS12X38-5	Access Panel
98501C	Bubbler StreamSaver Flexi-Guard
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR
97258C	Cane Apron for Contour/Soft Sides Black
LK1114	Glass Filler
LK1110	Glass Filler Chrome 2-1/2" x 10"
27267C	Lower Back Panel Left Side Louvers
MF100	Mounting Frame 18-3/4" x 12" x 37-3/4"
MFC100	Mounting Frame 18-3/4" x 12" x 37-3/4"
MF200	Mounting Frame 37-1/2" x 12" x 37-1/2"
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Slimline 🖏	Bub	bler	Includes	Pre-Ordered		
Model	Chilled GPH	Filtered	Flex	VR	Surface Mount	Mounting
LCRSP8K ▼	8.0	•	•			Order MFC100
LCRSPM8K ▼	8.0	•	•		•	
ECRSP8K ▼	8.0		•			Order MFC100
ECRSPM8K ▼	8.0		•		•	
ECRSPVR8K ▼	8.0			•		Order MFC100
ECRSPVRM8K ▼	8.0			•	•	

## ELKAY.

Single 👶					Bubbler		Includes	Pre-Ordered
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Filler Prepped	Surface Mount	Mounting
LNFE8FK ⊘ ▼	8.0	•		•				Order MF100
LNFE8K ▼	8.0	•		•				Order MF100
LNFEM8FK ⊘ ▼	8.0	•		•		•	•	
LNFEM8K 🔻	8.0	•		•			•	
LNFEM8VRK 🔻	8.0	•			•		•	
ERFP8FK ⊘ ▼	8.0			•		•		Order MF100
ERFP8K ▼	8.0			•				Order MF100
ERFPM8K 🔻	8.0			•			•	
ERFPVR8K ▼	8.0				•			Order MF100
ERFPVRM8K ▼	8.0				•		•	
ERO8K ▼	8.0		•	•				Order MF100
EROM8K ▼	8.0		•	•			•	

Bi-level 🕭					Bubbler		Includes	Pre-Ordered
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Filler Prepped	Surface Mount	Mounting
LNTE8FK ⊘ ▼	8.0	•		•		•		Order MF200
LNTE8K ▼	8.0	•		•				Order MF200
LNTEM8FK ⊘ ▼	8.0	•		•		•	•	
LNTEM8K ▼	8.0	•		•			•	
ERFP28FK ⊘ ▼	8.0			•		•		Order MF200
ERFP28K ▼	8.0			•				Order MF200
ERFPM28FK ⊘ ▼	8.0			•		•	•	
ERFPM28K ▼	8.0			•			•	
ERFPMVR28K ▼	8.0				•		•	
ERFPVR28K ▼	8.0				•			Order MF200
ERO28K ▼	8.0		•	•				Order MF200
EROM28K ▼	8.0		•	•			•	

Bi-level reverse 🖒	Bi-level reverse 🕉				Bubbler		Includes	Dro Ordorod
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Filler Prepped	Surface Mount	Pre-Ordered Mounting
LNTE8RAK 🔻	8.0	•		•				Order MF200
LNTEM8FRAK ⊘ ▼	8.0	•		•		•	•	
LNTEM8RAK 🔻	8.0	•		•			•	
ERFP28RAK ▼	8.0			•				Order MF200
ERFPM28RAK ▼	8.0			•			•	
ERFPMVR28RAK ▼	8.0				•		•	
ERFPVR28RAK 🔻	8.0				•			Order MF200
ERO28RAK 🔻	8.0		•	•				Order MF200
EROM28RAK 🔻	8.0		•	•			•	



#### Legacy Compact Water Coolers

- Compact wall mount design allows for flexible installation height and easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



EWCA8L1Z

#### **Optional Accessories**

97446C	Bubbler Kit Vandal-Resistant
LK1114	Glass Filler
LK1110	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single				Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood		
LWCE4L1Z	4.0	•	•				
EWCA4L1Z	4.0		•				
EWCA8L1Z	8.0		•				
EWCA8S1Z	8.0			•			
EWCA14L1Z	14.0		•				
EWCA14S1Z	14.0			•			
EWCDAL	-		•				
EWCDAT ⊗	-				•		

## Legacy Compact Water Coolers

- Compact wall mount design allows for flexible installation height and easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Power cord sold separately.



EWCA4S3YJO

#### **Optional Accessories** 98501C Bubbler

98501CBubbler97446CBubbler Kit Vandal-ResistantLK1114Glass Filler Chrome 2-1/2" x 10"LK1110Glass Filler51299CReplacement Filter

Single				Cooler Cabinet				
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Glass Filler Prepped	Voltage	Global Compliance
LWCE14LF3YJOSA ⊗	14.0	•	•			•	220V/60Hz	SASO
EWCA4S3YJO Ø	4.0			•			220V/60Hz	
EWCA4S3YJOSA 🛇	4.0			•			220V/60Hz	SASO
EWCA8T2YJO ⊗	8.0				•		220V/50Hz	CE

# **ELKAY**

## Legacy Deluxe Wall-Mount Water Coolers

- Traditional wall mount design allows for easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Bi-level models provide comfortable service for children and adults.





97446C	Bubbler Kit Vandal-Resistant
LK1114	Glass Filler
LK1110	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single	Cooler Cabinet				
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood
LWAE8S1Z	8.0	•		•	
EWA4S1Z	4.0			•	
EWA8L1Z	8.0		•		
EWA8S1Z	8.0			•	
EWA14L1Z	14.0		•		
EWA14S1Z	14.0			•	
EWDAL	-		•		
EWDAS	-			•	
EWDAT Ø	-				•

Bi-level		Cooler Cabinet
Model	Chilled GPH	Light Gray Granite
EWTLA14LK 🔻	14.0	•



## Legacy Deluxe Wall Mount Water Coolers

- Traditional wall mount design allows for easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Two-level models provide comfortable service for children and adults.
- Power cord sold separately.





LWAE8LF2YJO

LWTLA14S3K

98501C	Bubbler
97446C	Bubbler Kit Vandal-Resistant
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
51299C	Replacement Filter

Single			Cooler	Cabinet	Glass		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Filler Prepped	Voltage	Global Compliance
LWAE8LF2YJO ⊗	8.0	•	•		•	220V/50Hz	
LWAE20L3YJOSA ⊗	20.0	•	•			220V/60Hz	SASO
LWAE20S3YJOSA ⅔ ⊗	20.0	•		•		220V/60Hz	SASO
EWA8S3YJOSA 🛇	8.0			•		220V/60Hz	SASO
EWA14N3YJOSA	14.0					220V/60Hz	SASO
EWA14S2YJO ⊗	14.0			•		220V/50Hz	
EWA14S3YJOSA O	14.0			•		220V/60Hz	SASO
EWA16N3YJOSA ⊗	16.0					220V/60Hz	SASO
EWA16S3YJOSA O	16.0			•		220V/60Hz	SASO
EWA20N3YJOSA 🛇	20.0					220V/60Hz	SASO
EWA20S3YJOSA ⊗	20.0			•		220V/60Hz	SASO

Bi-level			Cooler Cabinet	N. K	Global
Model	Chilled GPH	Filtered	Stainless Steel	Voltage	Compliance
LWTLA14S3K ⊗	14.0	•	•	220V/60Hz	

## ELKAY.

## **Legacy Water Coolers**

- Barrier-free, ADA design meets adult ADA standards when properly installed.
- One-piece backsplash and basin polished to a satin finish.
- Light-touch controls on front and sides for easy operation.
- Flexi-Guard StreamSaver bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms and reduce water waste.
- Several finishes available to complement any interior space.



EHFSA8L1Z

#### **Optional Accessories**

97446C LK1114 EWF172 Bubbler Kit Vandal-Resistant Glass Filler Chrome 2-1/2" x 10" WaterSentry VII Filter Kit

•	Rated	for	indoor	use.

<u>&amp;</u>		Cooler Cabi	Glass	LK109A		
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Glass Filler
EHFSA8L1Z	8.0	•				
EHFSA8LF1Z ⊘	8.0	•				•
EHFSA8S1Z	8.0		•			
EHFSA8SF1Z ⊘	8.0		•			•
EHFSA8T1Z ⊘	8.0			•		
EHFSADL	-	•				
EHFSADLF ⊗	-	•			•	•
EHFSADS	-		•			
EHFSADT Ø	-			•		

## **High Ambient Water Coolers**

- Produces minimum of 9 GPH of 50 degrees F (10 degrees C) or colder drinking water based upon 122 degrees F (50 degrees C) inlet water and 122 degrees F (50 degrees C) ambient operating temperature.
- Removable front panel offers easy accessibility to interior.
- Extra-deep basin minimizes splashing; with integral drain.
- Includes Heavy-Duty Vandal Resistant Bubbler.
- Stainless Steel cooler panel finish.
- Removable plumbing box allows for against the wall installation or installation as free standing cooler.
- Power cord sold separately.



EFA25S4JO

			Cooler	Cabinet	net		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Global Compliance	
EFA25S4JO	9.0	•		•	220-240V/50Hz, 220-230V/60Hz	SASO	

#### Legacy Outdoor Vandal-Resistant Water Cooler

- Wall mount barrier-free stainless steel water cooler is ADA compliant.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and vent screens help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.

Outdoor vandal-resistant 🖒
Model
OHFAVR8S1Z



OHFAVR8S1Z

#### **Optional Accessories**

98481C

Bubbler Kit Water-Efficient VR

## Legacy Floor Model Standard Space-ette Water Coolers

- Traditional small footprint floor mount design allows for space-saving installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.

FD7003L1Z

#### **Optional Accessories**

97446C LK1114 LK1110 EWF172 51299C Bubbler Kit Vandal-Resistant Glass Filler Chrome 2-1/2" x 10" Glass Filler WaterSentry VII Filter Kit WaterSentry VII Replacement Filter

Standard		Glass				
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped
LFDE3T1Z ⊗	3.0	•			•	
LFDE10L1Z	10.0	•	•			
LFDE10LF1Z ⊗	10.0	•	•			•
LFDE10S1Z	10.0	•		•		
LFDE10SF1Z ⊗	10.0	•		•		•
LFDE10T1Z ⊗	10.0	•			•	
LFDE10TF1Z ⊗	10.0	•			•	•
FD7003L1Z	3.0		•			
FD7003LF1Z 0	3.0		•			•
FD7003S1Z	3.0			•		
FD7003SF1Z 0	3.0			•		•
FD7003T1Z	3.0				•	
FD7003TF1Z 0	3.0				•	•
FD7005L1Z	5.0		•			
FD7005LF1Z 0	5.0		•			•
FD7005S1Z	5.0			•		
FD7005SF1Z 0	5.0			•		•
FD7005T1Z 0	5.0				•	
FD7005TF1Z 0	5.0				•	•
FD70010L1Z	10.0		•			
FD70010LF1Z 0	10.0		•			•
FD70010S1Z	10.0			•		
FD70010SF1Z 0	10.0			•		•
FD70010T1Z 0	10.0				•	
FD70010TF1Z 0	10.0				•	•
FD700DL	-		•			
FD700DS	-			•		
FD700DT O	-				•	



## Legacy Floor Model, Standard Space-ette Water Coolers

- Traditional small footprint floor mount design allows for space-saving installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Power cord sold separately.



LFDE7003L2YJO

#### **Optional Accessories**

97446C LK1114 LK1110 51299C Bubbler Kit Vandal-Resistant Glass Filler Chrome 2-1/2" x 10" Glass Filler Replacement Filter

				Cooler Cal	oinet	Glass		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Voltage	Global Compliance
LFDE10L2YJO ⊗	10.0	•	•				220V/50Hz	
LFDE10S2YJO ⊗	10.0	•		•			220V/50Hz	
LFDE10SF3YJO ⊗	10.0	•		•		•	220V/60Hz	
LFDE10SF3YJOSA ⊗	10.0	•		•		•	220V/60Hz	SASO
LFDE10T2YJO ⊗	10.0	•			•		220V/50Hz	
FD7003L2YJO ⊗	3.0		•				220V/50Hz	
FD7003L3YJO ⊗	3.0		•				220V/60Hz	
FD7003L3YJOSA	3.0		•				220V/60Hz	SASO
FD7003LF2YJO O	3.0		•			•	220V/50Hz	CE
FD7003S2YJO 0	3.0			•			220V/50Hz	CE
FD7003S3YJO 0	3.0			•			220V/60Hz	
FD7003S3YJOSA ⊗	3.0			•			220V/60Hz	SASO
FD7003SF2YJO O	3.0			•		•	220V/50Hz	CE
FD7003T2YJO 0	3.0				•		220V/50Hz	CE
FD7003T3YJO 0	3.0				•		220V/60Hz	
FD7003TF2YJO O	3.0				•	•	220V/50Hz	CE
FD7005L2YJO ⊗	5.0		•				220V/50Hz	CE
FD7005L3YJO 0	5.0		•				220V/60Hz	
FD7005LF2YJO ⊗	5.0		•			•	220V/50Hz	CE
FD7005S2YJO 0	5.0			•			220V/50Hz	CE
FD7005S3YJO 0	5.0			•			220V/60Hz	
FD7005S3YJOSA ⊗	5.0			•			220V/60Hz	SASO
FD7005SF2YJO ⊗	5.0			•		•	220V/50Hz	CE
FD7005T2YJO 0	5.0				•		220V/50Hz	CE
FD7005T3YJO 0	5.0				•		220V/60Hz	
FD7005TF2YJO Ø	5.0				•	•	220V/50Hz	CE
FD70010L2YJO 0	10.0		•				220V/50Hz	CE
FD70010L3YJO 0	10.0		•				220V/60Hz	
FD70010LF2YJO 0	10.0		•			•	220V/50Hz	CE
FD70010S2YJO 0	10.0			•			220V/50Hz	CE
FD70010S3YJO 0	10.0			•			220V/60Hz	
FD70010S3YJOSA O	10.0			•			220V/60Hz	SASO
FD70010SF2YJO 0	10.0			•		•	220V/50Hz	CE
FD70010T2YJO 0	10.0				•		220V/50Hz	CE
FD70010T3YJO O	10.0				•		220V/60Hz	
FD70010TF2YJO O	10.0				•	•	220V/50Hz	CE

# ELKAY.

## Legacy Fully Recessed Water Coolers

- Fully-recessed stainless steel design allows for obstacle free walkways.
- Mechanical bubbler push bar or push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Optional cup dispensers and glass fillers available.





EFRCM8K

#### **Optional Accessories**

97446C EWF172 51299C Bubbler Kit Vandal-Resistant WaterSentry VII Filter Kit WaterSentry VII Replacement Filter

Standard						
Model	Chilled GPH	Filtered	LK109A Glass Filler	Cup Dispenser & Filler	With Cuspidor	Pre-Ordered Mounting
LJNE8FK © ▼	8.0	•	•			Order MB23AL
LJNE8K ▼	8.0	•				Order MB23AL
LJNEM8FK © ▼	8.0	•	•			
LJNEM8K ▼	8.0	•				
LJNE12K ▼	12.0	•				Order MB23AL
LJNEM12FK ⊘ ▼	12.0	•	•			
LJNEM12K ▼	12.0	•				
EFRC8CDK ▼	8.0			•		Order MF23A
EFRC8FK ⊘ ▼	8.0		•			Order MF23A
EFRC8K ▼	8.0					Order MF23A
EFRCM8CDK ▼	8.0			•		
EFRCM8FK ⊗ ▼	8.0		•			
EFRCM8K ▼	8.0					
EFRP8K ▼	8.0					
EFRPC8K ▼	8.0				•	Order MB234A and MB24
EFRPCM8K ▼	8.0				•	
EFRC12CDK ▼	12.0			•		Order MF23A
EFRC12K ▼	12.0					Order MF23A
EFRCM12CDK ▼	12.0			•		
EFRCM12K ▼	12.0					

ADA compliant 🖒				
Model	Chilled GPH	Filtered	LK109A Glass Filler	Pre-Ordered Mounting
EHFRA7FK © ▼	8.0		•	Order MB30
EHFRA7K ▼	8.0			Order MB30
EHFRAM7K ▼	8.0			



## Legacy Fully Recessed Water Coolers

- Fully-recessed stainless steel design allows for obstacle free walkways.
- Mechanical bubbler push bar or push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Optional cup dispensers and glass fillers available.
- Power cord sold separately.





EFRCM8CDK

#### **Optional Accessories**

97446C EWF172

Bubbler Kit Vandal-Resistant Filter Kit

Standard							
Model	Chilled GPH	Filtered	LK109A Glass Filler	Cup Dispenser & Filler	With Cuspidor	Voltage	Global Compliance
LJNE82FK 🛇	8.0	•	•			220V/50Hz	
LJNEM82K ⊘	8.0	•				220V/50Hz	
LJNEM83K ⊘	8.0	•				220V/60Hz	
LJNEM83KSA ⊗	8.0	•				220V/60Hz	SASO
LJNEM102QCDK ⊗	10.0	•				240V/50Hz	
LJNE122FK Ø	12.0	•	•			220V/50Hz	
LJNEM122FK Ø	12.0	•	•			220V/50Hz	
LJNEM122K Ø	12.0	•				220V/50Hz	
LJNEM123K Ø	12.0	•				220V/60Hz	
LJNEM123KSA O	12.0	•				220V/60Hz	SASO
EFRC82K ⊗	8.0					220V/50Hz	
EFRC83K ⊗	8.0					220V/60Hz	
EFRCM82CDK ⊗	8.0			•		220V/50Hz	
EFRCM82FK ⊗	8.0		•			220V/50Hz	
EFRCM82K O	8.0					220V/50Hz	
EFRCM82QCDK ⊗	8.0			•		240V/50Hz	
EFRCM83FK O	8.0		•			220V/60Hz	
EFRCM83K Ø	8.0					220V/60Hz	
EFRCM83KSA O	8.0					220V/60Hz	SASO
EFRPCM82K ⊗	8.0				•	220V/50Hz	
EFRPM82K ⊗	8.0					220V/50Hz	
EFRC122K O	12.0					220V/50Hz	
EFRC123K O	12.0					220V/60Hz	
EFRCM122CDK O	12.0			•		220V/50Hz	
EFRCM122FK ⊗	12.0		•			220V/50Hz	
EFRCM122FKWR 🗟 🛇	12.0		•			220V/50Hz	WRAS
EFRCM122K O	12.0					220V/50Hz	
EFRCM123CDK O	12.0			•		220V/60Hz	
EFRCM123FK ⊗	12.0		•			220V/60Hz	
EFRCM123K O	12.0					220V/60Hz	
EFRPM122CDK O	12.0			•		220V/50Hz	
EFRPM122K ⊗	12.0					220V/50Hz	



ADA Compliant 💰				
Model	Chilled GPH	Filtered	Voltage	Global Compliance
EHFRA72K ⊗	8.0		220V/50Hz	
EHFRA73K ⊗	8.0		220V/60Hz	
EHFSA8L2ZJO ⊗	8.0		220V/50Hz	CE
EHFSA8L3ZJO ⊗	8.0		220V/60Hz	
EHFSA8S2ZJO ⊗	8.0		220V/50Hz	CE
EHFSA8S3ZJO ⊗	8.0		220V/60Hz	

## Legacy Simulated Semi-Recessed Water Coolers

- Space-saving simulated semi-recessed design.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Stainless steel finish is corrosion resistant and attractive.
- Provides cold water without intruding into wall.



ESWA8L1Z

#### **Optional Accessories**

97446C EWF172 Bubbler Kit Vandal-Resistant WaterSentry VII Filter Kit

		Cooler Cabinet
Model	Chilled GPH	Stainless Steel
ESWA8S1Z	8.0	•



#### Legacy Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Optional foot pedal activation for hands-free use.



EFA8L1Z

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27520C	Cooler Back Plate - Sandalwood
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler
LK1110	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single				Cooler Cabi				
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Glass Filler Prepped	Back Plate	Foot Pedal
LFAE8L1Z	8.0	•	•					
LFAE8LF1Z ⊗	8.0	•	•			•		
LFAE8S1Z	8.0	•		•				
LFAE8SF1Z ⊗	8.0	•		•		•		
LFAE8TF1Z ⊗	8.0	•			•	•		
LFAE14L1Z	14.0	•	•					
LFAE14S1Z	14.0	•		•				
LFAE14SF1Z ⊗	14.0	•		•		•		
LFAE20SF1Y ⊗	20.0	•		•		•		
EFA4L1Z	4.0		•					
EFA4LF1Z ⊗	4.0		•			•		
EFA4LFK1Z O	4.0		•			•	•	
EFA4LFP1Z ⊗	4.0		•			•		•
EFA4LK1Z	4.0		•				•	
EFA4LP1Z ⊗	4.0		•					•
EFA4S1Z	4.0			•				
EFA4SFK1Z ⊗	4.0			•		•	•	
EFA4T1Z ⊗	4.0				•			
EFA4TF1Z ⊗	4.0				•	•		
EFA8L1110P ⊗	8.0		•					•
EFA8L1Z	8.0		•					
EFA8LF1Z ⊗	8.0		•			•		
EFA8LFK1Z ⊗	8.0		•			•	•	
EFA8LFP1Z ⊗	8.0		•			•		•
EFA8LFPK1Z ⊘	8.0		•			•	•	•
EFA8LK1Z	8.0		•				•	
EFA8LP1Z ⊗	8.0		•					•
EFA8S1110P 0	8.0			•				•
EFA8S1Z	8.0			•	1			
EFA8SF1Z ⊗	8.0			•	1	•		
EFA8SK1Z	8.0			•	T		•	
EFA8SP1Z ⊗	8.0			•	1			•
EFA8T1Z ⊗	8.0				•			1
EFA8TF1Z ⊗	8.0				•	•		1
EFA8TP1Z ⊗	8.0		İ		•			•

## **ELKAY**

Single				Cooler Cabi	Glass			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Back Plate	Foot Pedal
EFA14L1Z	14.0		•					
EFA14LF1Z O	14.0		•			•		
EFA14LFK1Z O	14.0		•			•	•	
EFA14LFP1Z O	14.0		•			•		•
EFA14LK1Z	14.0		•				•	
EFA14LP1Z ⊗	14.0		•					•
EFA14S1Z	14.0			•				
EFA14SF1Z ⊗	14.0			•		•		
EFA14SFP1Z O	14.0			•		•		•
EFA14SP1Z ⊗	14.0			•				•
EFA14T1Z O	14.0				•			
EFA16L1Y	16.0		•					
EFA16LF1Y O	16.0		•			•		
EFA16LFK1Y O	16.0		•			•	•	
EFA16LP1Y ⊗	16.0		•					•
EFA16S1Y	16.0			•				
EFA20L1Y	20.0		•					
EFA20LF1Y O	20.0		•			•		
EFA20LFP1Y O	20.0		•			•		•
EFA20LK1Y	20.0		•				•	
EFA20LP1Y ⊗	20.0		•					•
EFA20S1Y	20.0			•				
EFA20SF1Y O	20.0			•		•		
EFA20SFK1Y O	20.0			•		•	•	
EFA20SP1Y ⊗	20.0			•				•
EFA20SPK1Y O	20.0			•				•
EFDAL	-		•					



## Legacy Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Optional foot pedal activation for hands-free use.
- Power cord sold separately.



LFAE8L2YJO

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27519C	Cooler Back Plate - Stainless
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
51299C	Replacement Filter

Single		Cooler Cabinet		Glass					
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Filler Prepped	Foot Pedal	Voltage	Global Compliance	
LFAE8L2YJO ⊗	8.0	•	•				220V/50Hz		
LFAE8S2YJO ⊗	8.0	•		•			220V/50Hz		
LFAE20S3YJOSA ⊗	20.0	•		•			220V/60Hz	SASO	
LFAE20SF3YJOSA O	20.0	•		•	•		220V/60Hz	SASO	
EFA8L2YJO ⊗	8.0		•				220V/50Hz	CE	
EFA8LF2YJO ⊗	8.0		•		•		220V/50Hz	CE	
EFA8LFP2YJO ⊗	8.0		•		•	•	220V/50Hz	CE	
EFA8S2YJO ⊗	8.0			•			220V/50Hz	CE	
EFA8S3YJOSA ⊗	8.0			•			220V/60Hz	SASO	
EFA8SF2YJO ⊗	8.0			•	•		220V/50Hz	CE	
EFA8SP2YJO ⊗	8.0			•		•	220V/50Hz	CE	
EFA14L2YJO ⊗	14.0		•				220V/50Hz		
EFA14L3YJO ⊗	14.0		•				220V/60Hz		
EFA14S2YJO O	14.0			•			220V/50Hz		
EFA14S3YJOSA O	14.0			•			220V/60Hz	SASO	
EFA16L2YJO O	16.0		•				220V/50Hz		
EFA16SFP2YJO O	16.0			•	•	•	220V/50Hz		
EFA20L2YJO ⊗	20.0		•				220V/50Hz		
EFA20N3YJOSA ⊗	20.0						220V/60Hz	SASO	
EFA20S2YJO O	20.0			•			220V/50Hz		
EFA20S3YJOSA O	20.0			•			220V/60Hz	SASO	

# ELKAY

## Legacy Sensor-Activated Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several finishes available to complement any interior space.



EFOA8L1Z

#### **Optional Accessories** 974

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27520C	Cooler Back Plate - Sandalwood
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler
LK1110	Glass Filler
EWF172	WaterSentry VII Filter Kit

Single	Cooler Cabinet					
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Sandalwood		
EFOA8L1Z	8.0	•				
EFOA8S1Z	8.0		•			
EFOA8T1Z ⊗	8.0			•		

#### Legacy Water-Cooled Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Water cooled condenser for quiet cooling performance in areas of elevated ambient air temperature or dusty environments.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several finishes available to complement any interior space.
- Optional foot pedal for hands-free use.



97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27520C	Cooler Back Plate - Sandalwood
27519C	Cooler Back Plate - Stainless
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit

Single					
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Sandalwood	Foot Pedal
EFW16L1Z	16.0	•			
EFW16LP1Z ⊗	16.0	•			•
EFW16S1Z	16.0		•		
EFW16T1Z ⊗	16.0			•	

## Legacy Water-Cooled Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Water cooled condenser for quiet cooling performance in areas of elevated ambient air temperature.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several finishes available to complement any interior space.
- Power cord sold separately.



EFW16S2YJO

#### **Optional Accessories**

27517C	
97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler Chrome 2-1/2" x 10"
LK1110	Glass Filler

Single	Cooler	Cabinet			
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Voltage	Global Compliance
EFW16S2YJO ⊗	12.0		•	220V/60Hz	
EFW16L2YJO ⊗	16.0	•		220V/50Hz	
EFW16N3YJOSA ⊗	16.0			220V/60Hz	SASO
EFW16S3YJOSA ⊗	16.0		•	220V/60Hz	SASO

#### Legacy Hot and Cold Service Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Provides cold water for refreshing drinks and piping hot water for soups and beverages.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Optional foot pedal activation for hands-free use.



EFHA8I1Z

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler Chrome 2-1/2" x 10"
LK1110	Glass Filler
EWF172	WaterSentry VII Filter Kit

Single		Cooler Cabinet			
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Glass Filler Prepped	Foot Pedal
EFHA8L1Z O	8.0	•			
EFHA8LF1Z ⊗	8.0	•		•	
EFHA8LFP1Z O	8.0	•		•	•
EFHA8LP1Z ⊗	8.0	•			•
EFHA8S1Z O	8.0		•		
EFHA8SFP1Z ⊘	8.0		•	•	•
EFHA14L1Z ⊗	14.0	•			
EFHA14S1Z ⊗	14.0		•		

# **ELKAY**

### Legacy Hot and Cold Service Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Provides cold water for refreshing drinks and piping hot water for soups and beverages.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Power cord sold separately.



EFHFA8L2YJO

### **Optional Accessories**

97446C	Bubble
27521C	Cooler
27519C	Cooler
LK1114	Glass
LK1110	Glass

ler Kit Vandal-Resistant r Back Plate - Light Gray Granite r Back Plate - Stainless Filler Chrome 2-1/2" x 10" Filler

Single		Cooler Cabinet				
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Glass Filler Prepped	Voltage	Global Compliance
EFHA8L2YJO ⊗	8.0	•			220V/50Hz	
EFHA8S2YJO ⊗	8.0		•		220V/50Hz	
EFHFA8L2YJO ⊗	8.0	•		•	220V/50Hz	
EFHFA8S2YJO ⊗	8.0		•	•	220V/50Hz	

### **Legacy Special Use Water Coolers**

- Special use floor mount water coolers for specific installation and environmental needs.
- EFWC16S1Z consists of a 316 stainless steel cabinet and special coatings inside and out for extreme corrosion resistance.
- EFY8S1Z is a water cooled unit UL listed for use in hazardous locations (see Specification Sheet for specific flammable gas, dust, and debris certifications).
- Stainless steel finish is corrosion resistant and attractive.
- Rated for indoor use.





**Optional Accessories** 

-EWF172

WaterSentry VII Filter Kit

Single Bubbler **Chilled GPH** Model Standard VR EFY8S1Z 8.0 • EFWC16S1Z 16.0 •



### **Heavy-Duty Slimline Soft Sides Drinking Fountains**

- Low-profile fountain provides an attractive and durable product, while enhancing applications requiring child ADA compliance.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.





FHWM17C

EHWM14C

### **Optional Accessories**

AP99 98481C LKAPR2

EWF172

ACCESS12X38-5 Access Panel for Architectural Fountains Access Panel 9" x 9" x 6" Bubbler Kit Water-Efficient VR Cane Apron for EHW Stainless Steel WaterSentry VII Filter Kit

An access panel is required when using the filter kit.

Single 🕏	
Model	Freeze Resistant
EHWM14FPK ⊘ ▼	•
EHWM14C	

Bi-level 🕉	
Model	Freeze Resistant
EHWM17FPK ⊘ ▼	•
EHWM17C	

### **Heavy-Duty Soft Sides Drinking Fountains**

- Contoured fountain provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.

• Freeze-resistant models extend outdoor usage season.





EHWM214C

### **Optional Accessories**

ACCESS12X38-5 Access Panel for Architectural Fountains AP99 Access Panel 9" x 9" x 6" 98481C Bubbler Kit Water-Efficient VR LKAPR2 Cane Apron for EHW Stainless Steel MPW200 In Wall Carrier (Bi-Level) MPW101 In Wall Carrier (Single) WaterSentry VII EWF172 Filter Kit An access panel is required when using the filter kit.

Single 🕏		Includes Surface	Pre-Ordered Mounting	
Model	Freeze Resistant	Mount		
EHW214FPK ⊘ ▼	•		Order MPW101	
EHWM214FPK ⊘ ▼	•	•		
EHW214C			Order MPW101	
EHWM214C		•		

Bi-level 👶		Includes Surface	Pre-Ordered Mounting	
Model	Freeze Resistant	Mount		
EHW217FPK ⊘ ▼	•		Order MPW200	
EHWM217FPK ⊘ ▼	•	•		
EHW217C			Order MPW200	
EHWM217C		•		

Bi-level reverse 🖒		Includes Surface	Pre-Ordered Mounting	
Model	Freeze Resistant	Mount		
EHW217FPRAK ⊘ ▼	•		Order MPW200	
EHWM217FPRAK ⊘ ▼	•	•		
EHW217RAC			Order MPW200	
EHWM217RAC		•		

### **Slimline Soft Sides Drinking Fountains**

- Low-profile fountain provides an attractive and durable product, while enhancing applications requiring child ADA compliance.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.



ECDFPW314C

### **Optional Accessories**

	AP99	Access Panel
	98481C	Bubbler Kit Water-Efficient VR
	LKAPR2	Cane Apron
_	EWF172	WaterSentry VII Filter Kit

•	Freeze-resistant	models extend	l outdoor	usage season.	
---	------------------	---------------	-----------	---------------	--

5		Bub	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
ECDFPW314C	-	•		
ECDFPW314FPK ⊘ ▼	-		•	•
ECDFPWVR314C	-		•	

Slimline Soft Sides Drinking Fountains

- Low-profile fountain provides an attractive, safe product, while enhancing applications requiring child ADA compliance.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Vandal-resistant bubblers are one-piece, chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Power cord sold separately.



ECDFPW314C

Optional Ac	cessories	
98501C	Bubbler	\$34.00
97446C	Bubbler Kit Vandal-Resistant	\$134.00
LK1110	Glass Filler	\$258.00
51299C	Replacement Filter	\$88.00

	Bubbler		Clabal		
Model	Chilled GPH	Filtered	VR	Voltage	Global Compliance
LCRSPM102QK S ⊗	10.0	•	•	240V/50Hz	

# **ELKAY**

### **Soft Sides Drinking Fountains**

- Contoured fountain provides an attractive and safe product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.





EDFP210C

**Optional Accessories** ACCESS12X38-5 Access Panel for Architectural Fountains AP99 Access Panel 9" x 9" x 6" Bubbler Kit Water-Efficient VR 98481C 97258C Cane Apron for Contour/Soft Sides Black LK1110 Glass Filler LK1114 Glass Filler Chrome 2-1/2" x 10" MPW200 In Wall Carrier (Bi-Level) MPW101 In Wall Carrier (Single) Wall Plate EDFP210C/EDFP214C fountains WP2 EWF172 WaterSentry VII Filter Kit

Single short		Bubbler		Freeze
Model	Chilled GPH	Flex	VR	Resistant
EDFP210C	-	•		
EDFP210FPK ⊘ ▼	-		٠	•

Single 🖏		Bubbler		Freeze
Model	Chilled GPH	Flex	VR	Resistant
EDFP214C	-	•		
EDFP214FC ⊗	-	•		
EDFP214FPK ▼	-		•	•
EDFPVR214C	-		•	

Bi-level 💰		Bubbler		Freeze
Model	Chilled GPH	Flex	VR	Resistant
EDFP217C	-	•		
EDFP217FC	-	•		
EDFP217FPK ▼	-		•	•
EDFPVR217C	-		•	

Bi-level reverse \delta		Bubbler		Freeze
Model	Chilled GPH	Flex	VR	Resistant
EDFP217FPRAK ⊘ ▼	-		•	•
EDFP217RAC	-	•		
EDFPVR217RAC	-		•	



### Soft Sides Drinking Fountains

- Contoured fountain provides an attractive and safe product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubblers are one-piece, chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Freeze-resistant models extend outdoor usage season.
- Power cord sold separately.





ACCESS12X38-5	Access Panel 9" x 9" x 6"
98501C	Bubbler
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR
97258C	Cane Apron for Contour/Soft Sides Black
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
MPW200	In Wall Carrier (Bi-Level)
MPW101	In Wall Carrier (Single)
51299C	Replacement Filter

Single 🐍			Bubbler	Voltage	Global Compliance
Model	Chilled GPH	Filtered	Flex	voltage	diobal compliance
LNFE82K ⊘	8.0	•	•	220V/50Hz	
LNFEM82K ⊗	8.0	•	•	220V/50Hz	
LNFEM83K O	8.0	•	•	220V/60Hz	
ERFP82K ⊗	8.0		•	220V/50Hz	
ERFPM82K ⊗	8.0		•	220V/50Hz	
EROM82K ⊗	8.0		•	220V/50Hz	

Bi-level 🖏			Bubbler	Voltage	Global Compliance
Model	Chilled GPH	Filtered	Flex	voitage	Giobal Compliance
LNTE82K ⊗	8.0	•	•	220V/50Hz	
LNTEM82K ⊗	8.0	•	•	220V/50Hz	
LNTEM83K 🛇	8.0	•	•	220V/60Hz	
ERFP282K ⊗	8.0		•	220V/50Hz	
ERFPM282K ⊗	8.0		•	220V/50Hz	
EROM282K Ø	8.0		•	220V/50Hz	

### Soft Sides Premium Composite Drinking Fountains

- Durable and nonporous granite-like contoured fountain provides an attractive and safe product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use, and appropriate for environments caustic to stainless steel.
- Freeze-resistant models extend outdoor usage season.





EDFPVR217RC

AP99	Access Panel 9" x 9" x 6"
ACCESS12X38-5	Access Panel for Architectural Fountains
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler KitWater-Efficient VR
MPW200	In Wall Carrier (Bi-Level)
MPW101	In Wall Carrier (Single)
WP2	Wall Plate EDFP210C/EDFP214C fountains
EWF172	WaterSentry VII Filter Kit

Single 🖏		Bubb	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
EDFP214RC	-	•		
EDFPVR214RC 🕈	-		•	
EDFPVR214RFPK 🖁 🛇 🔻	-		•	•

Bi-level 🕹	Bubbler	Freeze	
Model	Chilled GPH	VR	Resistant
EDFPVR217RC 💈	-	•	
EDFPVR217RFPK ⊘ ▼	-	•	•

Multistations 💰		Bubbler		Freeze
Model	Chilled GPH	Flex	VR	Resistant
EDFP220RC 🕈	-	•		
EDFPVR220RC 🕱	-		•	
EDFPVR320RC 🖁	-		•	
EDFPVR320RFPK 🗟 ⊙ 🔻	-		•	•

Single short		Bubbler
Model	Chilled GPH	Flex
EDFP210RC 🕈	-	•

### SwirlFlo Drinking Fountains

- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.





EDFPBM117C

AP99	Access Panel 9" x 9" x 6"
ACCESS12X38-5	Access Panel for Architectural Fountains
98501C	Bubbler StreamSaver Flexi-Guard
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR
LKAPR1	Cane Apron for SwirlFlo Gray
MPW200	In Wall Carrier (Bi-Level)
MPW101	In Wall Carrier (Single)
ML100	In Wall Carrier Support Legs
EWF172	WaterSentry VII Filter Kit

Single 📩			Bub	bler	Includes	Pre-Ordered
Model	Back Plate	Freeze Resistant	Flex	VR	Surface Mount	Mounting
EDFPB114C			•			Order MPW101
EDFPB114FPK ▼	•	•	•			Order MPW101
EDFPBM114K ▼	•		•		•	
EDFPBMV114K ▼	•			•	•	
EDFPBV114C				•		Order MPW101
EDFPBW114C	•		•			Order MPW101
EDFPBW114FPK ⊘ ▼	•	•	•			Order MPW101
EDFPBWM114C	•		•		•	
EDFPBWM114FPK Ø			•			
▼		_				
EDFPBWMV114C	•			•	•	
EDFPBWV114C	•			•		Order MPW101

Bi-level 🕏			Bub	bler	Includes	Pre-Ordered
Model	Back Plate	Freeze Resistant	Flex	VR	Surface Mount	Mounting
EDFPB117C	•		•			Order MPW200
EDFPB117FPK ▼	•	•	•			Order MPW200
EDFPBM117C	•		•		•	
EDFPBM117FPK ⊘ ▼	•	•	•		•	
EDFPBM117K ▼	•		•			Order MPW200
EDFPBMV117C	•			•	•	
EDFPBV117C	•			•		Order MPW200
EDFPBVM117FPK ⊗ ▼	•	•		•	•	
EDFPBVM117K ▼	•			•		



Bi-level reverse 💰			Bub	obler	Includes	Pre-Ordered
Model	Back Plate	Freeze Resistant	Flex VR		Surface Mount	Mounting
EDFPB117FPRAK ◎ ▼	•	•	•			Order MPW200
EDFPB117RAC	•		•			Order MPW200
EDFPBM117FPRAK ⊗ ▼	•	•	•		•	
EDFPBM117RAC	•		•		•	
EDFPBM117RAK ▼	•		•			Order MPW200
EDFPBMV117RAC	•			•	•	
EDFPBV117RAC	•			•		Order MPW200
EDFPBVM117FPRAK ⊗ ▼	•	•		•	•	
EDFPBVM117RAK ▼	•			•		

### SwirlFlo Drinking Fountains

- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.
- Power cord sold separately.





EDFPBM117C

ACCESS12X38-5	Access Panel
98501C	Bubbler
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR
LKAPR1	Cane Apron
EWF172	Filter Kit
27267C	Lower Back Panel left side louvers

Bi-level 🖒	Bubbler	Includes		Global			
Model	Chilled GPH	Filtered	Sensor Activated	Flex	Surface Mount	Voltage	Compliance
LRPBM282K ⊗	8.0	•		•	•	220V/50Hz	
LRPBM282QK ⊗	8.0	•		•	•	240V/50Hz	
ENOBM282QK 🖁 🛇	8.0		•	•	•	240V/50Hz	
ERPBM282K ⊗	8.0			•	•	220V/50Hz	
ERPBM83K ⊗	8.0			•	•	220V/60Hz	

Single 📩	Bubbler	Includes		Global			
Model	Chilled GPH	Filtered	Sensor Activated	Flex	Surface Mount	Voltage	Compliance
LRPBM82K O	8.0	•		•	•	220V/50Hz	
LRPBM82QK O	8.0	•		•	•	240V/50Hz	
ENOBM82QK 🕱 🛇	8.0		•	•	•	240V/50Hz	
ERPBM283K ⊗	8.0			•	•	220V/60Hz	
ERPBM82K ⊗	8.0			•	•	220V/50Hz	



Bi-level reverse 🕏			Bubbler	Includes		Global
Model	Chilled GPH	Filtered	Flex	Surface Mount	Voltage	Compliance
LRPBM282RAK ⊗	8.0	•	•	•	220V/50Hz	
ERPBM282RAK Ø	8.0		•	•	220V/50Hz	
ERPBM283RAK Ø	8.0		•	•	220V/60Hz	

### Legacy Fully Recessed Drinking Fountains

- Fully-recessed stainless steel design allows for obstacle free walkways.
- Mechanical bubbler push bar continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor or outdoor use.





EDFBC212C

### **Optional Accessories**

Access Panel 9" x 9" x 6" Bubbler
StreamSaver Flexi-Guard
Bubbler Kit Vandal-Resistant
Bubbler Kit Water-Efficient VR

Standard With LK109A Model Cuspidor **Glass Filler** EDFB12C EDFB12FC Ø EDFBC212C •

Cuspidor only	
Model	With Cuspidor
EDFBC12PBC	•

### Legacy Simulated Semi-Recessed Drinking Fountain

- Space-saving simulated semi-recessed design.
- Mechanical bubbler push bar continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Stainless steel finish is corrosion resistant and attractive.
- Flush wall mount provides a recessed appearance without extra wall work.



### **Optional Accessories**

AP99	Access Panel 9" x 9" x 6"
98501C	Bubbler StreamSaver Flexi-Guard
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR

Model EDFP19C



### Legacy Multistation Stainless Steel Drinking Fountains

- Unique stainless steel wall mount design provides service to multiple users at the same time.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor or outdoor use.





EDF210C

### **Optional Accessories**

97446C	Bubbler Kit Vandal-Resistant
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit

Two station	
Model	
EDF210C	

Three station
Model
EDF310C

### Legacy Bracket Drinking Fountain

- Stainless steel bracket provides mounting to wall.
- 300 Series stainless steel basin resists corrosion.
- Equipped with one-piece, chrome-plated push-button bubbler.
- Mechanical bubbler continues to provide water when electrical service is interrupted.
- Includes removable chrome-plated strainer.
- Rated for indoor or outdoor use.

Model	
EDF15R	



EDF15R



### **Legacy Countertop Drinking Fountains**

- Attractive stainless steel modular drinking fountain can be installed into a surface of your choice.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Remote button allows flexible positioning of activation.
- Units with vandal-resistant bubblers are rated for indoor or outdoor use.





#### **Optional Accessories**

97446C	Bubbler Kit Vandal-Resistant
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit

Oval			Bubbler		
Model	Chilled GPH	Remote Pushbutton	Standard	Flex	VR
DRKR14C	-		•		
DRKR14RC	-	•		•	
DRKRV14RC	-	•			•

Circular		Bubbler
Model	Chilled GPH	Standard
DRKR10C	-	•

### **Water Chillers**

- Converts any drinking fountain into a water cooler.
- Allows flexible installation location of refrigeration up to 15 feet from dispensing location.
- Several chilling capacities available to serve many usage and installation scenarios.
- Available with a high-performance compressor and insulation to greatly reduce energy consumption.
- Available with a water cooled condenser for quiet cooling performance in areas of elevated ambient air temperature or dusty environments.





ECH8

PM3	Chiller Shelf 20" x 11" x 9-1/4"
PM4	Chiller Shelf 23-1/2" x 13" x 9-1/4"
EG2	Louvered Grill 21" x 1/2" x 28"
EG3	Louvered Grill 26" x 1/2" x 26-1/2"
EG1	Louvered Grill (SS) 21" x 1/2" x 28"

Model	Chilled GPH	Stations Served	Air-Cooled	Water Cooled
ERS11Y	1.0	1	•	
ER21Y	2.0	1	•	
ER51Y	5.0	1	•	
ECH8	8.0	2	•	
ECH8GRN	8.0	2	•	
ECP8	8.0	2	•	
ECU8	8.0	2	•	
ER101Y	10.0	2	•	
ER191	19.0	3	•	
ER301	30.0	3	•	
ERW321	32.0	3		•



### **Remote Water Chillers**

- Converts any drinking fountain into a water cooler.
- Allows flexible installation location of refrigeration up to 15 feet from dispensing location.
- Several chilling capacities available to serve many usage and installation scenarios.
- Available with a high-performance compressor and insulation to greatly reduce energy consumption.
- Power cord sold separately.





ECH82

optional Accessories					
PM3	Chiller Shelf 20" x 11" x 9-1/4"				
PM4	Chiller Shelf 23-1/2" x 13" x 9-1/4"				
EG2	Louvered Grill 21" x 1/2" x 28"				
EG3	Louvered Grill 26" x 1/2" x 26-1/2"				
EG1	Louvered Grill (SS) 21" x 1/2" x 28"				

Model	Chilled GPH	Stations Served	Air-Cooled	Voltage	Global Compliance
ECH102Q O	10.0		•	240V/50Hz	
ECH82WR ⅔ ⊗	8.0	1	•	220V/50Hz	CE, WRAS
ERS12Y Ø	1.0	1	•	220V/50Hz	
ER22Y ⊗	2.0	1	•	220V/50Hz	CE
ER52Y ⊗	5.0	1	•	220V/50Hz	CE
ER53Y O	5.0	1	•	220V/60Hz	
ECH82 ⊗	8.0	1	•	220V/50Hz	CE
ECH82Q ⅔ ⊗	8.0	1	•	240V/50Hz	
ECH83	8.0	1	•	220V/60Hz	
ECH83SA ⊗	8.0	1	•	220V/60Hz	SASO
ECP82 ⊗	8.0	1	•	220V/50Hz	
ECP82Q ⊗	8.0	1	•	240V/50Hz	
ECP83 ⊗	8.0	1	•	220V/60Hz	
ECP83SA 🛇	8.0	1	•	220V/60Hz	
ECU82 ⊗	8.0	1	•	220V/50Hz	
ECU83 🛇	8.0	1	•	220V/60Hz	
ER102Y 🛇	10.0	2	•	220V/50Hz	
ER103Y O	10.0	2	•	220V/60Hz	
ER192 ⊗	19.0	3	•	220V/50Hz	CE
ER193 🛇	19.0	3	•	220V/60Hz	
ER303 🛇	30.0	3	•	220V/60Hz	
ER302 🛇	30.0	3	•	220V/50Hz	



### **High Ambient Remote Water Chillers**

- Produces minimum of 8 gallons per hour (30 liters/hour) of 50 degrees F (10 degrees C) or colder drinking water based upon 122 degrees F (50 degrees C) inlet water and 122 degrees (50 degrees C) ambient.
- When operated at standard rating conditions chiller produces 19 gallons per hour (72 liters/hour) of 50 degrees F (10 degrees C) or colder drinking water based upon 80 degrees F (27 degrees C) inlet water and 90 degrees (32 degrees C) ambient.
- Installs directly under fountain or other application, or may be located in a service area to serve a remote outlet (within 15 feet recommended).
- Stainless steel finish.
- Power cord sold separately.



ER194H

Model	Chilled GPH	Stations Served	Air-Cooled	Voltage	Global Compliance
ER194H 🕿	8.0	0		220- 240V/50Hz, 220- 230V/60Hz	SASO







# OUTDOOR DRINKING SOLUTIONS

Multiple configurations available.



Shown: LK4420BF1UEVG



### **Outdoor Bottle Filling Stations**

- Corrosion-resistant 316 stainless steel base material provides the ultimate protection from the elements.
- Heavy-gauge construction with tamper-resistant screws that resist stains and corrosion.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Multistation wall-mount models require only a single water line for installation making them a great choice when upgrading or replacing older fountains.
- Laminar flow provides clean fill with minimal splash.
- Pet fountain features slow drainage for easy drinking.
- Sealed freeze-resistant system prevents drain water from mixing with fresh water. Designed for ground installation below the frost line.
- Available in 12 stunning finishes.\*







### **Optional Accessories**

97890C	
LK4471LHB	
I K4471I HBE\	/G

Direct Bury Adaptor Locking Hose Bib Locking Hose Bib Evergreen

(URN)	(PUR)	(RED)	(TER)	(WHI)	(YLW)		
Wall mour	nt 💰						
Model					Bottle Filling Stations	Bubbler Stations	Global Compliance
LK4405BF					1		
LK4405BFEV	/GWR 🖁 🛇				1		WRAS
LK4408BF ©	)				1	1	
LK4409BF 6	)				1	1 Upper, 1 Lower	

Single station 🕏				
Model	Bottle Filling Stations	Global Compliance		
LK4400BF 🕱	1			
LK4400BFEVGWR ⅔ ⊗	1	WRAS		
LK4410BF	1			

Dual station 🕏				
Model	Bottle Filling Stations	Bubbler Stations	Pet Fountain	Global Compliance
LK4420BF1L	1 (Low)	1 (Upper)		
LK4420BF1LDB 🕈	1 (Low)	1 (Upper)	•	
LK4420BF1U ⊗	1 (Upper)	1 (Low)		
LK4420BF1UDB 🕈	1 (Upper)	1 (Low)	•	



Triple station 💰					
Model	Bottle Filling Stations	Bubbler Stations	Global Compliance		
LK4430BF1L	1 (Low)	2 (Upper-Mid)			
LK4430BF1M	1 (Mid)	2 (Upper-Low)			
LK4430BF1U	1 (Upper)	2 (Mid-Low)			

\*Colors other than Evergreen are non-returnable. Freeze-resistant models are non-returnable. Additional models rated for outdoor use available.

### **Outdoor Fountains**

- Corrosion-resistant 316 stainless steel base material provides the ultimate protection from the elements.
- Heavy-gauge construction with tamper-resistant screws that resist stains and corrosion.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Multistation wall-mount models require only a single water line for installation making them a great choice when upgrading or replacing older fountains.
- Pet fountain features slow drainage for easy drinking.
- Sealed freeze-resistant system prevents drain water from mixing with fresh water. Designed for ground installation below the frost line.
- Available in 12 stunning finishes.\*





### **Optional Accessories**

97890C LK4471LHB **ssories** Direct Bury Adaptor Locking Hose Bib LK4406ORN



Wall mount single station 💰	
Model	Global Compliance
LK4405	

Wall mount double station \delta	
Model	Global Compliance
LK4406 ⊗	

Single station		
Model	Pet Fountain	Global Compliance
LK4400 🕱		
LK4400DB 🕱	•	
LK4410		

Dual station 🖏				
Model	Pet Fountain	Global Compliance		
LK4420 O				
LK4420DB 🕱	•			

### **Stone Aggregate Fountains**

- Attractive and durable stone aggregate finish withstands elements and complements any outdoor landscape.
- Heavy-gauge construction with tamper-resistant screws that resist stains and corrosion.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Freeze resistant system is located either below the frost line or in temperature controlled space.
- Sealed freeze-resistant system prevents drain water from mixing with fresh water. Designed for ground installation below the frost line.

Single station 🕏		
Model	Freeze Resistant	Sealed Freeze Resistant
LK4590		
LK4590FR ⊗	•	
LK4590SFR Ø		•

Standard			
Model			
LK4591			

Wall mount 🕏	
Model	Freeze Resistant
LK4593	
LK4593FR 0	•

Dual station 🕏		
Model	Freeze Resistant	Sealed Freeze Resistant
LK4595		
LK4595FR 0	•	
LK4595SFR O		•








LK4595



Vandal-resistant Retrofit Filtration Kit with WaterSentry<sup>®</sup> VII Filter EF1500VRBMC



# WATERSENTRY® FILTERS

Elkay's filter offerings are certified to NSF 53 and 42 for lead, class 1 particulate, chlorine, taste and odor reduction.



Shown: 51300C



### Vandal-resistant retrofit filtration kit

### EF1500VRBC



Vandal-Resistant Retrofit Filtration Kit with 1500-Gallon Lead and CTO Filter

- Includes WaterSentry VII Filter. Order 51299C as a replacement filter.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

### EF1500VRBMC



Vandal-Resistant Retrofit Filtration Kit with 1500-Gallon Lead and CTO Filter and Filter Status Monitor

- Includes WaterSentry VII Filter. Order 51299C as a replacement filter.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

### WaterSentry bottle filling station filters

# 51300C 51300C\_3PK WaterSentry Plus Replacement Filter (Bottle Fillers) WaterSentry Plus Replacement Filters (3-pack)

• Replacement filter for use in ezH2O bottle filling stations and with EWF3000 WaterSentry Plus systems.

• Filter should be replaced every 3,000 gallons or 1 year after installation.

### 51300C\_12PK



WaterSentry® Plus Replacement Filters (12-pack) (Bottle Fillers)

- Replacement filter for use in ezH2O bottle filling stations and with EWF3000 WaterSentry Plus systems.
- Filter should be replaced every 3,000 gallons or 1 year after installation.

(Bottle Fillers)

• Replacement filter for use in ezH2O bottle filling stations and with EWF3000 WaterSentry Plus systems.



Same Street
1
ELKAY
TRANSFERRAL F
- Andrews

of the

WaterSentry Plus Filter System Kit (Bottle Fillers)

- For use with ezH2O Bottle Fillers Order 51300C as replacement filter (available in multipacks).
- Filter should be replaced every 3,000 gallons or 1 year after installation.

## ELKAY

### WaterSentry cooler + fountain filters



LF2



WaterSentry VII Replacement Filter (Coolers + Fountains)

- Replacement filter for EWF172 WaterSentry VII systems in water coolers + fountains.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

### EWF172

56192C



- WaterSentry VII Filter Kit (Coolers + Fountains)
- For use with Coolers + Fountains Order 51299C as replacement filter.
- Filter should be replaced every 1,500 gallons or 1 year after installation.



Aqua Sentry Filter System Kit (Coolers + Fountains)

- In-Line filter for use with coolers + fountains -Order 56192C as replacement filter.
- Filter should be replaced every 500 gallons or 6 months after installation.

### Aqua Sentry Replacement Filter

- Replacement filter for LF2 filter system.
- Filter should be replaced every 500 gallons or 6 months after installation.

### WaterSentry Water Dispenser, Bottle Filling **Station and Cooler + Fountain filters**



(2pack)

- Replacement filter for premium water dispensers. Optional for select bottle filling stations, coolers and fountains with WaterSentry systems.
- Filter should be replaced every 6,000 gallons or 1 year after installation.

C-91



### **Point-of-entry**

EFC1150D-A



Central Water Filtration System, Plug Type A

• Removes 1200T for chlorine, taste, and odor. Removes 400T for lead, cadmium, copper, sulfate, and nitrite.



Central Water Softener, Plug Type A

• Removes scale causing minerals (Calcium and Magnesium).



Reverse Osmosis System, Plug Type A

• Removes suspended matter, rust, redworm, sediment, color, odor, chlorine, virus, bacteria, inorganic compounds, and small molecule organic compounds.

EFC1150D-B



Central Water Filtration System, Plug Type G

• Removes 1200T for chlorine, taste, and odor. Removes 400T for lead, cadmium, copper, sulfate, and nitrite.

### ELKAY.



**Composite Filter** 

EFU23-A



3-Stage Undermount Ultra Filtration System

• Removes suspended matter, rust, redworm, sediment, color, odor, chlorine, heavy metals, bacteria, and small molecule organic compounds.





Stainless Steel Dispensing Faucet





### **Bacteria Reduction Replacement**

### WSP35000



35,000 Gallon Bacteria Water Filtration System

- This ultrafiltration system has a process that reduces particles and microorganisms of up to .2 microns. It also reduces odor, taste and chlorine.
- The system includes a connection head for the water supply. Also, a Quick-Connect head that allows easy installation and replacement of the cartridge.

### WSP35000SR



Replacement Sediment Pre-Filter for the WSP35000

• Change filter every 12 months

### WSP35000R



Replacement Carbon Block Filter for the WSP35000

Change filter every 12 months

These products are only available in the Asia-Pacific area



ezH2O Hands Free Retrofit Kit				
Model	List Price	Description	Special Note	Image
1000005817		Elkay EZS/LZS to EZO Retrofit Kit	For use with refrigerated coolers only.	

WaterSentry filter mounting covers			
Model	Description	Special Note	Image
100000887	Elkay Filter Mounting Cover Kit (L)	For use with EMABF and LMAF light gray granite vinyl models.	
98551C	WaterSentry Filter Mounting Cover (Gray Granite)	For use with EZ and LZ light gray granite vinyl models.	
98568C	WaterSentry Filter Mounting Cover (Stainless Steel)	For use with EZ and LZ stainless steel models.	
98669C	WaterSentry Filter Mounting Cover for EMABF, LMABF, VRC, and LVRC stainless steel models	For use with EMABF, LMABF, VRC, and LVRC stainless steel models.	

Access and decorative panels			
Model	Description	Special Note	Image
1000004539	Accessory - Wall Plate (Hi-Lo Bi-Level) for EZ style bi-level models	For use with EZ style bi-level models.	
28410C Ø	Accessory - Wall Plate (Lo-Hi Bi-Level) for EZ style bi-level reverse models	For use with EZ style bi-level reverse models.	2
28904C Ø	Accessory - Wall Plate (Splash Guard) for EZ style models	For use with EZ style models.	
ACCESS12X38-5	Accessory - Stainless Steel Access Panel for Bi- Level Architectural Fountains	ACCESS12X38-5 can be installed above or below Bi-Level Architectural Fountains and Bi-Level Architectural Fountains with Integral Bottle Fillers.	$\square$
AP99	Elkay Access Panel 9" x 9" x 6"		



RP2130	Accessory - Wall Bezel Black		-
WP2	Accessory - Wall Plate for EDFP210C and EDFP214C fountains	For use with EDFP210C and EDFP214C fountains.	

Additional accessories			
Model	Description	Special Note	Image
36292C	Accessory - Power Block for Multistation Bottle Filling Stations	For use with multistation bottle filling stations.	Telle .
75520C	Accessory - Vandal-Resistant Pinned T25 Torx Bit	For removing fasteners on vandal- resistant models.	
75523C	Accessory - Vandal-Resistant Pinned T27 Torx Bit	For removing fasteners on vandal- resistant models.	
98032C	Accessory - Vandal-Resistant Drain Kit for models with 1-1/4" drain openings	For use on models with 1-1/4" drain openings.	

Bubblers			
Model	Description	Special Note	Image
92715C	Accessory - Bubbler Replacement Kit, Flexi- Guard		0
97446C	Accessory - Bubbler Kit Vandal-Resistant		00
98481C	Accessory - Bubbler Kit Water-Efficient Vandal- Resistant		
98501C	Elkay Bubbler - Stream Saver Flexi-Guard		-



LK142	Elkay Push Button Bubbler	For use with Elkay EDF214WC ,DRKR, EDF15R, EFWC16 models.	
-------	---------------------------	--	--

Cane aprons			
Model	Description	Special Note	Image
97258C	Accessory - Cane Apron for Contour & Soft Sides Models Black	For use with the Soft Sides & Contour models.	V
98313C	Elkay Cane Apron for EMABF (Gray Granite)	For use with EMABF style models.	
98324C	Accessory - Cane Apron for HAC, HVR, EMABF & VRC Models (Stainless)	For use with EMABF, VRC and VRCGRN models.	
LKAPR1	Elkay Cane Apron for SwirlFlo Gray	For use with SwirlFlo models.	
LKAPR2	Elkay Cane Apron for EHW Stainless Steel	For use with EHW(M) models.	5
LKAPREZL	Elkay Cane Apron for EZ Gray	For use with EZ style models.	
LKAPRVRCHD	Elkay Cane Apron for VRCHD Stainless Steel	For use with (L)VRCHD models.	

Glass fillers			
Model	Description	Special Note	Image
98498C	Elkay Glass Filler Kit Chrome	For use with various Elkay models.	
LK109A	Elkay Glass Filler Chrome	Factory installed only.	



LK1110	Elkay Glass Filler	Ordered separately with glass filler prepped models.	ſ
LK1114	Elkay Glass Filler Chrome 2-1/2" x 10"	Ordered separately with glass filler prepped models.	

Mounting plates			
Model	Description	Special Note	Image
MP20	Elkay Surface Mounting Plate RH 38-1/4" x 20- 1/8"	For use with EDFP217 and EDFP217FP bi-level models requiring additional support. Secures directly to a variety of load-bearing surfaces.	
MP20RA	Elkay Surface Mounting Plate LH 38-1/4" x 20- 1/8"	For use with EDFP217RA and EDFP217FPRA reverse bi-level models requiring additional support. Secures directly to a variety of load- bearing surfaces.	

Mounting systems / in wall carriers			
Model	Description	Special Note	Image
ML100	Accessory - In Wall Carrier Support Legs for MPW101, MPW200 or MPW201 mounting plates	For optional use with MPW101, MPW200 or MPW201 mounting plates.	
MLP100	Accessory - In Wall Carrier (Single) for single EZ, LZ, EMABF, LMABF, VRC, LVRC models	For use with single EZ, LZ, EMABF, LMABF, VRC, LVRC models.	
MLP200	Accessory - In Wall Carrier (Bi-Level) for bi- level EZ, LZ, EMABF, LMABF, VRC, LVRC models	For use with bi-level EZ, LZ, EMABF, LMABF, VRC, LVRC models.	Ħ
MPW100	Accessory - In Wall Carrier (Single) for single OVL-II drinking fountains	For use with single OVL-II drinking fountains.	1
MPW101	Accessory - In Wall Carrier (Single) for EDFP210, EDFP214, EDFPB114, EDFPBW114, EHW214 models	For use with EDFP210, EDFP214, EDFPB114, EDFPBW114, EHW214 models.	
MPW200	Accessory - In Wall Carrier (Bi-Level) for EDFP217, EDFPB117 & EHW217 models	For use with EDFP217, EDFPB117 & EHW217 models.	
MPW201	Accessory - In Wall Carrier (Bi-Level) for EDFP220 models	For use with EDFP220 models.	



Remote chillers optional accessories - shelves			
Model	Description	Special Note	Image
РМЗ	Elkay Chiller Shelf 20" x 11" x 9-1/4"	For use with ER5 and ER10 water chillers.	
PM4 Q	Elkay Chiller Shelf 23-1/2" x 13" x 9-1/4"	For use with ER19 and ERW20 water chiller.	

Remote chillers optional accessories - grills			
Model	Description	Special Note	Image
EG1	Elkay Louvered Grill (Stainless Steel) 21" x 1/2" x 28"	For use with ERS1, ER2 and ECH8 chillers.	
EG2 Ø	Elkay Louvered Grill 21" x 1/2" x 28"	For use with ERS1, ER2 and ECH8 chillers.	
EG3	Elkay Louvered Grill 26" x 1/2" x 26-1/2"	For use with ER5, ER10 and ER19 chillers.	

Model	Description	Special Note	Image
MB232A 🛇	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel 220V	For use with 220V EFRC models	
MB232AL O	Elkay Mounting Frame with Filter Head Non- Filtered, Non-Refrigerated Galvanized Steel 220V	For use with 220V LJNE models	
MB23A	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel	For use with 115V EFRC models.	
MB23AL	Elkay Mounting Frame with Filter Head Non- Filtered, Non-Refrigerated Galvanized Steel	For use with 115V LJNE models.	
MB24	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel	For use with EFRPC models.	

### ELKAY.

MB30	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel	For use with 115V EHFRA models.	
MB302 🛇	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel 220V	For use with 220V EHFRA models	
MF100	Elkay Mounting Frame 18-3/4" x 12" x 37-3/4"	For use with ENOB, ERFP, ERO, ERPB, LNFE, LRPB models.	
MF200	Elkay Mounting Frame 37-1/2" x 12" x 37-1/2"	For use with ENOB, ERFP, ERO, ERPB, LNTE, LRPB models.	
MFC100	Elkay Mounting Frame 18-3/4" x 12" x 37-3/4"	For use with ECRSP and LCRSP models.	·
MFWS100	Accessory - Mounting Frame for in-wall ezH2O models	For use with in-wall ezH2O models.	
MFWS200	Accessory - Mounting Frame for bi-level ezH2O SwirlFlo and Soft Sides Architectural Fountain Combination Units	For use with bi-level ezH2O SwirlFlo and Soft Sides architectural fountain combination units.	
MFWS210	Accessory - Mounting Frame for bi-level ezH2O SwirlFlo and Soft Sides Architectural Cooler Combination Units	For use with bi-level ezH2O SwirlFlo and Soft Sides architectural cooler combination units.	A HIGH
MFWSF100	Accessory - Mounting Frame for single ezH2O SwirlFlo and Soft Sides Architectural Fountain Combination Unit	For use with single ezH2O SwirlFlo and Soft Sides architectural fountain combination unit.	
MFWSF110	Accessory - Mounting Frame for single ezH2O SwirlFlo and Soft Sides Architectural Cooler Combination Unit	For use with single ezH2O SwirlFlo and Soft Sides architectural cooler combination unit.	NH
MFWSF120	Halsey Taylor Mounting Frame for HTHB(WF)- EBP-I models	For use with HTHB(WF)-EBP-I models.	
MFWSF130	Halsey Taylor Mounting Frame for HTHB(WF)- ER-I models	For use with HTHB(WF)-ER-I models.	




### ADA-COMPLIANT PRODUCTS

Elkay offers a full line of products that comply with the requirements as specified by the Americans with Disabilities Act (ADA). They provide better access for everyone, making them ideal for residential and commercial spaces. Multifamily housing, assisted living centers, handicap restrooms, schools and health care facilities are just some facilities that can benefit from ADA solutions.





# **ADA SINKS**





### ELDSSF36279DBG




- Dimensions: 35-7/8" x 27-1/4" x 9-5/8" • 16 gauge
- Polished Satin finish
- Available in 1 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Work Shelf, Workstation

### ELDSSF33279DBG



- Dimensions: 32-7/8" x 27-1/4" x 9-5/8"
- 16 gauge
- Polished Satin finish
- Available in 1 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •33" minimum cabinet size
- Features: Work Shelf. Workstation

### Elkay Dart Canyon Stainless Steel 35-7/8" x 27-1/4" x 9-5/8", Single Bowl Farmhouse ADA Workstation Sink






Includes: ELDSSF36279 sink, CTXBG3113R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain ADA Compliant

### **Optional Accessories**

Drain LKDD Ship dims: 41-3/4" x 32-11/16" x 12-13/16" Approx. ship weight: 69 lbs.

### Elkay Dart Canyon Stainless Steel 32-7/8" x 27-1/4" x 9-5/8", Single Bowl Farmhouse ADA Workstation Sink





**Includes:** ELDSSF33279 sink, CTXBG2813R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain

- ADA Compliant Optional Accessories
- Drain

### LKDD

Ship dims: 38-5/8" x 32-11/16" x 12-13/16" Approx. ship weight: 65 lbs.



### ELDSSF30279DBG



- •Dimensions: 29-7/8" x 27-1/4" x 9-5/8"
- •16 gauge
- Polished Satin finish
- Available in 1 faucet holes
- 3-1/2" (89mm) drain opening
  Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •30" minimum cabinet size
- Features: Work Shelf, Workstation

### ELUHAD141855



- •Dimensions: 16-1/2" x 20-1/2" x 5-3/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •21" minimum cabinet size


#### 29-7/8° (759mm) 14-7/16° 27-1/4° (367mm) (692mm) (692mm) (927m) (692mm) (367mm) (367mm) (10mm) (558mm) (25-7/8° (10mm) (558mm) (25-7/8° (10mm) (25-7/8°) (25-7/8°) (25-7/8°) (367mm) (377mm) 
**Bowl Farmhouse ADA Workstation Sink** 

Includes: ELDSSF30279 sink, CTXBG2513R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain ADA Compliant Optional Accessories

Drain LKDD Ship dims: 36" x 32-11/16" x 12-13/16" Approx. ship weight: 60 lbs.

### Elkay Lustertone Classic Stainless Steel 16-1/2" x 20-1/2" x 5-3/8", Single Bowl Undermount ADA Sink

Elkay Dart Canyon Stainless Steel 29-7/8" x 27-1/4" x 9-5/8", Single




ADA Compliant Made in USA Optional Accessories Bottom grid LKWOBG1418SS Cutting board CBS1418\* Rinsing basket LKWRB1418SS LKWERBSS Drain LK99 LKAD35 Ship dims: 23-5/16" x 8-15/16" x 23-3/16" Approx. ship weight: 11 lbs.

### ELUHAD111655



- •Dimensions: 14" x 18-1/2" x 5-3/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 14" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Optional Accessories Bottom grid LKWOBG1116SS Drain LK99 LKAD35 Ship dims: 23-1/2" x 19-3/4" x 8-1/2" Approx. ship weight: 11 lbs.



#### LFRAD251955



- Dimensions: 25" x 19-1/2" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •30" minimum cabinet size

#### LRAD221955L




- Dimensions: 22" x 19-1/2" x 5-1/2"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •27" minimum cabinet size

### LRAD221955R




- Dimensions: 22" x 19-1/2" x 5-1/2"
- •18 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •27" minimum cabinet size

#### Elkay Lustertone Classic Stainless Steel 25" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink




ADA Compliant Made in USA Optional Accessories Cutting board CB1516 Rinsing basket LKWERBSS Drain LK99 Ship dims: 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 18 lbs.

#### Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories Cutting board CBS1418 Rinsing basket LKWRB1418SS LKWERBSS Drain LK99 LKAD35 Ship dims: 20-13/16" x 7-13/16" x 27-15/16" Approx. ship weight: 13 lbs.

#### Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories Cutting board CBS1418 Rinsing basket LKWRB1418SS LKWERBSS Drain LK99 LKAD35 Ship dims: 20-13/16" x 7-13/16" x 27-15/16" Approx. ship weight: 13 lbs.

#### C-105



#### LRAD191855L



- •Dimensions: 19" x 18" x 5-1/2"
- •18 gauge
- •Lustertone finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

### LRAD191855R



- •Dimensions: 19" x 18" x 5-1/2"
- •18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

#### ELUHAD361855



- •Dimensions: 35-3/4" x 18-1/2" x 5-3/8"
- •18 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •39" minimum cabinet size




Made in USA Optional Accessories Rinsing basket LKWRB1116SS Drain LK99 LKAD35 Ship dims: 19-5/16" x 7-13/16" x 25-15/16" Approx. ship weight: 10 lbs.

#### Elkay Lustertone Classic Stainless Steel 19" x 18" x 5-1/2", Single Bowl Drop-in ADA Sink

5-1/2" (140mm)

Elkay Lustertone Classic Stainless Steel 19" x 18" x 5-1/2", Single



(127mm) 16" (406mm)


19" (483mm)

1-3/4" R (44mm)

> 1-3/4" R (44mm)

> > ADA Compliant Made in USA Optional Accessories Rinsing basket LKWRB1116SS Drain LK99 LKAD35 Ship dims: 19-5/16" x 7-13/16" x 25-15/16" Approx. ship weight: 10 lbs.

#### Elkay Lustertone Classic Stainless Steel 35-3/4" x 18-1/2" x 5-3/8", Equal Double Bowl Undermount ADA Sink



ADA Compliant Made in USA Optional Accessories Bottom grid LKWOBG1616SS Cutting board CB1713\* CBS1316\* Rinsing basket LKWRB1316SS LKWERBSS Drain LK99 LKAD35 Ship dims: 44-7/8" x 26-1/4" x 10-1/2"


Approx. ship weight: 27 lbs.



#### ELUHAD312055R

- •Dimensions: 31-1/4" x 20-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 5-3/8", Offset Double Bowl Undermount ADA Sink ADA Compliant




Made in USA **Optional Accessories** Bottom grid LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl) **Cutting board** CBS1418\* CB1613\* CB1713\* CBS1316\* **Rinsing basket** LKWRB1418SS LKWERBSS LKWRB1316SS Drain LK99 LKAD35 Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 21 lbs.

#### LRAD372255



- Dimensions: 37" x 22" x 5-1/2"
- •18 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •42" minimum cabinet size

#### Elkay Lustertone Classic Stainless Steel 37" x 22" x 5-1/2", Equal Double Bowl Drop-in ADA Sink




ADA Compliant Made in USA Optional Accessories Bottom grid LKWOBG1616SS Cutting board CB1713 CBS1316 Rinsing basket LKWRB1316SS LKWERBSS Drain LK99 Ship dims: 44-7/8" x 26-1/4" x 10-1/2" Approx. ship weight: 24 lbs.





- •Dimensions: 33" x 22" x 5-1/2"
- •18 gauge
- •Lustertone finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size

#### Elkay Lustertone Classic Stainless Steel 33" x 22" x 5-1/2", Offset Double Bowl Drop-in ADA Sink



**ADA Compliant** Made in USA **Optional Accessories Bottom grid** LKWOBG1316SS **Cutting board** CBS1418 CB1613 CB1713 CBS1316 **Rinsing basket** LKWRB1418SS LKWRB1316SS LKWERBSS Drain LK99 LKAD35 **Ship dims:** 37-3/4" x 26-1/4" x 8-1/2" Approx. ship weight: 21 lbs.



#### ELUHAD281655PD



- •Dimensions: 30-1/2" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- +3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

#### ELUHAD281655




- •Dimensions: 30-1/2" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

#### ECTSRAD25226TBG



- •Dimensions: 25" x 22" x 6"
- 18 gauge
- ◆Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •30" minimum cabinet size

#### Elkay Lustertone Classic Stainless Steel, 30-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant


**Built in USA Models are also available with** 4-1/2" and 5" depths

Optional Accessories Bottom grid LKWOBG2816SS

**Drain** LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 37-3/4" x 26-1/4" x 12-1/2" **Approx. ship weight:** 26 lbs.

#### Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink




ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Bottom grid LKWOBG2816SS Drain LK99

LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 21 lbs.

#### Elkay Crosstown Stainless Steel 25" x 22" x 6", Single Bowl Dual Mount ADA Sink Kit Includes: ECTSRAD25226T Sink,



Includes: ECTSRAD25226T Sink, CTXBG2115 Bottom Grid ADA Compliant Optional Accessories Drain LKAD35 LK35

**Ship dims:** 33" x 24-1/2" x 13" **Approx. ship weight:** 24 lbs.



ELGUAD2519PD

- •Dimensions: 25" x 18-1/2" x 5-1/2"
- ◆3-5/8" (92mm) drain opening
- •30" minimum cabinet size

#### Features: Perfect Drain



#### ELUHAD211555PD




- •Dimensions: 23-1/2" x 18-1/4" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- +3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •27" minimum cabinet size
- Features: Perfect Drain

### ELUHAD211555



- Dimensions: 23-1/2" x 18-1/4" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

# Elkay Quartz Classic 25" x 18-1/2" x 5-1/2", Undermount ADA Sink with Perfect Drain







**Includes:** One LKPDQ1CR Perfect Drain and strainer.

Optional Accessories Drain LKPDQ1LS

**Ship dims:** 29-1/4" x 26-1/4" x 11" **Approx. ship weight:** 32 lbs.

#### Elkay Lustertone Classic Stainless Steel, 23-1/2" x 18-1/4" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain





**Includes:** One LKPD1 Perfect Drain and strainer.


ADA Compliant Built in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Bottom grid

LKWOBG2115SS Drain

LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 30-11/16" x 26-1/4" x 9-1/2" **Approx. ship weight:** 19 lbs.

#### Elkay Lustertone Classic Stainless Steel, 23-1/2" x 18-1/4" x 5-3/8", Single Bowl Undermount ADA Sink





ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Bottom grid

LKWOBG2115SS

**Drain** LK99 LKAD35

Ship dims: 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 12 lbs.



#### ELUHAD191655



- •Dimensions: 21-1/2" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •27" minimum cabinet size

#### ELUHAD161655




- •Dimensions: 18-1/2" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size

#### ELUHAD141855PD



- •Dimensions: 16-1/2" x 20-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size
- Features: Perfect Drain


#### Elkay Lustertone Classic Stainless Steel 21-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Drain LK99 LKAD35

**Ship dims:** 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 17 lbs.

#### Elkay Lustertone Classic Stainless Steel, 18-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Bottom grid


LKWOBG1616SS

#### **Drain** LK99

LKAD35

**Ship dims:** 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 11 lbs.

#### Elkay Lustertone Classic Stainless Steel, 16-1/2" x 20-1/2" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA Models are also available with 4-1/2" and 5" depths Optional Accessories

Bottom grid

LKWOBG1418SS

Drain LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 26-1/4" x 24-1/4" x 9-1/2" **Approx. ship weight:** 14 lbs.

# **ELKAY**

#### ELUHAD141455PD



- •Dimensions: 16-1/2" x 16-1/2" x 5-3/8"
- 18 gauge
- •Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •21" minimum cabinet size
- Features: Perfect Drain

### ELUHAD141455




- •Dimensions: 16-1/2" x 16-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆21" minimum cabinet size

### ELUHAD131655PD



- •Dimensions: 16" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •21" minimum cabinet size
- Features: Perfect Drain

#### Elkay Lustertone Classic Stainless Steel, 16-1/2" x 16-1/2" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain




**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 15 lbs.


#### Elkay Lustertone Classic Stainless Steel, 16-1/2" x 16-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Drain LK99 LKAD35 Ship dims: 17-5/16" x 8-13/16" x 22-15/16"

Approx. ship weight: 11 lbs.

#### Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink with Perfect Drain



strainer. ADA Compliant Built in USA

Includes: One LKPD1 Perfect Drain and

Models are also available with

4-1/2" and 5" depths

Optional Accessories Bottom grid

LKWOBG1316SS

Drain

LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 26-1/4" x 24-1/4" x 9-1/2" **Approx. ship weight:** 13 lbs.



#### ELUHAD131655



- Dimensions: 16" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •21" minimum cabinet size

#### ELUHAD121255




- Dimensions: 14-1/2" x 14-1/2" x 5-3/8"
- ♦18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size

#### ELUHAD111655PD



- •Dimensions: 14" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size
- Features: Perfect Drain


#### Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Bottom grid LKWOBG1316SS Drain LK99 LKAD35

Ship dims: 19-5/16" x 7-13/16" x 25-15/16" Approx. ship weight: 11 lbs.


#### Elkay Lustertone Classic Stainless Steel 14-1/2" x 14-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Drain LK99 LKAD35

**Ship dims:** 16-5/16" x 9-3/16" x 21-7/16" **Approx. ship weight:** 9 lbs.

#### Elkay Lustertone Classic Stainless Steel 14" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink with Perfect Drain Includes: One LKPD1 Perfect Drai



Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant

Built in USA Optional Accessories Bottom grid LKWOBG1116SS

Drain LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 26-7/16" x 24-3/8" x 9-11/16" **Approx. ship weight:** 15 lbs.

#### ADA Sinks C-113



#### ELGUAD3319PD



- Dimensions: 33" x 18-1/2" x 5-1/2"
- ♦3-5/8" (92mm) drain opening
- •36" minimum cabinet size
- Features: Perfect Drain



### ECTSRAD33226TBG





- Dimensions: 33" x 22" x 6"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size
- Features: Slim Rim

#### ELUHAD321655



- •Dimensions: 31-3/4" x 16-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size





#### Elkay Quartz Classic 33" x 18-1/2" x 5-1/2", Undermount ADA Sink with Perfect Drain Includes: Two LKPDO1CR Perfect

 R1"
 18-1/2"

 (470mm)
 16-3/16"

 16-3/16"
 16-3/16"

 14-1/4"
 14-1/4"

 (362mm)
 33"

 (388mm)
 5-1/2"

 6-3/8"
 (140mm)

 (16mm)
 14-1/4"

Includes: Two LKPDQ1CR Perfect Drains and strainers. Optional Accessories Drain LKPDQ1LS

**Ship dims:** 37-1/8" x 26-1/4" x 11" **Approx. ship weight:** 42 lbs.

# Dual Mount ADA Sink Kit

Includes: ECTSRAD33226T Sink, two CTXBG1315 Bottom Grids

**Optional Accessories** 


**Drain** LKDD

Elkay Crosstown Stainless Steel 33" x 22" x 6", Equal Double Bowl

LK35

Ship dims: 38" x 24-1/2" x 13" Approx. ship weight: 34 lbs.

#### Elkay Lustertone Classic Stainless Steel 31-3/4" x 16-1/2" x 5-3/8", Equal Double Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Drain LK99 LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 21 lbs.

#### C-114



#### ELUHAD312055RPD


#### Elkay Lustertone Classic Stainless Steel, 31-1/4" x 20-1/2" x 5-3/8", Double Bowl Undermount ADA Sink w/Perfect Drain

Elkay Lustertone Classic Stainless Steel, 30-3/4" x 18-1/2" x 5-3/8",

Double Bowl Undermount ADA Sink w/Perfect Drain



- Dimensions: 31-1/4" x 20-1/2" x 5-3/8"
- ◆18 gauge
- Lustrous Satin finish
- •3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers. ADA Compliant **Built in USA** Models are also available with 4-1/2" and 5" depths **Optional Accessories** Bottom grid LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl) Drain LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 26 lbs.

#### ELUHAD311855PD




- Dimensions: 30-3/4" x 18-1/2" x 5-3/8"
- 18 gauge
- Lustrous Satin finish
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

#### ELUHAD311855



- Dimensions: 30-3/4" x 18-1/2" x 5-3/8"
  18 gauge
- Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size



Includes: Two LKPD1 Perfect Drains and strainers. ADA Compliant


Built in USA Models are also available with

4-1/2" and 5" depths Optional Accessories Bottom grid LKWOBG1316SS

Drain LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 26 lbs.

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 5-3/8", Equal Double Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths Optional Accessories Bottom grid LKWOBG1316SS Drain LK99

LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 21 lbs.





- •Dimensions: 31" x 22" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size

#### LRAD312265PD




- •Dimensions: 31" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- •3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

#### LRAD252255



- •Dimensions: 25" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads

#### •30" minimum cabinet size



14" (356mm)

28" (711mm)

31" (787mm)

5" (127mm)

1-3/4" R (44mm)

1-3/4" R (44mm) ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG2816SS Drain LK99 LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 19 lbs.

#### Elkay Lustertone Classic Stainless Steel 31" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain

**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System Optional Accessories Bottom grid


LKWOBG2816SS

#### Drain

LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 19 lbs.

#### Elkay Lustertone Classic Stainless Steel 25" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories Bottom grid

LKWOBG2115SS

Drain

LK99

**Ship dims:** 30-11/16" x 26-1/4" x 9-1/2" **Approx. ship weight:** 15 lbs.

#### Elkay Lustertone Classic Stainless Steel 31" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink

22\* (559mm)

16" <sup>(</sup> 06mm)

> 5-1/2" (140mm)



#### LRAD252255-CU



- Dimensions: 25" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •30" minimum cabinet size

#### ECTSRAD25226TBG




- Dimensions: 25" x 22" x 6"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •30" minimum cabinet size

#### LRAD252265PD



- Dimensions: 25" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •30" minimum cabinet size
- Features: Perfect Drain


#### Elkay CuVerro Antimicrobial Copper 25" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

**Ship dims:** 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 15 lbs.


#### Elkay Crosstown Stainless Steel 25" x 22" x 6", Single Bowl Dual Mount ADA Sink Kit



Includes: ECTSRAD25226T Sink, CTXBG2115 Bottom Grid ADA Compliant Optional Accessories Drain LKAD35 LK35

**Ship dims:** 33" x 24-1/2" x 13" **Approx. ship weight:** 24 lbs.

#### Elkay Lustertone Classic Stainless Steel 25" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

**ADA Compliant** 

Built in USA

Models are also available with

Quick-Clip Mounting System **Optional Accessories** 

#### Bottom grid

LKWOBG2115SS

#### Drain


LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 30-11/16" x 26-1/4" x 10-1/2" **Approx. ship weight:** 17 lbs.





Elkay Quartz Classic 25" x 22" x 5-1/2", Drop-in ADA Sink with



Includes: One LKPDQ1CR Perfect Drain and strainer. **Optional Accessories** 

Drain LKPDQ1LS Ship dims: 29-1/4" x 26-1/4" x 11"

Approx. ship weight: 34 lbs.

LRAD252155



- Dimensions: 25" x 21-1/4" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

### LRAD252155-CU



- •Dimensions: 25" x 21-1/4" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •30" minimum cabinet size

### 5" (127mm) 15-3/4" 21-1/4" (400mm) (540mm) 1-3/4" R (44mm) 21" (533mm 25 (635mm) 1-3/4" R (44mm) 5-1/2" (140mm)


Single Bowl Drop-in ADA Sink

**ADA Compliant** Made in USA Models are also available with 4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System **Optional Accessories Bottom grid** LKWOBG2115SS Drain LK99 LKAD35

Ship dims: 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 15 lbs.

#### Elkay CuVerro Antimicrobial Copper 25" x 21-1/4" x 5-1/2", Single **Bowl Drop-in ADA Sink**

Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 5-1/2",



**ADA Compliant** Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths **Optional Accessories** Drain LKVR18-CU Ship dims: 30-11/16" x 26-1/4" x 8-1/2"

Approx. ship weight: 15 lbs.

#### C-118



#### LRAD252165PD



- Dimensions: 25" x 21-1/4" x 6-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •30" minimum cabinet size
- Features: Perfect Drain

#### LRAD222255



- Dimensions: 22" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •27" minimum cabinet size

#### 5° (127mm) 1-3/4° R (44mm) (406mm) (40

ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35


**Ship dims:** 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 14 lbs.

#### LRAD222255-CU



- Dimensions: 22" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

#### Elkay CuVerro Antimicrobial Copper 22" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink





ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

**Ship dims:** 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 14 lbs.

#### Optional Accessories Bottom grid LKWOBG2115SS Drain

Quick-Clip Mounting System

Models are also available with

LKPDVR18B LKPDAD18B LKDS99

strainer. ADA Compliant

**Built in USA** 

Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 6-1/2",

21-1/4" (540mm)

15-3/4" 400mm)

(204mm)

Elkay Lustertone Classic Stainless Steel 22" x 22" x 5-1/2", Single

Single Bowl Drop-in ADA Sink with Perfect Drain

5" (127mm)

T

6-1/2" (166mm)

1

R1-3/4

10-1/2" (267mm)

**Bowl Drop-in ADA Sink** 

25" (635mm)

21" (533mm)

> R1-3/4" (44mm)

> > **Ship dims:** 30-11/16" x 26-1/4" x 10-1/2" **Approx. ship weight:** 17 lbs.

Includes: One LKPD1 Perfect Drain and





- Dimensions: 22" x 19-1/2" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •27" minimum cabinet size

#### LRAD221955-CU




- Dimensions: 22" x 19-1/2" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- +27" minimum cabinet size

#### LRAD202255



- Dimensions: 19-1/2" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size



Single Bowl Drop-in ADA Sink


ADA Compliant Made in USA Models are also available with 4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35 Ship dims: 20-13/16" x 7-13/16" x 27-

Approx. ship weight: 12 lbs.

15/16"


#### Elkay CuVerro Antimicrobial Copper 22" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 5-1/2",



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU Ship dims: 26-1/4" x 24-1/4" x 8-1/2" Approx. ship weight: 13 lbs.

#### Elkay Lustertone Classic Stainless Steel 19-1/2" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG16165S Drain LK99

**Ship dims:** 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 14 lbs.

# s



#### LRAD202255-CU



- Dimensions: 19-1/2" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2, OS4 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

#### LRAD202265PD



- Dimensions: 19-1/2" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- •3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size
- Features: Perfect Drain

#### t (127mm) (127mm) (55mm) (559mm) 16" (406mm) 16" (406mm) 16" (406mm) 16" (406mm) 16" (406mm) 16" (204mm) 16" (204mm) 16" (204mm) 16" (204mm) 16" (10) 10" (10)

**Bowl Drop-in ADA Sink** 

1-3/4" R

8" (203mm)

16"

(406mm)

19-1/2" (495mm

1-3/4" R (44mm)

(44mm)

5" (127mm)

Elkay Lustertone Classic Stainless Steel 19-1/2" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain Includes: One LKPD1 Perfect Drain and

> strainer. ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG1616SS

**Drain** LKPDVR18B LKPDAD18B LKDS99

ADA Compliant Made in USA

Drain

LK99

**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 18 lbs.

#### LRAD191955



- •Dimensions: 19-1/2" x 19" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size

#### Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink

Elkay CuVerro Antimicrobial Copper 19-1/2" x 22" x 5-1/2", Single

22" (559mm)

16" (406mm)

5-1/2" (140mm) ADA Compliant Made in USA

Drain

LKVR18-CU


**Optional Accessories** 

Models are also available with

4", 4-1/2", 5", 6" and 6-1/2" depths

Approx. ship weight: 14 lbs.

Ship dims: 30-11/16" x 26-1/4" x 8-1/2"



LKAD35 Ship dims: 20-5/16" x 8-13/16" x 24-15/16"

Models are also available with

4", 5", 6" and 6-1/2" depths

Quick-Clip Mounting System **Optional Accessories** 

Approx. ship weight: 13 lbs.

ADA Sinks C-121

# **ELKAY**

#### LRAD191955-CU



- Dimensions: 19-1/2" x 19" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3, MR2, OS4 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

### LRAD191965PD




- •Dimensions: 19-1/2" x 19" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size
- Features: Perfect Drain

### PSRADQ191955L



- •Dimensions: 19-1/2" x 19" x 5-1/2"
- ◆20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size
- ◆ Features: Quick-Clip Mounting System


#### Elkay CuVerro Antimicrobial Copper 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

**Ship dims:** 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 13 lbs.

#### Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain




Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Drain LKPDVR18B LKPDAD18B

LKDS99

**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 13 lbs.

### Elkay Celebrity Stainless Steel 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories Drain LK99

**Ship dims:** 20-5/16" x 8-13/16" x 24-15/16" **Approx. ship weight:** 13 lbs.





#### PSRADQ191955R



- Dimensions: 19-1/2" x 19" x 5-1/2"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size
- Features: Quick-Clip Mounting System

#### LRAD191855




- Dimensions: 19" x 18" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- +24" minimum cabinet size

#### LRAD191855-CU



- Dimensions: 19" x 18" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2, OS4 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size

#### Elkay Celebrity Stainless Steel 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink






ADA Compliant Made in USA Optional Accessories Drain LK99 Ship dims: 20-5/16" x 8-13/16" x 24-15/16" Approx. ship weight: 13 lbs.

#### Elkay Lustertone Classic Stainless Steel 19" x 18" x 5-1/2", Single Bowl Drop-in ADA Sink

Elkay CuVerro Antimicrobial Copper 19" x 18" x 5-1/2", Single Bowl





**Drop-in ADA Sink** 

ADA Compliant Made in USA Models are also available with 4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35 Ship dims: 19-5/16" x 7-13/16" x 25-15/16"

Approx. ship weight: 10 lbs.

#### 5° (127mm) 1.344° R (44mm) (483mm) (483mm) (483mm) (11-112° (1457mm) (292mm) (



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

**Ship dims:** 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 10 lbs.



#### LRAD191865PD



- •Dimensions: 19" x 18" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- ◆24" minimum cabinet size
- Features: Perfect Drain

#### LRAD172255




- •Dimensions: 17" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •21" minimum cabinet size

#### LRAD172255-CU




- •Dimensions: 17" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2, OS4 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •21" minimum cabinet size

#### (127m) (127m) (134" R (44mm) (44mm



#### Elkay Lustertone Classic Stainless Steel 19" x 18" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant

Built in USA Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 10 lbs.


### Elkay Lustertone Classic Stainless Steel 17" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink

ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG1316SS Drain

LK99 LKAD35

Ship dims: 23-5/16" x 8-15/16" x 23-3/16" Approx. ship weight: 13 lbs.

Elkay CuVerro Antimicrobial Copper 17" x 22" x 5-1/2", Single Bowl



**Drop-in ADA Sink** 

#### ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

**Ship dims:** 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 13 lbs.



#### LRAD172265PD



- Dimensions: 17" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •21" minimum cabinet size
- Features: Perfect Drain

#### LRAD172055




- Dimensions: 17" x 20" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •21" minimum cabinet size

#### LRAD172065PD



- Dimensions: 17" x 20" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- ◆21" minimum cabinet size
- Features: Perfect Drain

#### Elkay Lustertone Classic Stainless Steel 17" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain




Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant Built in USA Optional Accessories Bottom grid LKWOBG1316SS

Drain LKPDVR18B LKPDAD18B LKDS99


Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 13 lbs.

#### Elkay Lustertone Classic Stainless Steel 17" x 20" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35 Ship dims: 23-5/16" x 8-15/16" x 23-3/16" Approx. ship weight: 12 lbs.

#### Elkay Lustertone Classic Stainless Steel 17" x 20" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant Built in USA Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 12 lbs.

# **ELKAY**

#### LRAD171655



- •Dimensions: 17" x 16" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆21" minimum cabinet size

### LRAD171665PD




- •Dimensions: 17" x 16" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •21" minimum cabinet size
- Features: Perfect Drain

### LRAD152255



- •Dimensions: 15" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- 18" minimum cabinet size




ADA Compliant Made in USA Models are also available with 4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35 Ship dims: 17-5/16" x 8-13/16" x 22-15/16"

Approx. ship weight: 8 lbs.

#### Elkay Lustertone Classic Stainless Steel 17" x 16" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain

Elkay Lustertone Classic Stainless Steel 15" x 22" x 5-1/2", Single

Elkay Lustertone Classic Stainless Steel 17" x 16" x 5-1/2", Single



**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 23-1/2" x 19-3/4" x 12-1/2" **Approx. ship weight:** 8 lbs.

#### 4-1/2" (114mm) 4-1/2" (114mm) 4-1/2" (114mm) 4-1/2" (155mm) 16" (406mm) 1-3/4" R (44mm) 1-3/4" R (44mm) 1-3/4" R

1.3/4" R (44mm)

**Bowl Drop-in ADA Sink** 

ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Optional Accessories Bottom grid LKWOBG1116SS Drain LK99 LKAD35

**Ship dims:** 23-5/16" x 8-15/16" x 23-3/16" **Approx. ship weight:** 10 lbs.



#### LRAD152255-CU



- Dimensions: 15" x 22" x 5-1/2"
- 18 gauge
- •Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size

#### LRAD152265PD




- Dimensions: 15" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- ◆18" minimum cabinet size
- Features: Perfect Drain

#### LRAD151755



- Dimensions: 15" x 17-1/2" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆18" minimum cabinet size


#### Elkay CuVerro Antimicrobial Copper 15" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

**Ship dims:** 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 12 lbs.

#### Elkay Lustertone Classic Stainless Steel 15" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.


ADA Compliant Built in USA Optional Accessories

Bottom grid LKWOBG1116SS

Drain LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 12 lbs.

#### Elkay Lustertone Classic Stainless Steel 15" x 17-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



1-3/4" R (44mm) ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Optional Accessories Drain

LK99 LKAD35

Ship dims: 20-13/16" x 7-13/16" x 21-13/16" Approx. ship weight: 10 lbs.

# **ELKAY**

#### LRAD151765PD



- •Dimensions: 15" x 17-1/2" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size
- Features: Perfect Drain

#### LRAD131655




- •Dimensions: 13" x 16" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

#### LRAD131655-CU



- •Dimensions: 13" x 16" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆18" minimum cabinet size


#### Elkay Lustertone Classic Stainless Steel 15" x 17-1/2" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 23-5/16" x 19-9/16" x 10-1/16" Approx. ship weight: 10 lbs.


#### Elkay Lustertone Classic Stainless Steel 13" x 16" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Optional Accessories Drain LK99 LKAD35

**Ship dims:** 23-1/2" x 19-3/4" x 8-1/2" **Approx. ship weight:** 10 lbs.

## Elkay CuVerro Antimicrobial Copper 13" x 16" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU

**Ship dims:** 23-1/2" x 19-3/4" x 8-1/2" **Approx. ship weight:** 10 lbs.




#### LRAD131665PD



- Dimensions: 13" x 16" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- +3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •18" minimum cabinet size
- Features: Perfect Drain

#### ELGAD3322PD



Elkay Lustertone Classic Stainless Steel 13" x 16" x 6-1/2", Single

Elkay Quartz Classic 33" x 22" x 5-1/2", Drop-in ADA Sink with

Includes: One LKPD1 Perfect Drain and strainer. ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 10 lbs.

## 

**Perfect Drain** 

R5/8\* (16mm) (175mm) (175mm) **Includes:** Two LKPDQ1CR Perfect Drains and strainers.

Optional Accessories Drain LKPDQ1LS

**Ship dims:** 37-1/8" x 26-1/4" x 11" **Approx. ship weight:** 46 lbs.

• Dimensions: 33" x 22" x 5-1/2"

-

- Available in Pre-scored for up to 5 faucet holes
- +3-5/8" (92mm) drain opening
- •36" minimum cabinet size
- Features: Perfect Drain







- •Dimensions: 33" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size

#### ECTSRAD33226TBG




- Dimensions: 33" x 22" x 6"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- •36" minimum cabinet size
- Features: Slim Rim

#### LRAD332265PD



- Dimensions: 33" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- ◆36" minimum cabinet size
- Features: Perfect Drain




ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG1316SS


**Drain** LK99 LKAD35

LKAD

**Ship dims:** 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 23 lbs.

#### Elkay Crosstown Stainless Steel 33" x 22" x 6", Equal Double Bowl Dual Mount ADA Sink Kit






Includes: ECTSRAD33226T Sink, two CTXBG1315 Bottom Grids Optional Accessories

- **Drain** LKDD
- LK35

**Ship dims:** 38" x 24-1/2" x 13" **Approx. ship weight:** 34 lbs.

# Elkay Lustertone Classic Stainless Steel 33" x 22" x 6-1/2", Equal Double Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** Two LKPD1 Perfect Drains and strainers.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System **Optional Accessories** 

Bottom grid LKWOBG1316SS

#### Drain

LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 23 lbs.


#### Elkay Lustertone Classic Stainless Steel 33" x 22" x 5-1/2", Equal Double Bowl Drop-in ADA Sink





- •Dimensions: 33" x 21-1/4" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- ◆36" minimum cabinet size

#### LRAD331955



ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG1316SS Drain

LK99 LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 23 lbs.

# Equal Double Bowl Drop-in ADA Sink

Elkay Lustertone Classic Stainless Steel 33" x 19-1/2" x 5-1/2",

Elkay Lustertone Classic Stainless Steel 33" x 21-1/4" x 5-1/2",



- •Dimensions: 33" x 19-1/2" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

#### 13-112" (127mm) 1-3/4" R (44mm) 1-3/4" R (356mm) 33" (356mm) 14" (356mm) 15" (356mm) 14" (356mm) 14" (356mm) 15" (350mm) 15" (35" (35" (35" (35") (

ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35


**Ship dims:** 37-3/4" x 26-1/4" x 8-1/2" **Approx. ship weight:** 20 lbs.

#### LRAD331965PD



- •Dimensions: 33" x 19-1/2" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

#### Elkay Lustertone Classic Stainless Steel 33" x 19-1/2" x 6-1/2", Double Bowl Drop-in ADA Sink w/Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers. ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 20 lbs.





- •Dimensions: 29" x 22" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •33" minimum cabinet size

#### LRAD292265PD



- Dimensions: 29" x 22" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •33" minimum cabinet size
- Features: Perfect Drain

#### i 4.1/2 (114mm) R1-3/4\* (44mm) - 5-3/4\* (44mm) - 5-3/4\* (44mm) - 5-3/4\* (44mm) - 11-1/2\* (292mm) - (292mm)

**Double Bowl Drop-in ADA Sink** 

1-3/4" R

(44mm)

1-3/4" R (44mm) 29" (737mm)

12-3/4"\_\_\_\_\_ (324mm)

11-1/2" (292mm)

4-1/2" (114mm) ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG1116SS Drain LK99

LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 17 lbs.

# Elkay Lustertone Classic Stainless Steel 29" x 22" x 6-1/2", Equal Double Bowl Drop-in ADA Sink with Perfect Drain

Elkay Lustertone Classic Stainless Steel 29" x 22" x 5-1/2", Equal

22" (559mm)

(406mm)

5-1/2\* (140mm)

> Includes: Two LKPD1 Perfect Drains and strainers. ADA Compliant Built in USA Models are also available with

Quick-Clip Mounting System Optional Accessories Bottom grid LKWOBG1116SS

#### Drain


LKPDVR18B LKPDAD18B LKDS99


**Ship dims:** 30-11/16" x 26-1/4" x 10-1/2" **Approx. ship weight:** 17 lbs.

#### LRAD291855



- Dimensions: 29" x 18" x 5-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- +3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •33" minimum cabinet size





ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories Drain LK99 LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 8-1/2" **Approx. ship weight:** 16 lbs.



EFS3321C Floor Mount Service Sink LK940BP03T4S Faucet ESS2520C Sink LK69C Faucet



# CUSTOM

## Modify an Existing SKU





### Weldbilt Scullery Sinks

- Superior quality 14-gauge, Type 304 stainless steel.
- Designed to withstand the heavy-duty requirements of hotel, restaurant, cafeteria and other commercial kitchens.
- Sink compartments have welded 1/4" radius coved corner construction; ground smooth for easy cleaning.
- Channel rim design with 2" apron, slanting sanitary turn under and inward sloping rim to minimize spillage.
- 8" high, full-length, sloped backsplash resists grime and is 2" thick to allow for plumbing.
- Sink polished to a uniform Lustrous Satin finish.
- Sink compartment pitched to drain.
- 3-1/2" drain opening centered in each compartment.
- Stainless steel tubular legs, 1-5/8" O.D. with up to 1" adjustable, bullet-shaped stainless steel feet.
- Carries NSF International certification.

Single compartment - right drainboard

Model

Model

WNSF8124R2

WNSF8130R2

WNSF8136R2 💈

WNSF8124LR2

WNSF8130LR2 💈 🛇

WNSF8136LR2 💈

**List Price** 

\$4,102.00

\$4,194.00

\$4,437.00


Single compartment - left and right drainboard

List Price

\$5,180.00

\$5,274.00

\$5,527.00



#### **Optional Accessories**

SSD24

24" Detachable Drainboard

\$974.00

Single compartmen	t - no drainb	oard			
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
WNSF81242	\$2,907.00	27"	27-1/2"	24"	24"
WNSF81302	\$3,110.00	33"	27-1/2"	30"	24"
WNSF81362	\$3,351.00	39"	27-1/2"	36"	24"



WNSF81242

Drainboard

24"

24"

24"

Single compartmen	ıt - left drain	board				
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8124L2	\$4,102.00	49-1/2"	27-1/2"	24"	24"	24"
WNSF8130L2 🖁 🛇	\$4,194.00	55-1/2"	27-1/2"	30"	24"	24"
WNSF8136L2 💈	\$4,437.00	61-1/2"	27-1/2"	36"	24"	24"

Overall

Width

27-1/2"

27-1/2"

27-1/2"

Overall

Width

27-1/2"

27-1/2"

27-1/2"

Bowl

Length

24"

30"

36"

Bowl

Length

24"

30"

36"

Bowl

Width

24"

24"

24"

Bowl

Width

24"

24"

24"

Overall

Length

49-1/2"

55-1/2"

61-1/2"

Overall

Length

72"

78"

84"



WNSF8124L2





WNSF8124R2



		-	

WNSF8124LR2





# **ELKAY**

### Weldbilt Scullery Sinks

Double compartment - no drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
WNSF82302 💈 🛇	\$4,223.00	33"	27-1/2"	15"	24"			
WNSF82362 💈	\$4,458.00	39"	27-1/2"	18"	24"			
WNSF82422 💈 🛇	\$4,709.00	45"	27-1/2"	21"	24"			
WNSF82482 💈	\$4,933.00	51"	27-1/2"	24"	24"			
WNSF82542 💈 🛇	\$5,268.00	57"	27-1/2"	27"	24"			
WNSF82602 💈	\$5,565.00	63"	27-1/2"	30"	24"			



WNSF82482

Double compartment - left drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8230L2 💈 🛇	\$5,308.00	55-1/2"	27-1/2"	15"	24"	24"
WNSF8236L2 💈 🛇	\$5,535.00	61-1/2"	27-1/2"	18"	24"	24"
WNSF8248L2 💈 🛇	\$6,026.00	73-1/2"	27-1/2"	24"	24"	24"
WNSF8254L2 🖁 🛇	\$6,346.00	79-1/2"	27-1/2"	27"	24"	24"
WNSF8260L2 💈 ⊘	\$6,642.00	85-1/2"	27-1/2"	30"	24"	24"

Double compartme	nt - right dra	ainboard				
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8230R2 💈	\$5,308.00	55-1/2"	27-1/2"	15"	24"	24"
WNSF8236R2 💈	\$5,535.00	61-1/2"	27-1/2"	18"	24"	24"
WNSF8248R2 💈	\$6,026.00	73-1/2"	27-1/2"	24"	24"	24"
WNSF8254R2 💈 🛇	\$6,346.00	79-1/2"	27-1/2"	27"	24"	24"
WNSF8260R2 💈 🛇	\$6,642.00	85-1/2"	27-1/2"	30"	24"	24"

Double compartme	ent - left and	right drai	nboard			
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8230LR2 💈	\$6,387.00	78"	27-1/2"	15"	24"	24"
WNSF8236LR2 💈 🛇	\$6,626.00	84"	27-1/2"	18"	24"	24"
WNSF8248LR2 💈	\$7,107.00	96"	27-1/2"	24"	24"	24"
WNSF8254LR2 💈	\$7,430.00	105"	27-1/2"	27"	24"	24"
WNSF8260LR2 💈	\$7,723.00	108"	27-1/2"	30"	24"	24"



WNSF8248R2

WNSF8248L2

Triple compartme	nt - no drainb	oard			
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
WNSF83454 🕈	\$5,901.00	48"	27-1/2"	15"	24"
WNSF83544 💈	\$6,407.00	57"	27-1/2"	18"	24"
WNSF83604 💈 🛇	\$6,702.00	63"	27-1/2"	20"	24"
WNSF83724 💈	\$7,267.00	75"	27-1/2"	24"	24"





## Weldbilt Scullery Sinks

Triple compartmen	t - left drain	board				
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8345L4 🖁 🛇	\$6,980.00	70-1/2"	27-1/2"	15"	24"	24"
WNSF8354L4 💈 🛇	\$7,484.00	79-1/2"	27-1/2"	18"	24"	24"
WNSF8372L4 🖁 ⊘	\$8,348.00	97-1/2"	27-1/2"	24"	24"	24"

Triple compartmen	t - right drai	nboard				
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8345R4 💈 🛇	\$6,980.00	70-1/2"	27-1/2"	15"	24"	24"
WNSF8354R4 💈	\$7,484.00	79-1/2"	27-1/2"	18"	24"	24"
WNSF8372R4 💈 🛇	\$8,348.00	97-1/2"	27-1/2"	24"	24"	24"



WNSF8354L4



WNSF8345R4

Triple compartmen	t - left and ri	ight draink	ooard			
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8345LR4 💈	\$8,070.00	93"	27-1/2"	15"	24"	24"
WNSF8354LR4 🕈	\$8,567.00	102"	27-1/2"	18"	24"	24"
WNSF8360LR4 🕈	\$8,860.00	108"	27-1/2"	20"	24"	24"
WNSF8372LR4 💈	\$9,430.00	120"	27-1/2"	24"	24"	24"



## FOODSERVICE



### **Rigidbilt Scullery Sinks**

- 16-gauge, Type 304 stainless steel.
- Large die-drawn sink compartments pitched to drain.
- Seamless drawn 3-1/2" radius coved corners.
- Exposed surfaces blended into a Lustrous Satin finish.
- Steel channel-reinforced drainboards have a conical shaped pitch for drainage.
- 8" high, full-length backsplash with 45-degree sloped top to resist dirt and grime.
- 2" thick backsplash to allow for plumbing.

Double compartment - no drainboard

**List Price** 

\$3,177.00

\$3,833.00

- 3-1/2" drain opening centered in each compartment.
- Stainless steel tubular legs with cross-brace supports.
- 1-5/8" O.D. with up to 1" adjustable bullet-shaped stainless steel feet.
- Channel rim design with 1" apron, has inward sloping rim to minimize spillage.

Single compartmen	t - no drainb	oard			
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
RNSF81182	\$2,359.00	27"	29-3/4"	18"	24"
RNSF81242	\$2,542.00	33"	29-3/4"	24"	24"

Overall

Length

47-1/4"

59-1/4"

Single compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
RNSF8118LR2 💈 🛇	\$3,304.00	57"	29-3/4"	18"	24"	19-1/2"		
RNSF8124LR2 💈	\$3,877.00	63"	29-3/4"	24"	24"	19-1/2"		

Overall

Width

29-3/4"

29-3/4"

Bowl

Length

18"

24"

Bowl

Width

24"

24"

RNSF8118LR2


FAR

RNSF81182

RNSF82362

Double compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
RNSF8236LR2	\$4,394.00	77-1/4"	29-3/4"	18"	24"	19-1/2"		
RNSF8248LR2 💈 🛇	\$5,489.00	89-1/4"	29-3/4"	24"	24"	19-1/2"		





Model

RNSF82362

RNSF82482 ⅔ ⊗

## FOODSERVICE

# ELKAY.

## **Rigidbilt Scullery Sinks**

Triple compartment - no drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
RNSF83544 🕈 🛇	\$4,136.00	67-1/2"	29-3/4"	18"	24"	1		
RNSF83724 🖁 ⊘	\$5,015.00	85-1/2"	29-3/4"	24"	24"			



RNSF83544

Triple compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
RNSF8354LR4	\$5,456.00	97-1/2"	29-3/4"	18"	24"	19-1/2"		
RNSF8372LR4 💈	\$6,911.00	115-1/2"	29-3/4"	24"	24"	19-1/2"		





# FOODSERVICE



### Dependabilt Scullery Sinks, 16 Gauge

- 16 Gauge 300 Series Stainless Steel Construction
- 10", 12" or 14" deep bowls with 3/4" coved corners.
- Includes stainless steel legs and bullet feet.
- 8" on center faucet holes.
- 9"or 10" backsplash with tile ledge for easy installation.





Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
1C18X18-0X	\$1,081.00	23"	23-3/4"	18"	18"
1C18X24-0X	\$1,128.00	23"	29-3/4"	18"	24"
1C24X24-0X	\$1,315.00	29"	29-3/4"	24"	24"



1 Compartment - 12" deep bowl, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
1C18X18-L-18X	\$1,296.00	38-1/2"	23-3/4"	18"	18"	18"		
1C24X24-L-24X	\$1,721.00	50-1/2"	29-3/4"	24"	24"	24"		



1 Compartment - 12" deep bowl, right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
1C18X18-R-18X	\$1,296.00	38-1/2"	23-3/4"	18"	18"	18"		
1C24X24-R-24X	\$1,721.00	50-1/2"	29-3/4"	24"	24"	24"		

1 Compartment - 12" deep bowl, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
1C18X18-2-18X	\$1,523.00	54"	29-3/4"	18"	18"	18"		
1C18X24-2-24X	\$1,784.00	66"	29-3/4"	18"	24"	24"		
1C24X24-2-24X	\$2,115.00	72"	29-3/4"	24"	24"	24"		

1 Compartment - 14" deep bowl									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
14-1C16X20-0X	\$1,072.00	21"	25-3/4"	16"	20"				
14-1C18X24-0X	\$1,206.00	23"	29-3/4"	18"	24"				
14-1C22X22-0X	\$1,242.00	27"	27-3/4"	22"	22"				
14-1C24X24-0X	\$1,293.00	29"	29-3/4"	24"	24"				



14-1C16X20-0X

1C18X24-R-18X

1C18X18-2-18X

### Dependabilt Scullery Sinks, 16 Gauge

1 Compartment - 14" deep bowl, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
14-1C16X20-L-18X	\$988.00	36-1/2"	25-3/4"	16"	20"	18"	
14-1C18X24-L-18X	\$1,486.00	38-1/2"	29-3/4"	18"	24"	18"	

1 Compartment - 14" deep bowl, right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
14-1C16X20-R-18X	\$988.00	36-1/2"	25-3/4"	16"	20"	18"		
14-1C18X24-R-18X	\$1,486.00	38-1/2"	29-3/4"	18"	24"	18"		

1 Compartment - 14" deep bowl, left and right drainboards								
Model         List Price         Overall Length         Overall         Bowl         Bowl         Drainbox								
14-1C16X20-2-18X	\$1,606.00	52"	25-3/4"	16"	20"	18"		

2 Compartments - 12" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
2C18X18-0X	\$1,620.00	43"	23-3/4"	18"	18"				
2C18X24-0X	\$1,682.00	43"	29-3/4"	18"	24"				
2C24X24-0X	\$2,101.00	55"	29-3/4"	24"	24"				

2C18X24-0X

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
2C18X18-L-18X	\$1,847.00	58-1/2"	23-3/4"	18"	18"	18"
2C18X18-L-24X	\$2,003.00	64-1/2"	23-3/4"	18"	18"	24"

2 Compartments - 12" deep bowls, left and right drainboards									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
2C18X18-2-18X	\$2,174.00	74"	23-3/4"	18"	18"	18"			
2C18X18-2-24X	\$2,306.00	86"	23-3/4"	18"	18"	24"			
2C18X24-2-18X	\$2,185.00	74"	29-3/4"	18"	24"	18"			
2C24X24-2-24X	\$2,879.00	98"	29-3/4"	24"	24"	24"			



14-1C16X20-L-18X



14-1C16X20-R-18X





18X24-L-18X







#### Dependabilt Scullery Sinks, 16 Gauge

2 Compartments - 14" deep bowls								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
14-2C16X20-0X	\$1,625.00	39"	25-3/4"	16"	20"			
14-2C18X24-0X \$1,916.00 43" 29-3/4" 18" 24"								



14-2C16X20-0X

Drainboard

18"

18"

24"

2 Compartments - 14" deep bowls, left drainboard							
Model         List Price         Overall         Overall         Bowl         Bowl         Drainboa           Model         List Price         Overall         Width         Length         Width         Drainboa							
14-2C18X24-L-18X	\$2,133.00	58-1/2"	29-3/4"	18"	24"	18"	

Overall

Width

25-3/4"

29-3/4"

29-3/4"

Overall

Width

23-3/4"

29-3/4"

Bowl

Length

16"

18"

24"

Bowl

Length

18"

18"

Bowl

Width

20"

24"

24"

Bowl

Width

18"

24"



14-2C16X20-2-18X

3 Compartments - 10" deep bowls								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
3C10X14-0X	\$1,615.00	39"	19-3/4"	10"	14"			
3C12X16-0X	\$1,651.00	45"	21-3/4"	12"	16"			

Overall

Length

63"

63"

Overall

Length

70"

74"

98"

2 Compartments - 14" deep bowls, left and right drainboards

List Price

\$2,115.00

\$2,379.00

\$2,949.00

**List Price** 

\$2,129.00

\$2,334.00

3 Compartments - 12" deep bowls

3C10X14-	0X
----------	----



3C18X24-0X

3 Compartments - 10" deep bowls, left drainboard								
Model         List Price         Overall         Overall         Bowl         Bowl         Drainboar								
3C10X14-L-12X	\$1,679.00	48-1/2"	19-3/4"	10"	14"	12"		



Model

Model

3C18X18-0X

3C18X24-0X

14-2C16X20-2-18X

14-2C18X24-2-18X

14-2C24X24-2-24X

### Dependabilt Scullery Sinks, 16 Gauge

3 Compartments - 10" deep bowls, right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
3C10X14-R-12X	\$1,679.00	48-1/2"	19-3/4"	10"	14"	12"		

3 Compartments - 10" deep bowls, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
3C10X14-2-12X	\$1,869.00	58"	19-3/4"	10"	14"	12"		
3C10X14-2-16X	\$1,942.00	66"	19-3/4"	10"	14"	16"		
3C12X16-2-12X	\$2,129.00	64"	21-3/4"	12"	16"	12"		
3C12X16-2-16X	\$2,146.00	72"	21-3/4"	12"	16"	16"		

3 Compartments	3 Compartments - 12" deep bowls, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
3C16X20-2-18X	\$2,599.00	88"	25-3/4"	16"	20"	18"			
3C18X18-2-18X	\$2,868.00	94"	23-3/4"	18"	18"	18"			
3C18X18-2-24X	\$2,633.00	106"	29-3/4"	18"	18"	24"			
3C18X24-2-18X	\$3,061.00	94"	29-3/4"	18"	24"	18"			
3C18X24-2-24X	\$3,195.00	106"	29-3/4"	18"	24"	24"			
3C24X24-2-24X	\$3,368.00	124"	29-3/4"	24"	24"	24"			

3 Compartments - 14" deep bowls								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
14-3C16X20-0X	\$2,093.00	57"	25-3/4"	16"	20"			
14-3C18X24-0X	\$2,311.00	63"	29-3/4"	18"	24"			
14-3C24X24-0X	\$2,930.00	81"	29-3/4"	24"	24"			

3 Compartments - 14" deep bowls, left drainboard

14-3C16X20-0X

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
14-3C16X20-L-18X	\$2,320.00	72-1/2"	25-3/4"	16"	20"	18"	1
							-

3 Compartments - 14" deep bowls, right drainboard								
Model         List Price         Overall Length         Overall         Bowl         Bowl         Drainboard								
14-3C16X20-R-18X	\$2,320.00	72-1/2"	25-3/4"	16"	20"	18"		







3C18X24-2-18X



14-3C16X20-L-18X







### Dependabilt Scullery Sinks, 16 Gauge

3 Compartments - 14" deep bowls, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
14-3C16X20-2-18X	\$2,639.00	88"	25-3/4"	16"	20"	18"		
14-3C16X20-2-24X	\$2,954.00	100"	25-3/4"	16"	20"	24"		
14-3C18X24-2-18X	\$3,120.00	94"	29-3/4"	18"	24"	18"		
14-3C18X24-2-24X	\$3,251.00	104"	29-3/4"	18"	24"	24"		
14-3C20X20-2-20X	\$3,089.00	106"	25-3/4"	20"	20"	20"		
14-3C24X24-2-24X	\$2,750.00	124"	29-3/4"	24"	24"	24"		



14-3C16X20-2-18X

# **ELKAY**

### **Dependabilt Scullery Sinks, 18 Gauge**


- 18 Gauge 300 Series Stainless Steel Construction
- 11", 12" or 14" deep bowls with 3/4" coved corners.

1 Compartment - 11" deep bowl, right drainboard

List Price

Model

- Includes stainless steel legs and bullet feet.
- 8" on center faucet holes.
- 8" or 9" backsplash with tile ledge for easy installation.



1 Compartment - 11" deep bowl									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
SE1C18X18-0X	\$949.00	23"	23-3/4"	18"	18"				
SE1C24X24-0X	\$1,212.00	29"	29-3/4"	24"	24"				



SE1C18x18-0X

1 Compartment - 11" deep bowl, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SE1C18X18-L-18X	\$1,212.00	38-1/2"	23-3/4"	18"	18"	18"		



SE1C18x18-L-18X



SE1C18x18-R-18X

Model	List Price	Length	Width	Length	Width	Drainboar
SE1C18X18-R-18X	\$1,212.00	38-1/2"	23-3/4"	18"	18"	18"

Overall

Bowl

Bowl

Overall

1 Compartment - 12" deep bowl								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
E1C16X20-0X	\$712.00	21"	25-3/4"	16"	20"			
E1C20X20-0X	\$1,041.00	25"	25-3/4"	20"	20"			
E1C24X24-0X	\$1,223.00	29"	29-3/4"	24"	24"			

1 Compartment - 12" deep bowls								
Model         List Price         Overall Length         Overall         Bowl         Bowl								
B1C18X18X	\$974.00	21"	21-1/2"	18"	18"			
B1C18X21X	\$982.00	21"	24-1/2"	18"	21"			
B1C24X24X	\$1,147.00	27"	27-1/2"	24"	24"			



Drainboard

E1C16X20-0X



B1C24X24X



### **Dependabilt Scullery Sinks, 18 Gauge**

1 Compartment - 12" deep bowl, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
E1C16X20-L-18X	\$921.00	36-1/2"	25-3/4"	16"	20"	18"		
E1C20X20-L-20X	\$1,360.00	42-1/2"	25-3/4"	20"	20"	20"		
E1C24X24-L-24X	\$1,511.00	50-1/2"	29-3/4"	24"	24"	24"		



E1C16X20-L-18X

E1C16X20-R-18X

Model	List Price	Overall	Overall	Bowl	Bowl	Drainboard
		Length	Width	Length	Width	
E1C16X20-R-18X	\$921.00	36-1/2"	25-3/4"	16"	20"	18"
E1C20X20-R-20X	\$1,360.00	42-1/2"	25-3/4"	20"	20"	20"
E1C24X24-R-24X	\$1,511.00	50-1/2"	29-3/4"	24"	24"	24"

1 Compartment - 14" deep bowl									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
S1C18X18-0X	\$996.00	23"	23-3/4"	18"	18"				
S1C24X24-0X	\$887.00	29"	29-3/4"	24"	24"				

						S1C18X18	3-0X
1 Compartment - 14	l" deep bowl	, left drair	nboard				
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
S1C18X18-L-18X	\$1,256.00	38-1/2"	23-3/4"	18"	18"	18"	

artment - 1	4" deep bowl	, left drair	nboard			
	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
-L-18X	\$1,256.00	38-1/2"	23-3/4"	18"	18"	18"

Overall

Width

23-3/4"

Overall

Width

23-3/4"

Bowl

Length

18"

Bowl

Length

18"

Bowl

Width

18"

Bowl

Width

18"

Drainboard

18"





S1C18X18-R-18X



Drainboard	
18"	

Model	List Price	Overall	Overall	Bowl	Bowl
Woder	LIST FILE	Length	Width	Length	Width
S1C18X18-0X	\$996.00	23"	23-3/4"	18"	18"
S1C24X24-0X	\$887.00	29"	29-3/4"	24"	24"

Overall

Length

38-1/2"

Overall

Length

54"

1 Compartment - 14" deep bowl, right drainboard

**List Price** 

\$1,256.00

**List Price** 

\$1,386.00

1 Compartment - 14" deep bowl, left and right drainboards

Model

Model

S1C18X18-2-18X

S1C18X18-R-18X

Dependabilt	Scullery Sinks, 18 Gauge	
2 Compartmonte	11" doop howle laft and right drainhoa	rde

2 Compartments - 11" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
SE2C18X18-2-18X	\$1,928.00	72"	23-3/4"	18"	18"	18"	

2 Compartments - 12" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
B2C18X21X	\$1,568.00	39"	24-1/2"	18"	21"				
B2C24X24X	\$1,802.00	51"	27-1/2"	24"	24"				
E2C16X20-0X	\$1,125.00	39"	25-3/4"	16"	20"				
E2C20X20-0X	\$1,640.00	47"	25-3/4"	20"	20"				
E2C24X24-0X	\$1,830.00	55"	29-3/4"	24"	24"				

2 Compartments - 12" deep bowls, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
E2C16X20-L-18X	\$1,232.00	54-1/2"	25-3/4"	16"	20"	18"		

2 Compartments - 1	2" deep bow	ıls, right d	rainboard			
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
E2C16X20-R-18X	\$1,232.00	54-1/2"	25-3/4"	16"	20"	18"

Model	List Price	Overall Length	ainboard Overall Width	Bowl Length	Bowl Width	Drainboard
S2C18X18-L-18X	\$1,691.00	56-1/2"	26-3/4"	18"	18"	18"

2 Compartments - 14" deep bowls, left and right drainboards										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
S2C18X18-2-18X	\$1,797.00	72"	23-3/4"	18"	18"	18"				

2 Compartments - 12" deep bowls, left and right drainboards										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
E2C16X20-2-18X	\$1,369.00	70"	25-3/4"	16"	20"	18"				
E2C20X20-2-20X	\$2,112.00	82"	25-3/4"	20"	20"	20"				
E2C24X24-2-24X	\$2,543.00	98"	29-3/4"	24"	24"	24"				



E2C16X20-R-18X

S2C18X18-L-18X



S2C18X18-2-18X











SE2C18x18-2-18X





### Dependabilt Scullery Sinks, 18 Gauge

3 Compartments - 11" deep bowls, left and right drainboards										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
SE3C18X18-2-18X	\$2,467.00	90"	23-3/4"	18"	18"	18"				
SE3C24X24-2-24X	\$2,940.00	120"	29-3/4"	24"	24"	24"				



SE3C18x18-2-18X

3 Compartments - 12" deep bowls										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width					
B3C12X21X	\$1,836.00	39"	24-1/2"	12"	21"					
B3C18X21X	\$1,525.00	57"	24-1/2"	18"	21"					
E3C16X20-0X	\$1,419.00	57"	25-3/4"	16"	20"					
E3C24X24-0X	\$2,244.00	81"	29-3/4"	24"	24"					



3 Compartments - 12" deep bowls, left drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
E3C16X20-L-18X	\$1,525.00	72-1/2"	25-3/4"	16"	20"	18"			

E3C16X20-L-18X

3 Compartments - 12" deep bowls, right drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
E3C16X20-R-18X	\$1,525.00	72-1/2"	25-3/4"	16"	20"	18"			

3 Compartments - 12" deep bowls, left and right drainboards									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
E3C16X20-2-18X	\$1,734.00	88"	25-3/4"	16"	20"	18"			
E3C20X20-2-20X	\$2,641.00	104"	25-3/4"	20"	20"	20"			
E3C24X24-2-24X	\$3,198.00	124"	29-3/4"	24"	24"	24"			

3 Compartments - 14" deep bowls, left and right drainboards										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
S3C18X18-2-18X	\$2,583.00	90"	23-3/4"	18"	18"	18"				
S3C24X24-2-24X	\$2,429.00	120"	29-3/4"	24"	24"	24"				



E3C16X20-R-18X

E3C16X20-2-18X





### Hand Wash Sinks, Pedestal Mount & Wall Mount

- 18 Gauge 300 Series Stainless Steel Construction
- Easy to clean and sanitize.
- 1-1/2" drain opening.
- NSF certified.

Model

EHS-18-SDX

Splash mounted basic										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width					
EHS-14X	\$453.00	14"	16-1/2"	10"	12"					
EHS-18X	\$468.00	18"	14-1/2"	14"	10"					
SEHS-17X	\$228.00	17"	15"	14"	10"					



Splash mounted with knee valve									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
EHS-18-KVX	\$1,888.00	18"	14-1/2"	14"	10"				

Splash mounted with pedestal base and foot valve									
Model         List Price         Overall         Overall         Bowl         Bowl           List Price         Length         Width         Length         Width									
EHS-14-PEDX 🕈	\$2,931.00	14"	16-1/2"	10"	12"				
EHS-18-PEDX	\$2,123.00	18"	14-1/2"	14"	10"				

Splash mounted with side splashes								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EHS-18-SSX	\$440.00	18"	14-1/2"	14"	10"			

Splash mounted with side splashes, lever waste, overflow, and p-trap Overall

Length

18"

List Price

\$1,224.00

Overall

Width

14-1/2"

Bowl

Length

14"

Bowl

Width

10"



EHS-18-SSX



EHS-18-SDX



F		4
	EHS-1	4X
	6	

EHS-18-KVX



EHS-14-PEDX

#### Hand Wash Sinks, Pedestal Mount & Wall

Splash mounted with soap and towel dispenser							
Model         List Price         Overall         Overall         Bowl           Length         Width         Length							
EHS-18-STDX 💈	\$1,551.00	18"	14-1/2"	14"	10"		



EHS-18-STDX

### 300 Series Stainless Steel Drop-in Sinks

- 18 Gauge 300 Series Stainless Steel Construction
- 3-1/2" drain opening.
- Strainer and faucet included.
- NSF certified.

1 Compartment - 10" deep bowls							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
DI-1C-101410X	\$605.00	13-1/2"	19-1/2"	10"	14"		

1 Compartment - 6" deep bowls							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
DI10126X	\$663.00	12"	16-3/4"	10"	12"		



DI-1C-101410X



D1-10116

3 Compartments - 10" deep bowls						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
DI-3C-101410X	\$949.00	37"	19-1/2"	10"	14"	



#### **Floor Service Sinks**

- 16 Gauge 300 Series Stainless Steel Construction
- 18 gauge stainless steel skirt.
- 2" no-caulk drain included.
- NSF certified.

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
FLR-1X	\$657.00	24"	20"	20"	16"
FLR-2X	\$727.00	32"	24"	28"	20"
FLR-3X	\$936.00	24"	20"	20"	16"
FLR-4X	\$1,059.00	32"	24"	28"	20"



FLR-3X



### **Floor Service Sinks**

- 16 Gauge 300 Series Stainless Steel Construction
- 18 gauge stainless steel skirt.
- 2" no-caulk drain included.
- NSF certified.

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
FLR-1X	\$657.00	24"	20"	20"	16"
FLR-2X	\$727.00	32"	24"	28"	20"
FLR-3X	\$936.00	24"	20"	20"	16"
FLR-4X	\$1,059.00	32"	24"	28"	20"




FLR-3X



C-152

#### **Work Tables Standard Series**

- 16 Gauge 304 Series Stainless Steel Construction
- Two galvanized hat channels per table.
- 1-5/8" heavy gauge tubing with fully adjustable 1" feet.
- Available with under shelf or cross bracing.
- Tables are shipped knocked down.
- Work tables larger than 72" have 6 legs.
- Backsplash models are 4" with 1" return.
- Carries NSF certification for foodservice application.



 
 Flat top with stainless steel cross brace and legs

 Model
 List Price
 Overall Length
 Overall

 WT30X84-STSX
 \$1,404.00
 84"
 30"



Flat top with stainless steel under shelf and legs								
Model	List Price	Overall Length	Overall Width					
WT24S36-STSX	\$617.00	36"	24"					
WT24S48-STSX	\$730.00	48"	24"					
WT24S60-STSX	\$897.00	60"	24"					
WT24S72-STSX	\$1,065.00	72"	24"					
WT30S120-STSX	\$1,935.00	120"	30"					
WT30S48-STSX	\$774.00	48"	30"					
WT30S60-STSX	\$968.00	60"	30"					
WT30S72-STSX	\$1,078.00	72"	30"					
WT30S84-STSX	\$1,329.00	84"	30"	]				

WT30X72-STSX

WT30S72-STSX



### Wash Lavatory Sinks, Rectangular Compartment

- 18-gauge, Type 304 stainless steel.
- Sink dimensions 22" x 19" x 10".
- Bowl dimensions 16" x 11-1/2" x 5-1/2".
- 1-3/4" coved corners, 2-1/2" high backsplash, and 2-1/2" apron front and sides.
- Front and side decks with raised rim.
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Drain placement provides more usable space on the bottom of the sink.
- 1-5/8" drain opening.
- Furnished with wall hanger and integral stainless steel support brackets.
- Carries NSF International certification.

ELV2219 series 🔥								
Model	List Price	Overflow	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes		
ELV22191	\$1,617.00					1		
ELV22193	\$1,617.00					3		
ELV2219CS3	\$1,617.00					CS3		
ELV2219SACC ▼	\$2,442.00				•	1		
ELV2219SACMC ▼	\$2,578.00		•		•	1		
ELV2219SACTMC ▼	\$2,757.00			•	•	1		
ELVWO22191	\$1,659.00	•				1		
ELVWO22193	\$1,659.00	•				3		
ELVWO2219CS3	\$1,659.00	•				CS3		
ELVWO2219SACC ▼	\$2,484.00	•			•	1		
ELVWO2219SACMC ▼	\$2,620.00	•	•		•	1		
ELVWO2219SACTMC ▼	\$2,798.00	•		•	•	1		

\*Includes LKB721C sensor faucet and AC/battery power.





ELVWO2219SACC

# LAVATORY



#### Wash Lavatory Sinks, Oval Compartment

- 18-gauge, Type 304 stainless steel.
- Sink dimensions 18" x 17-1/16" x 5-13/16".
- Bowl dimensions 13-5/8" x 10-1/8" x 5-13/16".
- Anti-splash rim.
- 5-1/2" high backsplash.
- 2" wide apron.
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- 1-5/8" drain opening.
- Furnished with stainless steel wall support brackets.

ELV1817 🔥		
Model	List Price	Holes
ELV18173	\$1,525.00	3
ELV1817CS3	\$1,525.00	CS3



# LAVATORY



#### Wheelchair Wash Lavatory Sinks

- 18-gauge, Type 304 stainless steel.
- Sink dimensions 19" x 23" x 9".
- Bowl dimensions 13-1/2" x 16" x 4".
- Uniform Lustrous Satin finish.
- 1-3/4" coved corners, 2-1/2" apron, front and sides, and 2-1/2" high backsplash.
- Wide top deck with raised rim.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Drain placement provides more usable space on the bottom of the sink.
- 1-5/8" drain opening.
- Furnished with wall hanger and integral stainless steel support brackets.
- Carries NSF International certification.

Sensor faucet packages 🔥							
Model	List Price	Overflow	Faucet*	Holes			
WCL1923OSDC	\$2,200.00		•	3			
WCLWO1923OSDC	\$2,244.00	•	•	3			

\*Includes faucet LKD232SBH5C.

(	$\overline{)}$		
1	R		
		0	

WCLWO1923OSDC

Sensor faucet kits 🔥						
Model	List Price	Overflow	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes
WCL1923OSDSACC ▼	\$2,147.00				•	1
WCL1923OSDSACMC ▼	\$2,284.00		•		•	1
WCL1923OSDSACTMC ▼	\$2,461.00			•	•	1
WCLWO1923OSDSACC ▼	\$2,192.00	•			•	1
WCLWO1923OSDSACMC ▼	\$2,327.00	•	•		•	1
WCLWO1923OSDSACTMC ▼	\$2,505.00	•		•	•	1



WCLWO1923OSDSACC

\*Includes LKB721C sensor faucet and AC/battery power.

Sink only 👶			
Model	List Price	Overflow	Holes
WCL1923OSD1	\$1,323.00		1
WCL1923OSD3	\$1,323.00		3
WCLWO1923OSD1	\$1,365.00	•	1
WCLWO1923OSD3	\$1,365.00	•	3



WCLWO1923OSD3



WCL1923OSDC



## LAVATORY

#### **Multiple Station Urinals**

- 14-gauge, Type 304 stainless steel.
- Welded seamless 1/4" coved corners.
- Full-length sloping backsplash with flush pipe.
- 1-1/2" wide top channel rims with 2" flat front apron.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Furnished with continuous-length wall hanger and integral stainless steel mounting "Z" brackets.
- Exposed surfaces polished to a Satin finish; easy to clean and sanitize.
- Designed for use with any water control flush valve, time valve or tank.
- Easy to clean and sanitize.
- LK177 strainer included.

With exposed flush	n pipe					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	-
EU4814C ⅔ ⊗	\$3,789.00	48"	14"	46-1/2"	11"	
EU6014C 💈	\$4,060.00	60"	14"	58-1/2"	11"	EU48

With integral hood						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EUH4814C 💈	\$4,245.00	48"	14"	46-1/2"	11"	1
EUH6014C 💈	\$4,528.00	60"	14"	58-1/2"	11"	



EUH4814C

# ELKAY.

### Surgeon's Lavatory Sinks With Instrument Trays

- 16-gauge, Type 304 stainless steel.
- Sink dimensions 28" x 20" x 14".
- Bowl dimensions 14" x 14" x 7-1/2".
- Integral instrument tray dimensions 3-3/4" x 14".
- 1-3/4" coved corners.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Furnished with stainless steel support brackets.
- Mounts 1-1/2" from wall.
- 2" drain opening.
- Easy to clean and sanitize.

ESLV2820W4C wristblade faucet packages				
List Price	Faucet*	Grid Drain	Holes	
\$4,518.00	•	•	3	
	List Price	List Price Faucet*	List Price Faucet* Grid Drain	

\*Includes faucet LK940GN05T4H.

ESLV2820W6C wristblade faucet packages					
Model	List Price	Faucet*	Grid Drain	Holes	
ESLV2820W6C 💈 ▼	\$4,532.00	•	•	3	

\*Includes faucet LK940GN05T6H.

Sensor faucet packages							
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes	
ESLV2820SACC ⅔ ▼	\$5,034.00			•	•	1	
ESLV2820SACMC 🖁 🔻	\$5,170.00	•		•	•	1	
ESLV2820SACTMC 💈 ▼	\$5,348.00		•	•	•	1	



\*Includes LKB721C sensor faucet and AC/battery power.

	Grid	
st Price	Drain	Holes
,492.00	•	1
	,492.00	Drain

Includes LK398C foot control and LK396A spout.

Knee control package			
Model	List Price	Grid Drain	Holes
ESLV2820KC 🕈 ▼	\$5,867.00	•	1

Includes LK397C knee control and LK396A spout.







ESLV2820W4C



### Surgeon's Lavatory Sinks With Instrument Trays

Sink only				
Model	List Price	Holes		
ESLV28201 💈	\$4,145.00	1		
ESLV28203 💈	\$4,145.00	3		





#### Wall Scrub Sinks 25" x 19-1/2"

- 14-gauge, Type 304 stainless steel.
- Sink dimensions 25" x 19-1/2" x 10-1/2".
- Bowl dimensions 22" x 16" x 10-1/2".
- 1-3/4" radius coved corners.
- 1-1/2" rolled rims.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.
- 6" high, full-length backsplash.

4" wristblade faucet packages					
Model	List Price	Faucet*	Holes		
EWS2520W4C ▼	\$2,501.00	•	2		

\*Includes faucet LK940GN05T4H.



6" wristblade faucet packages				
Model List Price Faucet* Holes				
\$2,511.00	•	2		
	List Price \$2,511.00	List Price Faucet*		

\*Includes faucet LK940GN05T6H.

Sensor faucet packages						
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes	
EWS2520SACC ▼	\$3,029.00			•	1	
EWS2520SACMC ▼	\$3,166.00	•		•	1	
EWS2520SACTMC ▼	\$3,344.00		•	•	1	

\*Includes LKB722C sensor faucet and AC/battery power.

Foot control package		
Model	List Price	Holes
EWS2520FC ▼	\$3,493.00	1

Includes LK398C foot control and LK396 spout.





EWS2520SACC



### Wall Scrub Sinks 25" x 19-1/2"

Knee control package		
Model	List Price	Holes
EWS2520KC ▼	\$3,656.00	1
		•

Includes LK397C knee control and LK396A spout.



Sink only		
Model	List Price	Holes
EWS25201	\$2,102.00	1
EWS25202	\$2,102.00	2



EWS25202



#### Wall Scrub Sinks 31" x 19-1/2"

- 14-gauge, Type 304 stainless steel.
- Sink dimensions 31" x 19-1/2" x 10-1/2".
- Bowl dimensions 28" x 16" x 10-1/2".
- 1-3/4" radius coved corners.
- 1-1/2" rolled rims.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.
- 6" high, full-length backsplash.

4" wristblade faucet packages				
List Price	Faucet*	Holes		
\$2,636.00	•	2		
	List Price	List Price Faucet*		

\*Includes faucet LK940GN05T4H.



6" wristblade faucet packages					
Model List Price Faucet* Holes					
EWS3120W6C ▼ \$2,646.00 • 2					
WS3120W6C V	. ,	•			

\*Includes faucet LK940GN05T6H.

Sensor faucet packages						
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes	
EWS3120SACC ▼	\$3,165.00			•	1	
EWS3120SACMC ▼	\$3,300.00	•		•	1	
EWS3120SACTMC ▼	\$3,480.00		•	•	1	

\*Includes LKB722C sensor faucet and AC/battery power.

Foot control package		
Model	List Price	Holes
EWS3120FC ▼	\$3,628.00	1

Includes LK398C foot control and LK396A spout.





EWS3120SACC



### Wall Scrub Sinks 31" x 19-1/2"

Knee control package		
Model	List Price	Holes
EWS3120KC ▼	\$4,016.00	1
la du de a LIZ207C lus e a serte		

Includes LK397C knee control and LK396A spout.



Sink only		
Model	List Price	Holes
EWS31201	\$2,238.00	1
EWS31202	\$2,238.00	2



EWS31202

# **ELKAY**

#### Wall Scrub Sinks, Wall Mount

- Type 304 stainless steel basin.
- Sink dimensions 16-3/4" x 15-1/2" x 13".
- Bowl dimensions 12" x 9-1/4" x 6".
- 1-3/4" radius coved corners.
- 7" high, full-length backsplash with 45-degree angle sloped top.
- Exposed surfaces have a Brushed finish.
- 2" drain opening.
- Easy to clean and sanitize.
- Furnished with hanger and integral stainless steel support brackets.

Lever faucet package					
Model	List Price	Faucet*	Side Splashes	Holes	
CHS1716C	\$1,236.00	•		2	
CHS1716LRSC ▼	\$1,802.00	•	•	2	

\*Includes LK940GN04L2H faucet.

Sensor faucet packages						
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Side Splashes	Holes
CHS1716LRSSACC ▼	\$2,445.00			•	•	1
CHS1716LRSSACMC ▼	\$2,590.00	•		•	•	1
CHS1716LRSSACTMC ▼	\$2,782.00		•	•	•	1
CHS1716SACC ▼	\$1,823.00			•		1
CHS1716SACMC ▼	\$1,970.00	•		•		1
CHS1716SACTMC ▼	\$2,155.00		•	•		1

\*Includes LKB722C sensor faucet and AC/battery power.

Sink only					
Model	List Price	Side Splashes	Holes		
CHS17161	\$779.00		1		
CHS17162	\$779.00		2		
CHS1716LRS1	\$1,243.00	•	1		
CHS1716LRS2	\$1,243.00	•	2		





CHS1716LRSSACTMC



CHS1716LRSC





CHS17162



#### Hand Wash Sinks, Pedestal Mount

- Type 304 stainless steel basin.
- Sink dimensions 16-3/4" x 15-1/2" x 43".
- Bowl dimensions 12" x 9-1/4" x 6".
- 1-3/4" radius coved corners.
- 7" high, full-length backsplash with 45-degree angle sloped top.
- Exposed surfaces have a Brushed finish.
- Easy to clean and sanitize.
- 2" drain opening.
- 36" floor to rim.
- Stainless steel pedestal.

Foot control packages				
Model	List Price	Grid Drain	Side Splashes	Holes
CHSP1716C	\$1,618.00	•		1
CHSP1716LRSC ▼	\$1,992.00	•	•	1

Includes LK399A foot control and LK395A spout.

Sensor faucet packages	Sensor faucet packages						
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Side Splashes	Holes
CHSP1716LRSSACC ▼	\$2,480.00			•	•	•	1
CHSP1716LRSSACMC ▼	\$2,627.00	•		•	•	•	1
CHSP1716LRSSACTMC ▼	\$2,816.00		•	•	•	•	1
CHSP1716SACC 💈 ▼	\$1,945.00			•	•		1
CHSP1716SACMC 🖁 🔻	\$2,091.00	•		•	•		1
CHSP1716SACTMC 幕 ▼	\$2,281.00		•	•	•		1



\*Includes LKB722C sensor faucet and AC/battery power.





CHSP1716LRSC

CHSP1716C



#### Hand Wash Sinks, Wall Mount

- Type 304 stainless steel basin.
- Sink dimensions 16-3/4" x 15-1/2" x 13".
- Bowl dimensions 12" x 9-1/4" x 6".
- 1-3/4" radius coved corners.
- 7" high, full-length backsplash with 45-degree angle sloped top.
- Inverted edge on sink rim.
- Exposed surfaces have a Brushed finish.
- 2" drain opening.
- Easy to clean and sanitize.
- Furnished with hanger support bracket.

Lever faucet package			
Model	List Price	Faucet*	Holes
CHSB1716C	\$659.00	•	2

\*Includes faucet LKB400.

500
CUS D171CC

-

CHSB1716C

Sink only		
Model	List Price	Holes
CHSB17162	\$529.00	2



CHSB17162



### Single Station Wash Sinks With Right Drainboard

- 14-gauge, Type 304 stainless steel.
- Sink dimensions 49-1/2" x 24" x 18".
- Bowl dimensions 18" x 20-1/2" x 10". Drainboard 30" x 20-1/2".
- 1/4" radius vertical and horizontal coved corners with 1-1/2" rolled rims.
- 8" high, full-length backsplash with 45-degree sloped top.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- Easy to clean and sanitize.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.

Wristblade faucet packages					
Model	List Price	Faucet*	Grid Drain	Holes	
ESS4924RW4C 🖁 🛇 ▼	\$4,972.00	•	•	2	
ESS4924RW6C 🖁 🛇 ▼	\$4,981.00	•	•	2	



\*Includes faucet LK940GN08T4H.

Sensor faucet packages						
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes
ESS4924RSACC 🕈 ▼	\$5,497.00			•	•	1
ESS4924RSACMC ℤ ▼	\$5,633.00	•		•	•	1
ESS4924RSACTMC ℤ ▼	\$5,811.00		•	•	•	1



ESS4924RSACC

\*Includes LKB722C sensor faucet and AC/battery power.

Foot control package			
Model	List Price	Grid Drain	Holes
ESS4924RFC 🕈 ▼	\$5,960.00	•	1
ESS4924RFC ℤ ▼	\$5,960.00	•	1

Includes LK398C foot control and LK395A spout.

a	1	
1		
Ţ	-	
	EN.	
	17	
	99	

0

ESS4924RFC

Knee control package			
Model	List Price	Grid Drain	Holes
ESS4924RKC 🕈 ▼	\$6,349.00	•	1

Includes LK397C knee control and LK395A spout.



ESS4924RKC



### Single Station Wash Sinks With Right Drainboard

Sink only		
Model	List Price	Holes
ESS4924R1 🕈	\$4,570.00	1
ESS4924R2 ॾ ⊗	\$4,570.00	2



ESS4924R2

Sink only without backsplash				
Model List Price				
ESS4220R	\$3,612.00			





#### **Multiple Station Wash Sinks**

- 14-gauge, Type 304 stainless steel.
- 1/4" coved corners.
- 1-1/2" wide inward sloping top channel rims with 2" flat apron.
- 10" high, full-length backsplash.
- Square rim corners.
- 3-1/2" drain opening.
- Exposed surfaces are blended by hand to a uniform Lustrous finish.
- Furnished with wall hanger and stainless steel support brackets.

48" two station wash sinks					
Model	List Price	Holes			
EWMA48202	\$3,602.00	2			
EWMA48204	\$3,602.00	4			



Sink dimensions 48" x 20" x 25-3/4". Bowl dimensions 45" x 16-1/2" x 8".

EWMA48204

48" two station wash sinks with wristblade faucet package						
Model         List Price         Mechanical Mixing Valve         Thermostatic					Grid Drain	Holes
EWMA4820C ▼	\$4,316.00			•		4
EWMA4820SACC ▼	\$5,373.00			•	•	1
EWMA4820SACMC 🔻	\$5,644.00	•		•	•	1
EWMA4820SACTMC ▼	\$6,002.00		•	•	•	1



EWMA4820C

\*Includes two LK940GN05T4H faucets and one LK18B drain.

60" three station wash sinks						
Model	List Price	Holes				
EWMA60203	\$3,932.00	3				
EWMA60206	\$3,932.00	6				



Sink dimensions 60" x 20" x 25-3/4". Bowl dimensions 57" x 16-1/2" x 8".

EWMA60203

60" three station wash sinks with wristblade faucet package						
Model	List Price		Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes
EWMA6020C 🔻	\$4,962.00			•		6
EWMA6020SACMC ▼	\$7,142.00	•		•	•	1
EWMA6020SACTMC ▼	\$7,678.00		•	•	•	1



EWMA6020C

\*Includes three LK940GN05T4H faucets and one LK18B drain.

60" three station wash sinks with sensor faucet package						
Model	List Price	Faucet*	Grid Drain	Holes		
EWMA6020SACC V	\$6,734.00	•	•	1		

\*Includes three LKB722 sensor faucets, AC/battery power and one LK18B drain.



EWMA6020SACTMC

# ELKAY.

### **Multiple Station Wash Sinks**

72" three station wash sinks						
List Price	Holes					
\$4,263.00	3					
\$4,263.00	6					
	List Price \$4,263.00					

Sink dimensions 72" x 20" x 25-3/4". Bowl dimensions 69" x 16-1/2" x 8".

72" three station wash sinks with wristblade faucet package							
Model	List Price	Faucet*	Holes				
EWMA7220C ▼	\$5,293.00	•	6				



EWMA72206

\*Includes three LK940GN05T4H faucets and one LK18B drain.

72" three station wash sinks with sensor faucet packages						
Model	List Price		Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes
EWMA7220SACC ▼	\$7,064.00			•	•	1
EWMA7220SACMC ▼	\$7,474.00	•		•	•	1
EWMA7220SACTMC ▼	\$8,008.00		•	•	•	1



EWMA7220SACC

\*Includes three LKB722 sensor faucets, AC/battery power and one LK18B drain.

96" four station wash sinks					
Model List Price Hole					
EWMA96204	\$5,022.00	4			
EWMA96208	\$5,022.00	8			

Sink dimensions 96" x 20" x 25-3/4". Bowl dimensions 93" x 16-1/2" x 8".

96" four station wash sinks with wristblade faucet package							
Model	List Price	Faucet*	Holes				
EWMA9620C ▼ \$6,367.00 • 8							
*In al vala a fa va LIKO 40 CNIO		/4.0	D alua lua				

\*Includes four LK940GN05T4H faucets and one LK18B drain.



EWMA96204

EWMA9620C

96" four station wash sinks with sensor faucet packages									
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes			
EWMA9620SACC V	\$8,686.00			•	•	1			
EWMA9620SACMC 🔻	\$9,230.00	•		•	•	1			
EWMA9620SACTMC V	\$9,942.00		•	•	•	4			



EWMA9620SACC

\*Includes four LKB722 sensor faucets, AC/battery power, and one LK18B drain.



#### **Knee Operated Wash Sinks**

- 16-gauge, Type 304 stainless steel.
- Knee-operated water and soap push panels.
- Exposed surfaces are polished to a Satin finish.
- Latched front panel.
- User-adjustable water temperature valve.
- Full-length backsplash.
- 3-1/2" drain opening.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.

-			
List Price Overall Overall Bowl Length Width Length			
30"	23"	26"	16-1/4"
	Length 30"	Length         Width           30"         23"	LengthWidthLength30"23"26"

Includes LK394A spout and LK18B drain.



EWSF13026KWSC

Single compartment with knee operated water						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF13026KWC 💈	\$9,608.00	30"	23"	26"	16-1/4"	
Includes   K394A spout	and LK18B dra	in				

Includes LK394A spout and LK18B drain.

Double compartment with knee operated soap and water							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF26026KWC 💈	\$11,739.00	60"	23"	26"	16-1/4"		
la alcala a true 11/2011 av		1/100 1 .					

Includes two LK394A spouts and two LK18B drains.

Double compartment with knee operated water							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF26026KWSC 💈	\$12,789.00	60"	23"	26"	16-1/4"		

Includes two LK394A spouts and two LK18B drains.

Triple compartment with knee operated soap and water							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF39026KWC 💈	\$13,860.00	90"	23"	28"	16-1/4"		
la alcola a thus a LK2044							

Includes three LK394A spouts and three LK18B drains.

Triple compartment with knee operated water							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF39026KWSC 💈	\$15,435.00	90"	23"	28"	16-1/4"		

Includes three LK394A spouts and three LK18B drains.



EWSF26026KWC

EWSF39026KWC

# ELKAY

#### **Sensor-Operated Wash Sinks**

- 16-gauge, Type 304 stainless steel.
- Keyed access door(s) to hide plumbing.
- 4" high, full-length backsplash.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Coved corners.
- Wall hanger.
- Full enclosure.
- Exposed surfaces are polished to a uniform Lustrous finish.
- 3-1/2" drain opening.
- Double and triple compartment models include removable clear acrylic partitions.

ADA compliant single compartment sink

**List Price** 

\$7,878.00

Model

EWSFAD136201

Single compartment sensor faucet package							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF13026SACC ▼	\$6,880.00	30"	23"	26"	16-1/4"		
	6						

Includes LKB721C sensor faucet, AC/battery power, LK723 mixing valve and LK18B drain.



EWSF13026SACC

ADA compliant single compartment sensor faucet package 🛛 🔥								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSFAD13620SACC ▼	\$8,784.00	33"	16-13/16"	33"	16-1/2"			

Includes LKB722C sensor faucet, AC/battery power, LK723 mixing valve and LK18B drain.

Single compartmen	t sink	Overall Overall Bowl			
Model	List Price				Bowl Width
EWSF130261	\$5,531.00	30"	23"	26"	16-1/4"

Overall

Length

33"

3

Overall

Width

16-13/16"

Bowl

Length

33"

Bowl

Width

16-1/2"



EWSFAD13620SACC

EWSF130261



EWSFAD136201



# **ELKAY**

## SCRUB AND HAND WASH

#### **Sensor-Operated Wash Sinks**

Double compartment sensor faucet package							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF26026SACC ▼	\$8,924.00	60"	23"	28"	16-1/4"		



EWSF26026SACC

Double compartment sink								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSF260262	\$6,233.00	60"	23"	28"	16-1/4"			

Includes two LKB721C sensor faucets, AC/battery power, two LK723 mixing valves and two LK18B drains.

Triple compartment sensor faucet package									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
EWSF39026SACC ▼	\$11,521.00	90"	23"	28"	16-1/4"				

Includes two LKB721C sensor faucets, AC/battery power, two LK723 mixing valves and two LK18B drains.

Triple compartment sink								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSF390263	\$7,485.00	90"	23"	28"	16-1/4"			



EWSF39026SACC

EWSF390263



EWSF260262

# ELKAY

### **Wall Service Sinks**

- 14-gauge, Type 304 stainless steel.
- 1-3/4" coved corners.
- 1-1/2" rolled rims.
- 12" high, full-length backsplash.
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.

Cross arm faucet packages									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
ESS2118C ▼	\$2,633.00	21"	17-1/2"	18"	14"				
ESS2319C ▼	\$2,647.00	23"	18-1/2"	20"	15"				
ESS2520C ▼	\$2,779.00	25"	19-1/2"	22"	16"				

Includes faucet LK69C.

Lever Faucet Packages								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
ESSB2118C ▼	\$2,741.00	21"	17-1/2"	18"	14"			
Includes fauset LK040D								

Includes faucet LK940BR03L2H.

ESSB Lever faucet packages								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
ESSB2319C ▼	\$2,756.00	23"	18-1/2"	20"	15"			
ESSB2520C ▼	\$2,888.00	25"	19-1/2"	22"	16"			
La alvala a favorat LIZO 40D	0001011							

Includes faucet LK940BR03L2H.

ESSW Lever faucet packages									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
ESSW2118C ▼	\$2,687.00	21"	17-1/2"	18"	14"				
ESSW2319C ▼	\$2,805.00	23"	18-1/2"	20"	15"				
ESSW2520C ▼	\$2,833.00	25"	19-1/2"	22"	16"				

Includes faucet LKB940C.



ESS2520C



ESSB2520C



ESSB2520C



ESSW2319C





### **Wall Service Sinks**

Sink only								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
ESS21182	\$2,063.00	21"	17-1/2"	18"	14"			
ESS23192	\$2,077.00	23"	18-1/2"	20"	15"			
ESS25202	\$2,208.00	25"	19-1/2"	22"	16"			



ESS23192

### **Floor Service Sinks**

- 16-gauge, Type 304 stainless steel.
- Eliminates high lifting of heavy containers.
- Fits into closet corners and limited work spaces.
- 1-3/4" coved corners.
- Apron on three sides.
- Top has 5/32" raised rims.
- Exposed surfaces are polished to a Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Furnished with wall hanger.

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EFS2523C	\$2,168.00	25"	23"	20-1/16"	17-15/16"
EFS3321C	\$2,296.00	33"	21"	28"	16"



EFS2523C

#### Back And Side Panels For Floor Service Sinks

- For use on EFS model floor sinks.
- 18-gauge, Type 304 stainless steel.
- 1/2" returns on all sides.
- Furnished with concealed wall hangers.
- Protects walls from splashing.
- Easy to clean and sanitize.

Model	List Price	Overall Length	Overall Width	
EFSBP25	\$238.00	25"	12"	
EFSBP33 💈	\$290.00	33"	12"	
EFSSP21 🕈	\$207.00	20-3/8"	12"	
EFSSP23	\$221.00	22-3/8"	12"	

EFSBP33



ELKAY.


EFS3321C

EFSBP25



### **Sturdibilt Scullery Sinks**

- 14-gauge, Type 304 stainless steel.
- Square corner welded compartment construction.
- Distinctive channel rim design with 2" apron minimizes spillover.
- 14" deep compartments.
- 8" high, full-length backsplash with 45-degree slope to resist grime.
- Sink compartments pitched to drain.
- 3-1/2" drain opening.
- Sink polished to a uniform Lustrous Satin finish.
- Sink supported on (4) LK251 stainless steel adjustable tubular legs.
- 1-5/8" O.D. with up to 1" adjustable bullet-shaped stainless steel feet.



#### **Optional Accessories**

SSD24 24" Detachable Drainboard \$974.00

Single compartment - no drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
SS81242	\$2,582.00	27"	27-1/2"	24"	24"			
SS81302	\$2,682.00	33"	27-1/2"	30"	24"			
SS81362	\$2,890.00	39"	27-1/2"	36"	24"			



SS81242


Single compartment - left drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
SS8124L2	\$3,633.00	49-1/2"	27-1/2"	24"	24"	24"			
SS8130L2 💈 🛇	\$3,734.00	55-1/2"	27-1/2"	30"	24"	24"			
SS8136L2 ⅔ ⊗	\$3,960.00	61-1/2"	27-1/2"	36"	24"	24"			

Single compartment - right drainboard Overall Overall Bowl Bowl Model **List Price** Drainboard Length Width Length Width SS8124R2 \$3,633.00 24" 49-1/2" 27-1/2" 24" 24" SS8130R2 💈 🛇 \$3,734.00 55-1/2" 27-1/2" 30" 24" 24" SS8136R2 💈 🛇 \$3,960.00 61-1/2" 27-1/2" 36" 24" 24"





SS8124R2





### SERVICE AND UTILITY

# ELKAY.

### Sturdibilt Scullery Sinks

Double compartment - no drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
SS82302 💈	\$3,421.00	33"	27-1/2"	15"	24"				
SS82362 🕈	\$3,646.00	39"	27-1/2"	18"	24"				
SS82422 💈	\$3,871.00	45"	27-1/2"	21"	24"				
SS82482 🕈	\$4,115.00	51"	27-1/2"	24"	24"				
SS82542 💈 🛇	\$4,410.00	57"	27-1/2"	27"	24"				
SS82602 💈	\$4,687.00	63"	27-1/2"	30"	24"				



Double compartment - left drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
SS8230L2 💈	\$4,499.00	55-1/2"	27-1/2"	15"	24"	24"			
SS8236L2 🖁	\$4,725.00	61-1/2"	27-1/2"	18"	24"	24"			
SS8248L2 ⅔ ⊗	\$5,174.00	73-1/2"	27-1/2"	24"	24"	24"			
SS8254L2 💈 🛇	\$5,453.00	79-1/2"	27-1/2"	27"	24"	24"			
SS8260L2 💈 🛇	\$5,731.00	85-1/2"	27-1/2"	30"	24"	24"			

Double compartment - right drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
SS8230R2 💈 🛇	\$4,499.00	55-1/2"	27-1/2"	15"	24"	24"			
SS8236R2 💈	\$4,725.00	61-1/2"	27-1/2"	18"	24"	24"			
SS8248R2 💈	\$5,174.00	73-1/2"	27-1/2"	24"	24"	24"			
SS8254R2 ⅔ ⊗	\$5,453.00	79-1/2"	27-1/2"	27"	24"	24"			
SS8260R2 💈 🛇	\$5,731.00	85-1/2"	27-1/2"	30"	24"	24"			

Double compartment - left and right drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
SS8230LR2 💈	\$5,543.00	78"	27-1/2"	15"	24"	24"			
SS8236LR2 💈	\$5,770.00	61-1/2"	27-1/2"	18"	24"	24"			
SS8248LR2 💈 🛇	\$6,222.00	96"	27-1/2"	24"	24"	24"			
SS8254LR2 ⅔ ⊗	\$6,502.00	102"	27-1/2"	27"	24"	24"			
SS8260LR2 💈 🛇	\$6,779.00	108"	27-1/2"	30"	24"	24"			

Triple compartment - no drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
SS83454 🕈	\$4,751.00	48"	27-1/2"	15"	24"				
SS83544 💈	\$5,171.00	57"	27-1/2"	18"	24"				
SS83604 💈 🛇	\$5,439.00	63"	27-1/2"	20"	24"				
SS83724 💈 🛇	\$5,983.00	75"	27-1/2"	24"	24"				





SS8248L2



SS8248R2



Commercial Sinks C-177

# **ELKAY**

## SERVICE AND UTILITY

### Sturdibilt Scullery Sinks

Triple compartment - left drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
SS8345L4 🖁 🛇	\$5,826.00	70-1/2"	27-1/2"	15"	24"	24"			
SS8354L4 🖁 🛇	\$6,216.00	79-1/2"	27-1/2"	18"	24"	24"			
SS8372L4 🖁 🛇	\$7,032.00	97-1/2"	27-1/2"	24"	24"	24"			



SS8345L4

Triple compartment - right drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
SS8345R4 💈 🛇	\$5,826.00	70-1/2"	27-1/2"	15"	24"	24"			
SS8354R4 💈 🛇	\$6,216.00	79-1/2"	27-1/2"	18"	24"	24"			
SS8360LR4 🖁 ⊗	\$7,541.00	108"	27-1/2"	20"	24"	24"			
SS8372R4 💈 🛇	\$7,032.00	97-1/2"	27-1/2"	24"	24"	24"			



SS8345R4

Triple compartment - left and right drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
SS8345LR4 🕈	\$6,872.00	93"	27-1/2"	15"	24"	24"			
SS8354LR4 🖁 🛇	\$7,266.00	102"	27-1/2"	18"	24"	24"			
SS8372LR4 💈	\$8,068.00	120"	27-1/2"	24"	24"	24"			







Waste Fittings: For 3-1/2" Drain Openings (4-1/2" top diameter) 🛛 🕭							
Model	Description	Image					
LKAD18	Elkay 3-1/2" Drain Chrome Plated Brass Body, Strainer and LKADOS Tailpiece	C					
LKAD35	Elkay 3-1/2" Drain Fitting" Stainless Steel Body, Strainer Basket and Offset Tailpiece	N					
LKADOS	Elkay 3-1/2" Drain Fitting Chrome Plated Brass Offset Tailpiece	<b>N</b> •					

Waste Fittings:	Waste Fittings: For 1-1/2" to 1-3/4" Drain Openings (For Lavatory sinks 2-1/4" top diameter) 🛛 💰						
Model	Description	Image					
LKAD174	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	-					
LKAD174LO	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow						

# ELKAY.

Dart Canyon Accessory						
Model	Description	Image				
CTXBG2513R	Elkay Dart Canyon Stainless Steel 24-1/2" x 13" x 4-3/8" Reversible Bottom Grid					
CTXBG2813R	Elkay Dart Canyon Stainless Steel 27-1/2" x 13" x 4-3/8" Reversible Bottom Grid					
CTXBG3113R	Elkay Dart Canyon Stainless Steel 30-1/2" x 13" x 4-3/8" Reversible Bottom Grid					
CTXC0712	Elkay Dart Canyon Stainless Steel 6-7/16" x 11-7/8" x 2-1/2" Colander					
CTXDC0606	Elkay Dart Canyon Stainless Steel 5-1/8" x 5-1/4" x 7/8" Bottom Grid Drain Cover					
LKC0722LSS	Elkay Dart Canyon Stainless Steel 6-7/16" x 21-1/2" x 2-1/2" Colander					
LKCB1223LWN	Elkay Dart Canyon Hardwood 12" x 22-1/2" x 1" Cutting Board					




#### LRAD291865PD



- •Dimensions: 29" x 18" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- •Available in 1, 2, 3 faucet holes
- +3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •33" minimum cabinet size
- Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel 29" x 18" x 6-1/2", Equal Double Bowl Drop-in ADA Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers. ADA Compliant Built in USA Models are also available with Quick-Clip Mounting System Optional Accessories Drain LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 16 lbs.





# **GENERAL USE SINKS**





### CuVerro Antimicrobial Copper Lavatory Sinks

- 18-gauge, CuVerro antimicrobial copper.
- Registered by the U.S. Environmental Protection Agency to continuously kill more than 99.9% of bacteria within two hours.
- Continuously reduces bacterial contamination.
- Supplements routine cleaning and sanitizing.
- Lustrous Satin finish.
- Aesthetically pleasing soft rose hue.
- Sink drain opening measures 1-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.

#### Undermount

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH9-CU 💈	11-3/8"	11-3/8"	4-3/4"	9"	9"
ELUH12-CU 💈	14-3/8"	14-3/8"	6"	12"	12"
ELUH16-CU 💈	18-3/8"	18-3/8"	8"	16"	16"

Undermount with overflow	1				
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH12LV-CU 🕱	14-3/8"	14-3/8"	6"	12"	12"
ELUH16LV-CU 🕱	18-3/8"	18-3/8"	8"	16"	16"

Drop-in with overflow						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LLVR1916-CU	19-5/8"	16-11/16"	6"	15-1/2"	11-3/8"	1, 2, 3, CS3

ELUH9-CU



LLVR1916CS3-CU

#### **CuVerro Antimicrobial Copper Drop-in** Sinks

- 18-gauge, CuVerro antimicrobial copper.
- Registered by the U.S. Environmental Protection Agency to continuously kill more than 99.9% of bacteria within two hours.
- Continuously reduces bacterial contamination.
- Supplements routine cleaning and sanitizing.
- Lustrous Satin finish.

~ I I I

- Aesthetically pleasing soft rose hue.
- Sink drain opening measures 3-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.



LR13163-CU

DLR2022103-CU

Single bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1316-CU 💈	13"	16"	7-5/8"	10"	10"	1, 2, 3, MR2
LR1522-CU 💈	15"	22"	7-5/8"	11-1/2"	16"	1, 2, 3, MR2
LR1722-CU 💈	17"	22"	7-5/8"	13-1/2"	16"	1, 2, 3, MR2, OS4
DLR172210-CU 💈	17"	22"	10-1/8"	13-1/2"	16"	1, 2, 3, MR2, OS4
LR1918-CU 💈	19"	18"	7-5/8"	16"	11-1/2"	1, 2, 3, MR2, OS4
LR1919-CU 💈	19-1/2"	19"	7-1/2"	16"	13-1/2"	1, 2, 3, MR2, OS4
DLR191910-CU 💈	19-1/2"	19"	10-1/8"	16"	13-1/2"	1, 2, 3, MR2, OS4
LR2022-CU 💈	19-1/2"	22"	7-5/8"	16"	16"	1, 2, 3, MR2, OS4
DLR202210-CU 💈	19-1/2"	22"	10-1/8"	16"	16"	1, 2, 3, MR2, OS4
LR2219-CU 💈	22"	19-1/2"	7-5/8"	18"	14"	1, 2, 3, 4, 5, MR2
DLR221910-CU 💈	22"	19-1/2"	10-1/8"	18"	14"	1, 2, 3, 4, 5, MR2
LR2222-CU 💈	22"	22"	7-5/8"	19"	16"	1, 2, 3, 4, 5, MR2

#### **Stainless Steel Undermount Sinks**

- 18-gauge, Type 304 stainless steel.
- Lustrous Satin finish.
- Sink drain opening measures 3-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.

Single bowl					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH1316	16"	18-1/2"	7-7/8"	13-1/2"	16"
ELUH2115	23-1/2"	18-1/4"	7-1/2"	21"	15-3/4"
ELUH211510	23-1/2"	18-1/4"	10"	21"	15-3/4"
ELUH281610	30-1/2"	18-1/2"	10"	28"	16"





Double bowl					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH3118	30-3/4"	18-1/2"	7-7/8"	13-1/2"	16"
ELUH311810	30-3/4"	18-1/2"	10"	13-1/2"	16"
ELUH3120L	31-1/4"	20-1/2"	9-7/8"	13-1/2"	16"
ELUH3120R	31-1/4"	20-1/2"	9-7/8"	14"	18"



ELUH3118



<b>Hospitality sin</b>	ks

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH12	14-3/8"	14-3/8"	6"	12"	12"
ELUH12FB	14-3/8"	14-3/8"	6"	12"	12"
ELUH16	18-3/8"	18-3/8"	8"	16"	16"
ELUH16FB	18-3/8"	18-3/8"	8"	16"	16"





ELUH16FB

Lavatory sinks					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH12LV	14-3/8"	14-3/8"	6"	12"	12"
ELUH1511	18"	14"	6"	15-1/2"	11-3/8"
ELUH16LV	18-3/8"	18-3/8"	8"	16"	16"





ELUH1511

### **Stainless Steel Drop-in Sinks**

- 18-gauge, Type 304 stainless steel. Lustrous Satin finish.
- Sink drain opening measures 3-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.

Single bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1316	13"	16"	7-5/8"	10"	10"	1, 2, 3, MR2
LR1517	15"	17-1/2"	7-5/8"	12"	12"	1, 2, 3, MR2
DLR151710	15"	17-1/2"	10"	12"	12"	1, 2, 3, MR2
LR1716	17"	16"	7-5/8"	14"	10"	1, 2, 3, MR2
LR1720	17"	20"	7-5/8"	14"	14"	1, 2, 3, MR2
LR1918	19"	18"	7-5/8"	16"	11-1/2"	1, 2, 3, MR2
LR1919	19-1/2"	19"	7-1/2"	16"	13-1/2"	1, 2, 3, MR2
DLR191910	19-1/2"	19"	10-1/8"	16"	13-1/2"	1, 2, 3, MR2
LR2219	22"	19-1/2"	7-5/8"	18"	14"	1, 2, 3, 4, MR2
DLR221910	22"	19-1/2"	10-1/8"	18"	14"	1, 2, 3, 4, MR2
LR2522	25"	22"	8-1/8"	21"	15-3/4"	1, 2, 3, 4, MR2
DLR252212	25"	22"	12-1/8"	21"	15-3/4"	1, 2, 3, 4, MR2
DLR252210	25"	22"	10-3/8"	21"	15-3/4"	1, 2, 3, 4, MR2





DLR1919103

## **ELKAY**

Double bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR3319	33"	19-1/2"	7-5/8"	14"	14"	1, 2, 3, 4, MR2
LR3321	33"	21-1/4"	7-7/8"	13-1/2"	16"	1, 2, 3, 4, MR2
LR3322	33"	22"	8-1/8"	13-1/2"	16"	1, 2, 3, 4, MR2
DLR332210	33"	22"	10-1/8"	13-1/2"	16"	1, 2, 3, 4, MR2



Triple bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LTR4622	46"	22"	7-5/8"	13-1/2"	16"	1, 2, 3, 4, 6
LTR542210	54"	22"	10-1/8"	16"	16"	1, 2, 3, 4, 6







LTR46226

LTR5422106

### **Stainless Steel Drop-in Specialty Sinks**

- 16-gauge, Type 316 stainless steel.
- Buffed Satin finish.
- 1-3/16" flat rim with crimped edges.
- Drain opening measures 1-1/2".



Specialty sinks					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
CUPR4	6-3/8"	6-3/8"	4"	4"	4"
CUPR5	7-3/8"	7-3/8"	4"	5"	5"
CUPR6	8-7/8"	8-7/8"	5"	6-1/2"	6-1/2"

### **Stainless Steel Drop-in Lavatory** Sinks

- Type 304 stainless steel.
- Drain opening measures 1-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.



LLVR19163

RLLVR12

#### 18 gauge sinks with Lustrous Satin finish

Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
RLLVR12	14-3/8"	14-3/8"	6"	12"	12"	
LLVR1310	16"	12-1/2"	5-13/16"	13-5/8"	10-1/8"	
RLLVR16	18-3/8"	18-3/8"	8"	16"	16"	
LLVR19	19"	19"	7"	14"	14"	1, 2, 3, CS3
LLVR1916	19-5/8"	16-11/16"	6"	15-1/2"	11-3/8"	1, 2, 3, CS3



LLVR1310	RLLVR12					
20 gauge sink with	Brushed Satin fin	ish 👶				
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options



# ELKAY.

Waste fittings for	or 3-1/2" drain openings (4-1/2" top diameter)	
Model	Description	Image
LK173	Elkay Adjustable P-Trap with Cast Iron Enameled Inside	
LK18	Elkay 3-1/2" Drain Nickel Plated Brass Body, Strainer and Tailpiece	
LK18B	Elkay 3-1/2" Drain Type 304 Stainless Steel Body, Strainer and Tailpiece	
LK2	Elkay 3-1/2" Drain with Rubber Stopper	03
LK20	Elkay 3-1/2" Drain with Removable 13" (11-1/2" assembled) Standpipe 13" Rubber Stopper	<b>3</b>
LK24RT	Elkay 3-1/2" Drain Fitting Rotary Lever Operated with 1-1/2" OD Tailpiece	
LK25RT	Elkay 3-1/2 Drain Fitting Rotary Lever Operated with 2" OD Tailpiece	
LK27	Elkay 3-1/2" Drain Fitting Lever Operated	
LK335	Elkay 3-1/2" Drain Fitting Type 316 Stainless Steel Body, Strainer Basket with rubber seal and Tailpiece	
LK35	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket and Tailpiece	
LK35B	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket and Tailpiece	
LK372	Elkay 3-1/2" Drain Type 316 Stainless Steel Body, Strainer and Tailpiece	

# **ELKAY**

LK86RT	Elkay 3-1/2" Drain Fitting Rotary Lever Operated with Overflow	
LK87RT	Elkay 3-1/2" Drain Fitting Rotary Lever Operated with Overflow	
LK99	Elkay Deluxe 3-1/2" Drain Type 304 Stainless Steel Body, Strainer Basket Rubber Seal and Tailpiece	
LK995	Elkay Deluxe 3-1/2" Drain with Satin Finish Type 304, Stainless Steel Body Strainer Basket Rubber Seal and Tailpiece	
LKAD18	Elkay 3-1/2" Drain Chrome Plated Brass Body, Strainer and LKADOS Tailpiece	V
LKAD35	Elkay 3-1/2" Drain Fitting" Stainless Steel Body, Strainer Basket and Offset Tailpiece	Z
LKVR18	Elkay 3-1/2"Drain Nickel Plated Brass Body, Vandal-resistant Strainer and Tailpiece	
LKVR18-CU	Elkay 3-1/2" Drain CuVerro Antimicrobial Copper Body, Vandal-resistant Strainer and Tailpiece	

For 2" - 2-3/8" dr	rain opening	
Model	Description	Image
LK177	Elkay 2" Drain Fitting Chrome Plated Brass Beehive Strainer	
LK337	Elkay Drain Fitting 2" Type 316 Stainless Steel Body, Grid Strainer and Tailpiece	() ()
LK8	Elkay 2" Drain Fitting Type 304 Stainless Steel Body, Grid Strainer and Tailpiece	

# ELKAY.

LK9

Elkay Drain Fitting Type 304 Stainless Steel Body, Grid Strainer and Brass Tailpiece



	" drain openings (for lavatory sinks 2-1/4" top diameter)	
Model	Description	Image
LK174	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with Perforated Grid and Tailpiece	1
LK174-CU	Elkay 1-1/2" Drain Fitting CuVerro Antimicrobial Copper with Perforated Grid and Tailpiece	
LK174LO	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with Perforated Grid and Tailpiece	(j.)
LK174LO-CU	Elkay 1-1/2" Drain Fitting CuVerro Antimicrobial Copper with Perforated Grid and Tailpiece	***
LK175	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with, Rubber Stopper Ring and Chain	9 <b>9</b>
LK290	Elkay 3-1/2" Drain Fitting Center Outlet for Triple Bowl Sinks with Offset Center Drain	
LK52	Elkay Drain Fitting Center Outlet for Double Bowl Sinks	<u> </u>
LK53	Elkay Drain Fitting End Outlet for Double Bowl Sinks	,
LK60	Elkay Drain Fitting Center Outlet for Triple Bowl Sinks with Aligned Drains	
LK76	Elkay Drain Fitting end Outlet for Triple Bowl Sinks with Aligned Drains	,



1

Г

LKAD174	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	Ĩ
LKAD174LO	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	

Т

Installation har	dware	
Model	Description	Image
LK350	Elkay Screwdriver with Extra Long 10-1/4" Shank	
LK363	Elkay Installation Extra Long Screws and Clips, set of 14	٩ ٩
LK364	Elkay Installation Extra Long Screws, set of 14	Î
LK463	Elkay Installation Hex Head Screws Hex Nuts, and Clips	
LKUCLIP8	Elkay Sink Installation Undermount Bracket Clips - set of 8	
LKUMSK25	Elkay Sink Installation Undermount Support Kit 25" Long Rails	And and a second
LKUMSK36	Elkay Sink Installation Undermount Support Kit 36" Long Rails	A CARDON CONTRACTION OF THE CONTRACT

Cleaner				
Model	Description	Image		
LK34	Elkay Stainless Steel Sink Restoration Kit			

# ELKAY.

For EFS floor sink				
Model	Description	Image		
LK43	Elkay Drain Fitting 5-1/2" Stainless Steel Dome / Flat Grid Strainer			

Miscellaneous		
Model	Description	Image
LK402	Elkay 36" Black Heavy Duty Rubber Hose with Standard Female Faucet Hose Connection on One End	$\bigcirc$
LK403	Elkay Mop Holder, 3 Station Wall Mount	ar ar ar
LK404	Elkay Stainless Steel Hose Hanger	
LK80 ವ	Elkay Stainless Steel Soap Dish for Back / Wall Mounting, 3-1/2" x 6"	
SSD24 వ్	Elkay Sturdibilt 24" Detachable Drainboard	-





# CLASSROOM SINKS










#### Lustertone Classic Classroom Sinks, Double Bowl

- 18-gauge, Type 304 stainless steel.
- 1-3/4" radius coved corners.
- Exposed surfaces are hand blended to a Lustrous Highlighted Satin finish.
- Recessed bowls and faucet deck.
- 5/32" raised rim.
- 3-1/2" drain opening on large bowl.
- 2" drain opening on small bowl.
- LRAD models comply with ADA requirements.

Sink kits include LKD2439C faucet, LK1141A bubbler, LK35 strainer, and LK8 drain fitting

Model	List Price	Overall Dimensions	Left Bowl Dimensions	Right Bowl Dimensions	Hole Options	Additional Depths
DRKAD371755LC $\Omega$	\$2,722.00*	37-1/4" x 17" x 5-1/2"	9-1/4" x 12" x 5-3/8"	16" x 11-1/2" x 3-1/2"	4	^
DRKAD371755RC $\Omega$	\$2,722.00*	37-1/4" x 17" x 5-1/2"	16" x 11-1/2" x 5-3/8"	9-1/4" x 12" x 3-1/2"	4	^
DRKR3717RC	\$2,744.00	37-1/4" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4	







### Lustertone Classic Double Ledge Sinks, Single Bowl

#### Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer

Model	List Price	Overall Dimensions	<b>Bowl Dimensions</b>	Hole Options	Additional Depths
DRKAD251755C $\Omega$	\$1,954.00*	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	4	^
DRKAD311955C $\otimes \Omega$	\$1,934.00*	31" x 19-1/2" x 5-1/2"	22" x 16" x 5-3/8"	4	^
DRKR2517C ⊗	\$1,859.00	25" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	4	
DRKR3119C ⊗	\$2,088.00	31" x 19-1/2" x 7-5/8"	22" x 16" x 7-1/2"	4	



DRKAD251755C

Sink kits include LKD2432C faucet, LK1141A bubbler, LKJ35 strainer					
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>	
DRKRC2220C O	\$1,890.00	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	4	



Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer, EWF172 water filter 🔹 👶						
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>		
DRKAD251765FC 🕈	\$2,076.00*	25" x 17" x 6-1/2"	16" x 13-1/2" x 6-3/8"	4		



### Lustertone Classic Double Ledge Sinks, Single Bowl

Sink only					
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths
DRKAD251755 $\Omega$	\$832.00*	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^
DRKAD311955 $\Omega$	\$1,045.00*	31" x 19-1/2" x 5-1/2"	22" x 16" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^
DRKR2517 $\Omega$	\$793.00*	25" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	2, 2FRM, 2LM, 4, FR4	^
DRKR3119 $\Omega$	\$995.00*	31" x 19-1/2" x 7-5/8"	22" x 16" x 7-1/2"	2, 2FRM, 2LM, 4	^





### Lustertone Classic Rear and Side Ledge Sinks, Single Bowl

Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer.							
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths		
DRKAD222055C $\Omega$	\$1,973.00*	22" x 19-1/2" x 5-1/2"	13-1/2" x 16" x 5-3/8"	4	^		
DRKR2220C $\otimes \Omega$	\$1,736.00*	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	4			



Sink only

Shik only					
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths
DRKAD222055 Ω	\$851.00*	22" x 19-1/2" x 5-1/2"	13-1/2" x 16" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^
DRKAD222055L $\Omega$	\$851.00*	22" x 19-1/2" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 3, 4	^
DRKAD222055R $\Omega$	\$851.00*	22" x 19-1/2" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 3, 4	^
DRKAD252255 $\Omega$	\$991.00*	25" x 22" x 5-1/2"	16" x 19" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^
DRKAD252255L $\Omega$	\$991.00*	25" x 22" x 5-1/2"	19" x 16" x 5-3/8"	2, 3, 4	^
DRKAD252255R $\Omega$	\$991.00*	25" x 22" x 5-1/2"	19" x 16" x 5-3/8"	2, 3, 4	^
DRKR2220	\$811.00*	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	2, 2FRM, 2LM, 4	
DRKR2220L	\$826.00*	22" x 19-1/2" x 7-1/2"	16" x 13-1/2" x 7-3/8"	2, 3, 4	
DRKR2220R	\$826.00*	22" x 19-1/2" x 7-1/2"	16" x 13-1/2" x 7-3/8"	2, 3, 4	
DRKR2522	\$944.00*	25" x 22" x 7-5/8"	16" x 19" x 7-1/2"	2, 2LM, 4	
DRKR2522L	\$944.00*	25" x 22" x 7-5/8"	19" x 16" x 7-1/2"	2, 4	
DRKR2522R	\$944.00*	25" x 22" x 7-5/8"	19" x 16" x 7-1/2"	2, 4	





### Lustertone Classic Single Ledge Sinks, Single Bowl

Sink only						
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths	
DRKAD221755 $\Omega$	\$769.00*	22" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	1, 2	^	
DRKR2217	\$732.00*	22" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	1, 2		



DRKAD2217552

## **ELKAY**

#### Lustertone Classic Sink Sets

Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer, LK8 drain fitting								
Model	List Price	Overall Dimensions	Left Bowl Dimensions	Right Bowl Dimensions	Hole Options			
DRKR23417LC	\$2,667.00*	34" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4			
DRKR23417RC	\$2,667.00*	34" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4			
DRKR24119LC	\$2,917.00*	41" x 19-1/2" x 7-5/8"	10" x 14" x 3-1/2"	19" x 16" x 7-1/2"	4			
DRKR24119RC	\$2,917.00*	41" x 19-1/2" x 7-5/8"	19" x 16" x 7-1/2"	10" x 14" x 3-1/2"	4			





DRKR23417LC

DRKR24119RC

Sink only

Model	List Price	<b>Overall Dimensions</b>	Left Bowl	Right Bowl	Hole Options
			Dimensions	Dimensions	-
DRKAD2341755L4	\$1,512.00	34" x 17" x 5-1/2"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 5-3/8"	4
DRKAD2341755R4	\$1,512.00	34" x 17" x 5-1/2"	16" x 11-1/2" x 5-3/8"	9-1/4" x 12" x 3-1/2"	4
DRKR23417L4	\$1,454.00*	34" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4
DRKR23417R4	\$1,454.00*	34" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4
DRKR24119L4	\$1,697.00*	41" x 19-1/2" x 7-5/8"	10" x 14" x 3-1/2"	19" x 16" x 7-1/2"	4
DRKR24119R4	\$1,697.00*	41" x 19-1/2" x 7-5/8"	19" x 16" x 7-1/2"	10" x 14" x 3-1/2"	4





DRKR23417R4

DRKR24119L4



### Lustertone Classic Triple Ledge Sinks, Single Bowl

Sink kit includes l	LKF413945	SRS faucet, LK1141	IA bubbler, LKAD	35 strainer	હ
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths
DRKAD282255LC O	\$1,937.00*	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	3	^
DRKAD282255RC ⊗	\$1,937.00*	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	3	٨



DRKAD282255RC

Sink only 👶					
Model	List Price	Overall Dimensions	<b>Bowl Dimensions</b>	Hole Options	Additional Depths
DRKAD282255	\$991.00*	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	L, R	^





### **Celebrity Classroom Sinks**

- 20-gauge, Type 304 stainless steel.
- 1-3/4" radius coved corners.
- Exposed surfaces polished to a Brushed Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- 3-1/2" drain opening.
- Top has 5/32" raised rims.
- PSDKAD models comply with ADA requirements.

Sink kit includes LKD208513LC faucet, LK35 drain, LK1141A bubbler					
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>	
PSDKR2517C	\$1,550.00*	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2	



Sink kit includes LKDVR208513LC faucet, LKVR18 drain, LKVR1141A bubbler				
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>
PSDKR2517VRC	\$1,640.00*	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2



PSDKR2517VRC

Sink only				
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>
PSDKAD251755	\$656.00*	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 2LM, 4
PSDKR2517	\$623.00*	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2, 2LM, 4





#### **Celebrity Classroom Sinks**

- 20-gauge, Type 304 stainless steel.
- 3" corner radius
- Exposed surfaces polished to a Brushed Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- 3-1/2" drain opening.
- Top has 5/32" raised rims.
- CDKAD models comply with ADA requirements.

Sink kit includes LKD208513LC faucet, LK35 drain, LK1141A bubbler					
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>	
CDKAD251765C	\$1,449.00*	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2	
CDKR2517C	\$1,426.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2	



Sink kit includes LKDVR208513LC faucet, LKVR18 drain, LKVR1141A bubbler				
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>
CDKAD2517VRC	\$1,539.00*	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2
CDKR2517VRC	\$1,515.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2



CDKAD2517VRC

Sink kit includes LKD20858C faucet, LKJ35 drain, LK1141A bubbler				
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>
CDKRC2517C	\$1,288.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2





### **Celebrity Classroom Sinks**

Sink only				
Model	List Price	<b>Overall Dimensions</b>	Bowl Dimensions	<b>Hole Options</b>
CDKAD251765	\$526.00*	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2, 2LM, 4
CDKR2517	\$503.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2, 2LM, 4








# FAUCETS



#### 3" - 8" Adjustable Centers Wall Mount Faucet

- Available with arc tube, double swing, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets with 2" offset.



don	]
LK945AT12L2T	

L2 2" lever handle

T4 4" wristblade handle

T6 6" wristblade handle

LK945 with double swing spout 🔥				
Model	Spout Type	Handle Type		
LK945DS20L2T	19-1/2" Double Swing	2" Lever Handle		
LK945DS20T4T	19-1/2" Double Swing	4" Wristblade Handle		
LK945DS20T6T	19-1/2" Double Swing	6" Wristblade Handle		

LK945 with gooseneck spout \delta			
Model	Spout Type	Handle Type	
LK945GN04L2T	3-5/8" Gooseneck	2" Lever Handle	
LK945GN04T4T	3-5/8" Gooseneck	4" Wristblade Handle	
LK945GN04T6T	3-5/8" Gooseneck	6" Wristblade Handle	
LK945GN05L2T	5-1/8" Gooseneck	2" Lever Handle	
LK945GN05T4T	5-1/8" Gooseneck	4" Wristblade Handle	
LK945GN05T6T	5-1/8" Gooseneck	6" Wristblade Handle	
LK945GN08L2T	8" Gooseneck	2" Lever Handle	
LK945GN08T4T	8" Gooseneck	4" Wristblade Handle	
LK945GN08T6T	8" Gooseneck	6" Wristblade Handle	



LK945DS20T6T

LK945GN08T4T

## ELKAY.

LK945 with high arc spout 🕺			
Model	Spout Type	Handle Type	
LK945HA08L2T	8" High Arc	2" Lever Handle	
LK945HA08T4T	8" High Arc	4" Wristblade Handle	
LK945HA08T6T	8" High Arc	6" Wristblade Handle	
LK945HA10L2T	10" High Arc	2" Lever Handle	
LK945HA10T4T	10" High Arc	4" Wristblade Handle	
LK945HA10T6T	10" High Arc	6" Wristblade Handle	






LK945 with tube spout 👶			
Model	Spout Type	Handle Type	
LK945TS08L2T	8" Tube Spout	2" Lever Handle	
LK945TS08T4T	8" Tube Spout	4" Wristblade Handle	
LK945TS08T6T	8" Tube Spout	6" Wristblade Handle	

#### 8" Centerset Wall Mount Faucet

- Available with arc tube, double swing, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM insert included.
- Chrome finish.

. .

- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut-off valve available with some models.



LK940 with arc tube	spout 🖏		
Model	Spout Type	Handle Type	Shut-off Valve
LK940AT08L2H	8" Arc Tube	2" Lever Handle	
LK940AT08L2S	8" Arc Tube	2" Lever Handle	•
LK940AT08T4H	8" Arc Tube	4" Wristblade Handle	
LK940AT08T4S	8" Arc Tube	4" Wristblade Handle	•
LK940AT08T6H	8" Arc Tube	6" Wristblade Handle	
LK940AT08T6S	8" Arc Tube	6" Wristblade Handle	•
LK940AT10L2H	10" Arc Tube	2" Lever Handle	
LK940AT10L2S	10" Arc Tube	2" Lever Handle	•
LK940AT10T4H	10" Arc Tube	4" Wristblade Handle	
LK940AT10T4S	10" Arc Tube	4" Wristblade Handle	•
LK940AT10T6H	10" Arc Tube	6" Wristblade Handle	
LK940AT10T6S	10" Arc Tube	6" Wristblade Handle	•
LK940AT12L2H	12" Arc Tube	2" Lever Handle	
LK940AT12L2S	12" Arc Tube	2" Lever Handle	•
LK940AT12T4H	12" Arc Tube	4" Wristblade Handle	
LK940AT12T4S	12" Arc Tube	4" Wristblade Handle	•
LK940AT12T6H	12" Arc Tube	6" Wristblade Handle	
LK940AT12T6S	12" Arc Tube	6" Wristblade Handle	•
LK940AT14L2H	14" Arc Tube	2" Lever Handle	
LK940AT14L2S	14" Arc Tube	2" Lever Handle	•
LK940AT14T4H	14" Arc Tube	4" Wristblade Handle	
LK940AT14T4S	14" Arc Tube	4" Wristblade Handle	•
LK940AT14T6H	14" Arc Tube	6" Wristblade Handle	
LK940AT14T6S	14" Arc Tube	6" Wristblade Handle	•



LK940 with double swing spout 🔥			
Model	Spout Type	Handle Type	Shut-off Valve
LK940DS20L2H	19-1/2" Double Swing	2" Lever Handle	
LK940DS20L2S	19-1/2" Double Swing	2" Lever Handle	•
LK940DS20T4H	19-1/2" Double Swing	4" Wristblade Handle	
LK940DS20T4S	19-1/2" Double Swing	4" Wristblade Handle	•
LK940DS20T6H	19-1/2" Double Swing	6" Wristblade Handle	
LK940DS20T6S	19-1/2" Double Swing	6" Wristblade Handle	•



LK940DS20L2H

LK940 with high arc s	pout 💰		
Model	Spout Type	Handle Type	Shut-off Valve
LK940HA08L2H	8" High Arc	2" Lever Handle	
LK940HA08L2S	8" High Arc	2" Lever Handle	•
LK940HA08T4H	8" High Arc	4" Wristblade Handle	
LK940HA08T4S	8" High Arc	4" Wristblade Handle	•
LK940HA08T6H	8" High Arc	6" Wristblade Handle	
LK940HA08T6S	8" High Arc	6" Wristblade Handle	•
LK940HA10L2H	10" High Arc	2" Lever Handle	
LK940HA10L2S	10" High Arc	2" Lever Handle	•
LK940HA10T4H	10" High Arc	4" Wristblade Handle	
LK940HA10T4S	10" High Arc	4" Wristblade Handle	•
LK940HA10T6H	10" High Arc	6" Wristblade Handle	
LK940HA10T6S	10" High Arc	6" Wristblade Handle	•



ELKAY.

LK940 with tube spout 🔥			
Model	Spout Type	Handle Type	Shut-off Valve
LK940TS08L2H	8" Tube Spout	2" Lever Handle	
LK940TS08L2S	8" Tube Spout	2" Lever Handle	•
LK940TS08T4H	8" Tube Spout	4" Wristblade Handle	
LK940TS08T4S	8" Tube Spout	4" Wristblade Handle	•
LK940TS08T6H	8" Tube Spout	6" Wristblade Handle	
LK940TS08T6S	8" Tube Spout	6" Wristblade Handle	•



# 8" Centerset With Exposed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK810 with arc tube spout 👶		
Model	Spout Type	Handle Type
LK810AT08L2	8" Arc Tube	2" Lever Handle
LK810AT08T4	8" Arc Tube	4" Wristblade Handle
LK810AT08T6	8" Arc Tube	6" Wristblade Handle
LK810AT10L2	10" Arc Tube	2" Lever Handle
LK810AT10T4	10" Arc Tube	4" Wristblade Handle
LK810AT10T6	10" Arc Tube	6" Wristblade Handle
LK810AT12L2	12" Arc Tube	2" Lever Handle
LK810AT12T4	12" Arc Tube	4" Wristblade Handle
LK810AT12T6	12" Arc Tube	6" Wristblade Handle
LK810AT14L2	14" Arc Tube	2" Lever Handle
LK810AT14T4	14" Arc Tube	4" Wristblade Handle
LK810AT14T6	14" Arc Tube	6" Wristblade Handle



LK810 with 8" arc tu	ube spout with side spray 🛛 🔥		
Model	Spout Type	Handle Type	Side Spray
LK811AT08L2	8" Arc Tube	2" Lever Handle	•



LK810 with gooseneck spout 🔥		
Model	Spout Type	Handle Type
LK810GN04L2	3-5/8" Gooseneck	2" Lever Handle
LK810GN04T4	3-5/8" Gooseneck	4" Wristblade Handle
LK810GN04T6	3-5/8" Gooseneck	6" Wristblade Handle
LK810GN05L2	5-1/8" Gooseneck	2" Lever Handle
LK810GN05T4	5-1/8" Gooseneck	4" Wristblade Handle
LK810GN05T6	5-1/8" Gooseneck	6" Wristblade Handle
LK810GN08L2	8" Gooseneck	2" Lever Handle
LK810GN08T4	8" Gooseneck	4" Wristblade Handle
LK810GN08T6	8" Gooseneck	6" Wristblade Handle



# ELKAY.

LK810 with laminar flow gooseneck spout 🔥		
Model	Spout Type	Handle Type
LK810LGN05L2	5-1/8" Gooseneck	2" Lever Handle
LK810LGN05T4	5-1/8" Gooseneck	4" Wristblade Handle
LK810LGN05T6	5-1/8" Gooseneck	6" Wristblade Handle
LK810LGN08L2	8" Gooseneck	2" Lever Handle
LK810LGN08T4	8" Gooseneck	4" Wristblade Handle
LK810LGN08T6	8" Gooseneck	6" Wristblade Handle



LK810LGN05L2

LK810 with high arc spout 👶		
Model	Spout Type	Handle Type
LK810HA08L2	8" High Arc	2" Lever Handle
LK810HA08T4	8" High Arc	4" Wristblade Handle
LK810HA08T6	8" High Arc	6" Wristblade Handle
LK810HA10L2	10" High Arc	2" Lever Handle
LK810HA10T4	10" High Arc	4" Wristblade Handle
LK810HA10T6	10" High Arc	6" Wristblade Handle



LK810 with tube spout 👶		
Model	Spout Type	Handle Type
LK810TS08L2	8" Tube Spout	2" Lever Handle
LK810TS08T4	8" Tube Spout	4" Wristblade Handle
LK810TS08T6	8" Tube Spout	6" Wristblade Handle



### 8" Centerset Wall Mount Faucet With Flexible Stainless Steel Hose

- 2" Lever Handles
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.6 GPM spray head; 1.2 GPM spray head on Low Flow Models
- Chrome finish.
- 44" flexible stainless steel hose; 60" hose on LK960 models
- Insulated handle.
- Spouts come with 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included.

LK543		
Model	Spout Type	Handle Type
LK543C	30" Flexible Spout	Lever Handle
LK543LC	30" Flexible Spout	Lever Handle

LK543 with arc tube spout		
Model	Spout Type	Handle Type
LK543AF08C	30" Flexible Spout	Lever Handle
LK543AF10C	30" Flexible Spout	Lever Handle
LK543AF12C	30" Flexible Spout	Lever Handle
LK543AF14C	30" Flexible Spout	Lever Handle

LK543 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK543AF08LC	30" Flexible Spout	Lever Handle
LK543AF10LC	30" Flexible Spout	Lever Handle
LK543AF12LC	30" Flexible Spout	Lever Handle
LK543AF14LC	30" Flexible Spout	Lever Handle

LK843		
Model	Spout Type	Handle Type
LK843C	30" Flexible Spout	Lever Handle
LK843LC	30" Flexible Spout	Lever Handle









LK543AF08LC



Commerci	al Faucets	C-21

LK843 with arc tube spout		
Model	Spout Type	Handle Type
LK843AF08C	30" Flexible Spout	Lever Handle
LK843AF10C	30" Flexible Spout	Lever Handle
LK843AF12C	30" Flexible Spout	Lever Handle
LK843AF14C	30" Flexible Spout	Lever Handle

LK843 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK843AF08LC	30" Flexible Spout	Lever Handle
LK843AF10LC	30" Flexible Spout	Lever Handle
LK843AF12LC	30" Flexible Spout	Lever Handle
LK843AF14LC	30" Flexible Spout	Lever Handle

LK943		
Model	Spout Type	Handle Type
LK943C	30" Flexible Spout	Lever Handle
LK943LC	30" Flexible Spout	Lever Handle

LK943 with arc tube spout		
Model	Spout Type	Handle Type
LK943AF08C	30" Flexible Spout	Lever Handle
LK943AF10C	30" Flexible Spout	Lever Handle
LK943AF12C	30" Flexible Spout	Lever Handle
LK943AF14C	30" Flexible Spout	Lever Handle

LK943 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK943AF08LC	30" Flexible Spout	Lever Handle
LK943AF10LC	30" Flexible Spout	Lever Handle
LK943AF12LC	30" Flexible Spout	Lever Handle
LK943AF14LC	14" Flexible Spout	Lever Handle

LK960 with arc tube spout		
Model	Spout Type	Handle Type
LK960AF08C	30" Flexible Spout	Lever Handle
LK960AF10C	30" Flexible Spout	Lever Handle
LK960AF12C	30" Flexible Spout	Lever Handle
LK960AF14C	30" Flexible Spout	Lever Handle



LK943AF08LC

LK943AF08C 4







LK843AF10C

# **ELKAY**

LK960 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK960AF08LC	30" Flexible Spout	Lever Handle
LK960AF10LC	30" Flexible Spout	Lever Handle
LK960AF12LC	30" Flexible Spout	Lever Handle
LK960AF14LC	30" Flexible Spout	Lever Handle



# Metered, Deck Mount Faucet

- Self-closing metering ceramic cartridge.
- Polished chrome finish
- Solid brass construction.
- Vandal-resistant aerator with key.
- .5 GPM / 8.3L / min at 60 P.S.I.G.
- 0.25 gal / cycle max.

Cast fixed spout LK	651 🔥	
Model	Spout Type	Handle Type
LK651	5" Fixed Spout	Push Button



Cast fixed spout LK652 🔥		
Model	Spout Type	Handle Type
LK652	4-1/8" Fixed Spout	Push Button

Cast fixed spout LK654 🔥		
Model	Spout Type	Handle Type
LK654	4-1/8" Fixed Spout	Push Button

Cast fixed spout LK656 🔥		
Model	Spout Type	Handle Type
LK656	4" Fixed Spout	Push Button



LK652







# 8" Centerset With Concealed Deck Faucet

- Cast fixed spout.
- 2" lever handle.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- .5 GPM aerator standard.
- Chrome finish.
- Adjustable mounting up to 8" spread.

Executive lavatory faucet 👶		
Model	Spout Type	Handle Type
LK804F	5-5/16" Fixed Spout	Lever Handle

### Single Hole Wall Mount Faucet

- Cross arm handle
- Chrome plated brass.
- 1/2" NPT female inlets.

Chrome faucet with hose end		
Model	Spout Type	Handle Type
LK69CH	3-3/16" Fixed Spout	Cross Handle











Chrome faucet with plain end		
Model	Spout Type	Handle Type
LK69CP	3-3/16" Fixed Spout	Cross Handle

One pair chrome faucets		
Model	Spout Type	Handle Type
LK69C	3-3/16" Fixed Spout	Cross Handle

Commercial Faucets C-219







#### **Electronic Deck Mount Faucet**

- Adjustable hot and cold operation.
- Dual power (AC/battery).
- Adjustable sensor range.
- .5 GPM laminar flow aerator.
- Chrome plated finish.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut-off delay.
- Adjustable time-out feature.





LKB736C

Cast fixed spout	5	
Model	Spout Type	Handle Type
LKB736C	4-3/4" Fixed Spout	Sensor Operated (Hands Free)
LKB737C	5-1/16" Fixed Spout	Sensor Operated (Hands Free)

#### **Electronic Deck Mount Faucet**

- Dual power (AC/battery).
- Adjustable sensor range.
- .5 GPM laminar flow aerator.
- Chrome plated finish.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut-off delay.
- Adjustable time-out feature.



Cast fixed spout	5	
Model	Spout Type	Handle Type
LKB738C	5-13/16" Fixed Spout	Sensor Operated (Hands Free)

# Electronic, Deck and Wall Mount Faucet

- Dual power (AC/battery).
- Gooseneck spout.
- Adjustable sensor range.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut-off delay
- Adjustable time-out feature.
- 1.5 GPM flow.

Deck mount - chrome plated finish 🔥		
Model	Spout Type	Handle Type
LKB721C	5-5/8" Gooseneck	Sensor Operated (Hands Free)



Deck mount - soft rose blush finish with CuVerro antimicrobial copper		
Model	Spout Type	Handle Type
LKB721CNC	5-5/8" Gooseneck	Sensor Operated (Hands Free)





Wall mount - chrome finish 🛛 👶		
Model	Spout Type	Handle Type
LKB722C	7-1/2" Fixed Spout	Sensor Operated (Hands Free)

# 4" Centerset With Exposed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK406 with arc tube spout 🔥		
Model	Spout Type	Handle Type
LK406AT08L2	8" Arc Tube	2" Lever Handle
LK406AT08T4	8" Arc Tube	4" Wristblade Handle
LK406AT08T6	8" Arc Tube	6" Wristblade Handle
LK406AT10L2	10" Arc Tube	2" Lever Handle
LK406AT10T4	10" Arc Tube	4" Wristblade Handle
LK406AT10T6	10" Arc Tube	6" Wristblade Handle
LK406AT12L2	12" Arc Tube	2" Lever Handle
LK406AT12T4	12" Arc Tube	4" Wristblade Handle
LK406AT12T6	12" Arc Tube	6" Wristblade Handle
LK406AT14L2	14" Arc Tube	2" Lever Handle
LK406AT14T4	14" Arc Tube	4" Wristblade Handle
LK406AT14T6	14" Arc Tube	6" Wristblade Handle



LK406 with gooseneck spout 🔥		
Model	Spout Type	Handle Type
LK406GN04L2	4" Gooseneck	2" Lever Handle
LK406GN04T4	4" Gooseneck	4" Wristblade Handle
LK406GN04T6	4" Gooseneck	6" Wristblade Handle
LK406GN05L2	5" Gooseneck	2" Lever Handle
LK406GN05T4	5" Gooseneck	4" Wristblade Handle
LK406GN05T6	5" Gooseneck	6" Wristblade Handle
LK406GN08L2	8" Gooseneck	2" Lever Handle
LK406GN08T4	8" Gooseneck	4" Wristblade Handle
LK406GN08T6	8" Gooseneck	6" Wristblade Handle



LK406 with high arc spout 🔥		
Model	Spout Type	Handle Type
LK406HA08L2	8" High Arc	2" Lever Handle
LK406HA08T4	8" High Arc	4" Wristblade Handle
LK406HA08T6	8" High Arc	6" Wristblade Handle
LK406HA10L2	10" High Arc	2" Lever Handle
LK406HA10T4	10" High Arc	4" Wristblade Handle
LK406HA10T6	10" High Arc	6" Wristblade Handle



E	K	Δ	Y

LK406 with laminar flow gooseneck spout 🔥			
Model	Spout Type	Handle Type	
LK406LGN05L2	5" Gooseneck	2" Lever Handle	
LK406LGN05T4	5" Gooseneck	4" Wristblade Handle	
LK406LGN05T6	5" Gooseneck	6" Wristblade Handle	
LK406LGN08L2	8" Gooseneck	2" Lever Handle	
LK406LGN08T4	8" Gooseneck	4" Wristblade Handle	
LK406LGN08T6	8" Gooseneck	6" Wristblade Handle	

LK406 with tube spout 🔥		
Model	Spout Type	Handle Type
LK406TS08L2	8" Tube Spout	2" Lever Handle
LK406TS08T4	8" Tube Spout	4" Wristblade Handle
LK406TS08T6	8" Tube Spout	6" Wristblade Handle



LK406TS08L2

### Single Hole With Concealed Deck Faucet

- Available with arc tube, gooseneck, or high arc spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- Dual control.

LK500 with arc tube spout 🔥		
Model	Spout Type	Handle Type
LK500AT08L2	8" Arc Tube	2" Lever Handle
LK500AT08T4	8" Arc Tube	4" Wristblade Handle
LK500AT08T6	8" Arc Tube	6" Wristblade Handle
LK500AT10L2	10" Arc Tube	2" Lever Handle
LK500AT10T4	10" Arc Tube	4" Wristblade Handle
LK500AT10T6	10" Arc Tube	6" Wristblade Handle
LK500AT12L2	12" Arc Tube	2" Lever Handle
LK500AT12T4	12" Arc Tube	4" Wristblade Handle
LK500AT12T6	12" Arc Tube	6" Wristblade Handle
LK500AT14L2	14" Arc Tube	2" Lever Handle
LK500AT14T4	14" Arc Tube	4" Wristblade Handle
LK500AT14T6	14" Arc Tube	6" Wristblade Handle





# ELKAY.

LK500 with gooseneck spout 🔥			
Model	Spout Type	Handle Type	
LK500GN04L2	4" Gooseneck	2" Lever Handle	
LK500GN04T4	4" Gooseneck	4" Wristblade Handle	
LK500GN04T6	4" Gooseneck	6" Wristblade Handle	
LK500GN05L2	5" Gooseneck	2" Lever Handle	
LK500GN05T4	5" Gooseneck	4" Wristblade Handle	
LK500GN05T6	5" Gooseneck	6" Wristblade Handle	
LK500GN08L2	8" Gooseneck	2" Lever Handle	
LK500GN08T4	8" Gooseneck	4" Wristblade Handle	
LK500GN08T6	8" Gooseneck	6" Wristblade Handle	



LK500 with high arc spout 🔥		
Model	Spout Type	Handle Type
LK500HA08L2	8" High Arc	2" Lever Handle
LK500HA08T4	8" High Arc	4" Wristblade Handle
LK500HA08T6	8" High Arc	6" Wristblade Handle
LK500HA10L2	10" High Arc	2" Lever Handle
LK500HA10T4	10" High Arc	4" Wristblade Handle
LK500HA10T6	10" High Arc	6" Wristblade Handle





#### 8" Centerset Wall Mount Faucet

- Gooseneck spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut-off valve available with some models.



LK940 with gooseneck spout 🔥			
Model	Spout Type	Handle Type	Shut-off Valve
LK940GN04L2H	3-5/8" Gooseneck	2" Lever Handle	
LK940GN04L2S	3-5/8" Gooseneck	2" Lever Handle	•
LK940GN04T4H	3-5/8" Gooseneck	4" Wristblade Handle	
LK940GN04T4S	3-5/8" Gooseneck	4" Wristblade Handle	•
LK940GN04T6H	3-5/8" Gooseneck	6" Wristblade Handle	
LK940GN04T6S	3-5/8" Gooseneck	6" Wristblade Handle	•
LK940GN05L2H	5-1/8" Gooseneck	2" Lever Handle	
LK940GN05L2S	5-1/8" Gooseneck	2" Lever Handle	•
LK940GN05T4H	5-1/8" Gooseneck	4" Wristblade Handle	
LK940GN05T4S	5-1/8" Gooseneck	4" Wristblade Handle	•
LK940GN05T6H	5-1/8" Gooseneck	6" Wristblade Handle	
LK940GN05T6S	5-1/8" Gooseneck	6" Wristblade Handle	•
LK940GN08L2H	8" Gooseneck	2" Lever Handle	
LK940GN08L2S	8" Gooseneck	2" Lever Handle	•
LK940GN08T4H	8" Gooseneck	4" Wristblade Handle	
LK940GN08T4S	8" Gooseneck	4" Wristblade Handle	•
LK940GN08T6H	8" Gooseneck	6" Wristblade Handle	
LK940GN08T6S	8" Gooseneck	6" Wristblade Handle	•



LK940 with laminar flow gooseneck spout 🛛 👶			
Model	Spout Type	Handle Type	Shut-of Valve
LK940LGN05L2H	5-1/8" Gooseneck	2" Lever Handle	
LK940LGN05L2S	5-1/8" Gooseneck	2" Lever Handle	•
LK940LGN05T4H	5-1/8" Gooseneck	4" Wristblade Handle	
LK940LGN05T4S	5-1/8" Gooseneck	4" Wristblade Handle	•
LK940LGN05T6H	5-1/8" Gooseneck	6" Wristblade Handle	
LK940LGN05T6S	5-1/8" Gooseneck	6" Wristblade Handle	•
LK940LGN08L2H	8" Gooseneck	2" Lever Handle	
LK940LGN08L2S	8" Gooseneck	2" Lever Handle	•
LK940LGN08T4H	8" Gooseneck	4" Wristblade Handle	
LK940LGN08T4S	8" Gooseneck	4" Wristblade Handle	•
LK940LGN08T6H	8" Gooseneck	6" Wristblade Handle	
LK940LGN08T6S	8" Gooseneck	6" Wristblade Handle	•



### 8" Centerset With Concealed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- Adjustable mounting up to 8" spread.



LK800 with arc tub	e spout 👶		
Model	Spout Type	Handle Type	Side Spray
LK800AT08L2	8" Arc Tube	2" Lever Handle	
LK800AT08T4	8" Arc Tube	4" Wristblade Handle	
LK800AT08T6	8" Arc Tube	6" Wristblade Handle	
LK800AT10L2	10" Arc Tube	2" Lever Handle	
LK800AT10T4	10" Arc Tube	4" Wristblade Handle	
LK800AT10T6	10" Arc Tube	6" Wristblade Handle	
LK800AT12L2	12" Arc Tube	2" Lever Handle	
LK800AT12T4	12" Arc Tube	4" Wristblade Handle	
LK800AT12T6	12" Arc Tube	6" Wristblade Handle	
LK800AT14L2	14" Arc Tube	2" Lever Handle	
LK800AT14T4	14" Arc Tube	4" Wristblade Handle	
LK800AT14T6	14" Arc Tube	6" Wristblade Handle	
LK801AT08L2	8" Arc Tube	2" Lever Handle	•



LK800 with gooseneck spout 🔥			
Model	Spout Type	Handle Type	Side Spray
LK800GN04L2	3-5/8" Gooseneck	2" Lever Handle	
LK800GN04T4	3-5/8" Gooseneck	4" Wristblade Handle	
LK800GN04T6	3-5/8" Gooseneck	6" Wristblade Handle	
LK800GN05L2	5" Gooseneck	2" Lever Handle	
LK800GN05T4	5" Gooseneck	4" Wristblade Handle	
LK800GN05T6	5" Gooseneck	6" Wristblade Handle	
LK800GN08L2	8" Gooseneck	2" Lever Handle	
LK800GN08T4	8" Gooseneck	4" Wristblade Handle	
LK800GN08T6	8" Gooseneck	6" Wristblade Handle	
LK801GN08L2	8" Gooseneck	2" Lever Handle	•



# ELKAY.

LK800 with high arc spout 🔥			
Model	Spout Type	Handle Type	
LK800HA08L2	8" High Arc	2" Lever Handle	
LK800HA08T4	8" High Arc	4" Wristblade Handle	
LK800HA08T6	8" High Arc	6" Wristblade Handle	
LK800HA10L2	10" High Arc	2" Lever Handle	
LK800HA10T4	10" High Arc	4" Wristblade Handle	
LK800HA10T6	10" High Arc	6" Wristblade Handle	



LK800 with tube spout 🔥		
Model	Spout Type	Handle Type
LK800TS08L2	8" Tube Spout	2" Lever Handle
LK800TS08T4	8" Tube Spout	4" Wristblade Handle
LK800TS08T6	8" Tube Spout	6" Wristblade Handle



### Spouts

- For use with Elkay knee and foot pedal valves.
- Solid brass construction.
- Chrome plated finish.
- Vandal-resistant anti-hose aerator.

Back mount spout
Model
LK395A
LK395A



LK395A

Deck mount spout	
Model	
LK394A	
LK396A	



#### **Knee and Foot Pedal Valves**

- Chrome plated finish.
- Hands-free operation for enhanced sanitation.
- Mounting package of stops, valves and wall flanges included with LK397C and LK398C.



Foot pedal	
Model	
LK398C	
LK399A	



LK399A

Knee pedal	(2)
Model	()
LK397C	1



#### 8" Centerset Wall Mount Faucet

- Available with bucket hook, arc tube, or vented spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut-off valve available with some models.



	LK940 with bucket hook spout and polished chrome finish 🛛 🕭		
Shut-off Valve	Handle Type	Spout Type	Model
	2" Lever Handle	3-5/16" Bucket Hook	LK940BP03L2H
•	2" Lever Handle	6" Bucket Hook	LK940BP03L2S
	4" Wristblade Handle	3-5/16" Bucket Hook	LK940BP03T4H
•	4" Wristblade Handle	3-5/16" Bucket Hook	LK940BP03T4S
	6" Wristblade Handle	3-5/16" Bucket Hook	LK940BP03T6H
•	6" Wristblade Handle	3-5/16" Bucket Hook	LK940BP03T6S
	2" Lever Handle	6-1/2" Bucket Hook	LK940BP07L2H
•	2" Lever Handle	6-1/2" Bucket Hook	LK940BP07L2S
	4" Wristblade Handle	6-1/2" Bucket Hook	LK940BP07T4H
•	4" Wristblade Handle	6-1/2" Bucket Hook	LK940BP07T4S
	6" Wristblade Handle	6-1/2" Bucket Hook	LK940BP07T6H
•	6" Wristblade Handle	6-1/2" Bucket Hook	LK940BP07T6S



LK940 with bucket hook spout and rough chrome finish			
Model	Spout Type	Handle Type	Shut-off Valve
LK940BR03L2H	6" Bucket Hook	2" Lever Handle	
LK940BR03L2S	6" Bucket Hook	2" Lever Handle	•
LK940BR03T4H	6" Bucket Hook	4" Wristblade Handle	
LK940BR03T4S	6" Bucket Hook	4" Wristblade Handle	•
LK940BR03T6H	6" Bucket Hook	6" Wristblade Handle	
LK940BR03T6S	6" Bucket Hook	6" Wristblade Handle	•
LK940BR07L2H	8-1/2" Bucket Hook	2" Lever Handle	
LK940BR07L2S	8-1/2" Bucket Hook	2" Lever Handle	•
LK940BR07T4H	8-1/2" Bucket Hook	4" Wristblade Handle	
LK940BR07T4S	8-1/2" Bucket Hook	4" Wristblade Handle	•
LK940BR07T6H	8-1/2" Bucket Hook	6" Wristblade Handle	
LK940BR07T6S	8-1/2" Bucket Hook	6" Wristblade Handle	•



LK940 with vented spout 🔥			
Model	Spout Type	Handle Type	Shut-off Valve
LK940VS07L2H	6-1/2" Vented Spout	2" Lever Handle	
LK940VS07L2S	6-1/2" Vented Spout	2" Lever Handle	•
LK940VS07T4H	6-1/2" Vented Spout	4" Wristblade Handle	
LK940VS07T4S	6-1/2" Vented Spout	4" Wristblade Handle	•
LK940VS07T6H	6-1/2" Vented Spout	6" Wristblade Handle	
LK940VS07T6S	6-1/2" Vented Spout	6" Wristblade Handle	•



# ELKAY.

# Single Hole Wall Mount Faucet

- Cross arm handle
- Chrome plated brass.
- 1/2" NPT female inlets.

Chrome faucet with hose end		
Model	Spout Type	Handle Type
LK69CH	3-3/16" Fixed Spout	Cross Handle



Chrome faucet with plain end		
Model	Spout Type	Handle Type
LK69CP	3-3/16" Fixed Spout	Cross Handle



LK69CP

One pair chrome faucets		
Model	Spout Type	Handle Type
LK69C	3-3/16" Fixed Spout	Cross Handle



## 3" - 8" Adjustable Centers Wall Mount Faucet

- Bucket hook spout.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.

LK945 with bucket hook spout 👶		
Model	Spout Type	Handle Type
LK945BP03L2T	3-5/16" Bucket Hook	2" Lever Handle
LK945BP03T4T	3-5/16" Bucket Hook	4" Wristblade Handle
LK945BP03T6T	3-5/16" Bucket Hook	6" Wristblade Handle
LK945BP07L2T	6-1/2" Bucket Hook	2" Lever Handle
LK945BP07T4T	6-1/2" Bucket Hook	4" Wristblade Handle
LK945BP07T6T	6-1/2" Bucket Hook	6" Wristblade Handle



LK945 with vented spout 🔥		
Model	Spout Type	Handle Type
LK945VS07L2T	6-1/2" Vented Spout	2" Lever Handle
LK945VS07T4T	6-1/2" Vented Spout	4" Wristblade Handle
LK945VS07T6T	6-1/2" Vented Spout	6" Wristblade Handle



LK945VS07L2T

### 4" - 8-3/8" Adjustable Centers Wall Mount Faucet



- Bucket hook spout.
- 2" lever handles
- Solid brass construction.
- Rough chrome finish
- 1/2" NPT female inlets.

<u>&amp;</u>		
Model	Spout Type	Handle Type
LK400	5-1/2" Bucket Hook	Lever Handle

#### 8" Centerset Wall Mount Faucet

- Bucket hook spout.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Rough chrome finish.



<u>6</u>		
Model	Spout Type	Handle Type
LKB940C	6-1/2" Fixed Spout	2" Lever Handle



#### **Single Hole With Single Control**

- Available with arc tube, gooseneck, or high arc spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.

LK535 with arc tube spout 🛛 👶			
Model	Spout Type	Handle Type	
LK535AT08L2	8" Arc Tube	2" Lever Handle	
LK535AT08T4	8" Arc Tube	4" Wristblade Handle	
LK535AT08T6	8" Arc Tube	6" Wristblade Handle	
LK535AT10L2	10" Arc Tube	2" Lever Handle	
LK535AT10T4	10" Arc Tube	4" Wristblade Handle	
LK535AT10T6	10" Arc Tube	6" Wristblade Handle	
LK535AT12L2	12" Arc Tube	2" Lever Handle	
LK535AT12T4	12" Arc Tube	4" Wristblade Handle	
LK535AT12T6	12" Arc Tube	6" Wristblade Handle	
LK535AT14L2	14" Arc Tube	2" Lever Handle	
LK535AT14T4	14" Arc Tube	4" Wristblade Handle	
LK535AT14T6	14" Arc Tube	6" Wristblade Handle	

LK535 with gooseneck spout 🔥			
Model	Spout Type	Handle Type	
LK535GN04L2	4" Gooseneck	2" Lever Handle	
LK535GN04T4	4" Gooseneck	4" Wristblade Handle	
LK535GN04T6	4" Gooseneck	6" Wristblade Handle	
LK535GN05L2	5" Gooseneck	2" Lever Handle	
LK535GN05T4	5" Gooseneck	4" Wristblade Handle	
LK535GN05T6	5" Gooseneck	6" Wristblade Handle	
LK535GN08L2	8" Gooseneck	2" Lever Handle	
LK535GN08T4	8" Gooseneck	4" Wristblade Handle	
LK535GN08T6	8" Gooseneck	6" Wristblade Handle	

8

Spout Type

8" High Arc

8" High Arc

8" High Arc

10" High Arc

10" High Arc

10" High Arc

Handle Type

2" Lever Handle

4" Wristblade Handle

6" Wristblade Handle

2" Lever Handle

4" Wristblade Handle

6" Wristblade Handle

LK535 with high arc spout

Model

LK535HA08L2

LK535HA08T4

LK535HA08T6

LK535HA10L2

LK535HA10T4

LK535HA10T6

$\bigcap$
1
LK535GN04L2







LK535AT10T4



**ELKAY** 

# **Classroom Bubblers**

- Built-in adjustable water volume control and pressure regulator.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubblers feature chrome-plated integral hood guard to prevent contamination from other users, airborne deposits and tampering.
- 1/2" straight pipe thread connection.

LKVR1141A

Bubbler with remote pushbutton handle 🔥		
Model	Spout Type	Handle Type
LKR1141A	Bubblers + Other	Push Button

Stainless steel bubbler with pushbutton handle 🛛 👶			
Model	Spout Type	Handle Type	Vandal Resistant
LKSS1141A	Bubblers + Other	Push Button	
LKSSVR1141A	Bubblers + Other	Push Button	•

Bubbler with pushbutton handle 🔥			
Model	Spout Type	Handle Type	Vandal Resistant
LK1141A	Bubblers + Other	Push Button	
LKVR1141A	Bubblers + Other	Push Button	•

Bubbler with bat handle 🔥			
Model	Spout Type	Handle Type	Vandal Resistant
LKBH1141A	Bubblers + Other	2" Lever Handle	
LKVRBH1141A	Bubblers + Other	2" Lever Handle	•







LKVRBH1141A






## 8" Centerset, Concealed Deck, With Twin Handles Faucet

- Choice of 3 spout styles.
- Removable cartridge.
- Chrome plated finish.
- Swing spout with aerator.
- Water saving flow restrictor.

7" arc tube spout \delta			
Model	Spout Type	Handle Type	
LKD2439BHC	7" Arc Tube	4" Lever Handle	
LKD2439C	7" Arc Tube	2.6" Lever Handle	







C

7" gooseneck spout 🔥			
Model	Spout Type	Handle Type	
LKD232SBH5C	7" Gooseneck	4" Lever Handle	
LKD232SC	7" Gooseneck	2.6" Lever Handle	



# 8" Centerset, Exposed Deck Mount, With Twin Handles Faucet

- Available with arc tube or gooseneck spout.
- Removable cartridge.
- Chrome plated finish.
- Swing spout with aerator.
- Water saving flow restrictor.

Arc tube spout			
Model	Spout Type	Handle Type	Side Spray
LKD2442BHC	8" Arc Tube	4" Lever Handle	
LKD2442C	8" Arc Tube	2.6" Lever Handle	
LKD2443C	8" Arc Tube	2.6" Lever Handle	•



Gooseneck spout			
Model	Spout Type	Handle Type	
LKD2423BHC	7" Gooseneck	4" Lever Handle	

# Single Handle, Bar/Hospitality Faucet

- Available with gooseneck or high arc spout.
- Circular brass base.
- Removable cartridge.
- Chrome plated finish.
- Water saving flow restrictor.

LKD20858C 👶			
Model	Spout Type	Handle Type	
LKD20858C	5" Gooseneck	2.6" Lever Handle	

LKD208513C 👶			
Model	Spout Type	Handle Type	
LKD208513C	5" Gooseneck	2.6" Lever Handle	





# ELKAY.

LKD208513LC 🖒			
Model	Spout Type	Handle Type	
LKD208513LC	5" Gooseneck	2.6" Lever Handle	



LKDVR208513C			
Model	Spout Type	Handle Type	Vandal Resistant
LKDVR208513C	5" Gooseneck	2.6" Lever Handle	•

LKDVR208513LC			
Model	Spout Type	Handle Type	Vandal Resistant
LKDVR208513LC	5" Gooseneck	2.6" Lever Handle	•





## Twin Handle, Bar/Hospitality Faucet

- Choice of arc, gooseneck or standard spout.
- Removable cartridge.
- Chrome plated finish.
- Water saving flow restrictor.

ġ.

LKD24898BHC

LKD24898BHC

Model

LKD2437BHC 💰				
Model	Spout Type	Handle Type		
LKD2437BHC	6" Arc Tube	4" Lever Handle		

LKDA2437C			
Model	Spout Type	Handle Type	
LKDA2437C	6" Arc Tube	2.6" Lever Handle	

LKD2223C 🖏			
Model	Spout Type	Handle Type	
LKD2223C	5" Gooseneck	2.6" Lever Handle	







LKD2223C

$\bigcap$
LKD24898BHC

Handle Type

4" Lever Handle



Spout Type

4" Gooseneck

LKB400			
Model	Spout Type	Handle Type	
LKB400	3-1/2" Bubblers + Other	2" Lever Handle	



# **Commercial Model Reference List**

#### **Bottle Filling Stations Prefix**

EZ*WS	ezH2O Non-filtered Models
EMABF*WS	ezH2O Non-filtered Models
LK44*BF	Outdoor Tubular Steel
LMABF*WS	ezH2O Filtered Models
LVRC*WS	ezH2O Filtered Models
LZ*WS	ezH2O Filtered Models
VRC*WS	ezH2O Non-filtered Models

#### ADA Water Coolers Prefix

ECRSP	Slimline Soft Sides
EHFRA	Fully Recessed Wheelchair Access
	,
EHFSA	Wall-mount Backsplash
EMABF	Wall-mount Mechanically Activated
ENOB	SwirlFlo Sensor Activated
ERFP	Soft Sides
ERO	Soft Sides Sensor Activated
ERPB	SwirlFlo
ERPBGRN	GreenSpec Listed SwirlFlo
EZO	Wall-mount Sensor Activated
EZS	Wall Mount
LCRSP	Slimline Soft Sides Filtered
LMABF	Wall-mount Mechanically Activated Filtered
LNFE	Soft Sides Filtered, Single
LNTE	Soft Sides Filtered, Bi-level
LRPB	SwirlFlo Filtered
LVRC	Vandal-resistant Filtered
LVRCGRN	GreenSpec Listed Filtered
LZO	Wall-mount Sensor Activated Filtered
LZS	Wall-mount Filtered
LZS OHFAVR	Wall-mount Filtered Outdoor Vandal-resistant Backsplash
OHFAVR	Outdoor Vandal-resistant Backsplash

#### Wall-mount Water Coolers Prefix

EFR(P)C	Fully Recessed
ESW(D)A	Simulated Semirecessed
EW(D)A	Deluxe
EWC(D)A	Compact
EWTLA	Deluxe Two-level
HEW	Slant Front
LJNE	Fully Recessed Filtered
LWAE	Deluxe Filtered
LWCE	Compact Filtered
LWTLA	Deluxe Two-level Filtered

#### Floor-mount Water Coolers Prefix

EF(D)A	Deluxe
EFHA	Hot and Cold
EFOA	Deluxe Sensor Activated
EFW	Deluxe Water Cooled
EFWC	Corrosion Resistant
EFY	Hazardous Locations
FD	Space-ette
LFAE	Deluxe Filtered
LFDE	Space-ette Filtered

#### **ADA Fountains Prefix**

ECDFPW	ADA Slimline Soft Sides
EDFP(VR)214	ADA Soft Sides, Single
EDFP(VR)217	ADA Soft Sides, Bi-level
EDFP*RC	ADA Premium Composite
EDFPB	ADA SwirlFlo
EHW	ADA 14 Gauge Soft Sides

#### **Outdoor Fountains Prefix**

LK44	Outdoor Fountain, Tubular Steel
LK45	Outdoor Fountain, Stone Aggregate

# **Commercial Model Reference List**

#### Standard Fountains Prefix

DRKR	Countertop
EDF15R	Bracket
EDF210/EDF310	Stainless Steel Multistations
EDFB(C)(2)12	Fully Recessed
EDFP(VR)210	Soft Sides, Single
EDFP19	Simulated Semirecessed

#### Remote Chillers Prefix

ERS1	1 GPH Air Cooled
ER2	2 GPH Air Cooled
ER5	5 GPH Air Cooled
ECH8GRN	GreenSpec Listed 8 GPH Air Cooled
ECH8GRN	8 GPH Air Cooled
ECP8	8 GPH Air Cooled for EFR(P)C and LJNE models
ECU8	8 GPH Air Cooled for EHFRA Models
ER10	10 GPH Air Cooled
ER19	19 GPH Air Cooled
ER30	30 GPH Air Cooled
ERW32	32 GPH Water Cooled

#### Commercial Sinks and Faucets Prefix

CDKAD	Celebrity ADA Classroom Sink
CDKR	Celebrity Classroom Sink
CHS	Elkay Hand Wash Sink
CHSB	Elkay Hand Wash Sink
CHSP	Elkay Pedestal Hand Wash Sink
DRKAD	Lustertone ADA Classroom Sink
DRKR	Lustertone Classroom Sink
EFS	Floor Service Sink
ELUH	Lustertone Undermount
ELUHAD	Lustertone ADA Undermount
ELV	Elkay Lavatory Sink
ELVWO	Elkay Lavatory Sink with Overflow

ESLV	Elkay Surgeon's Lavatory
ESS	Elkay Wall Service Sink
EU	Elkay Urinal
EUH	Elkay Urinal with Hood
EWMA	Elkay Multistation Wash Sink
EWS	Elkay Wall Scrub-up Sink
EWSF	Elkay Sensor-operated Wash Sink
EWSFAD	Elkay ADA Sensor-operated Wash Sink
LR	Lustertone Sink
LRAD	Lustertone ADA Sink
LTR	Lustertone Triple Bowl Sink
PSDKR	Pacemaker Classroom Sink
RNSF	Rigidbuilt Scullery Sink
SS	Sturdibilt Scullery Sink
SSD	Sturdibilt Drainboard
WCL	Elkay ADA Lavatory Sink
WCLWO	Elkay ADA Lavatory Sink with Overflow
WNSF	Weldbilt Scullery Sink

#### Suffix

PD Perfect Drain Sink

#### Elkay Foodservice Products Prefix

14	14" Standard Series Sink
ADR	Aluminum Dunnage Rack
APR	Aluminum Pan Rack
В	Budget Utility Sink
CDT	Clean Dish Table
CT-11	Drawer
CT-19	Casters
DDT	Soiled Dish Table
DI	Drop-in Sink
DLW	Pot Rack, Double Line
E	Economy Series Sink
EHS	Economy Hand Sink

# **Commercial Model Reference List**

#### Elkay Foodservice Products prefix (Continued)

EWMS	Economy Series Wall Shelf
EWT	Economy Series Work Table
FLR	Mop Sink
MS	Mixer Stand
RS	Rack Slide
RSPB	Rack Slide with Plastic Basket
RSSB	Rack Slide with Stainless Steel Basket
S	14" Super Economy Series Sink
SEHS	Super Economy Hand Sink
SES	Standard Equipment Stand
SLANT	Slant Rack
SL	Spec-line 14 Gauge
SLW	Pot Rack, Single Line
SLW-S	
JLVV-J	Pot Rack, Single Line with Shelf
UDT	Undercounter Dish Table
UDT	Undercounter Dish Table

#### Suffix

BG	Backsplash with Galvanized Undershelf
BS	Backsplash with Stainless Steel Undershelf
STG	Flat Top with Galvanized Undershelf
STS	Flat Top with Stainless Steel Undershelf

The index on the following pages reference page numbers where our products can be found in the Residential and Commerical Price Guides. Please note:

R-pg# is in the ELP-7R Residential Price Guide. C-pg# is in the ELP-7C Commercial Price Guide.

# **Terms and Conditions**

#### Pricing

Elkay reserves the right at its sole discretion to change the prices (provided by way of a Quotation or a Price List) of any Elkay product at any time and with advance notice. Elkay further reserves the right to make any corrections to prices quoted due to clerical errors or errors of omission. In the event of any specific actions representing a price change, Elkay or one of its representatives will notify Buyer by posting a new published Price List and giving Buyer advanced notice. All orders received and accepted by Elkay prior to the effective date of the price change will be billed at the prices in effect at the time of Elkay's acceptance of the order.

#### Terms

As standard.

#### Taxes

All federal, state and local taxes will be added when applicable.

#### **Limited Warranty**

Warranties vary by product family. Please see website, specification sheet and/or installation instructions for further detail. Warranties do not cover transportation or installation charges. Contact Elkay Customer Care at (630) 574-8484 for complete details and conditions.

#### Loss and/or Damage in Transit

Our liability ceases upon delivery of the goods to the carrier at our factory. Claims for damage and/or loss in transit to be made by the consignee against the carrier. We will assist and cooperate in the processing of such claims upon customer's request.

### Freight

Prices are FOB factory.

### Overpack

For a nominal charge, a sink will be repackaged to reduce damage that could occur during shipment. Overpack is offered for sinks with an overall dimension of 43" x 22" or less, and must be requested when the order is submitted.

#### **Returned Goods**

Returns will not be accepted without prior written authorization from Elkay. Handling and reconditioning charges will be assessed as may be required to restore the items to salable condition.

### Cancellation

On custom-made or standard models designed to customer's specifications, orders can be canceled before fabrication has commenced. Cancellation after fabrication is started will result in a charge commensurate with the extent of work completed.

### EDI

Elkay supports the following EDI transaction sets: Inbound Purchase Orders (850), Outbound Invoices (810), Advanced Ship Notice (856), Inbound Remittance Advice (820) and Outbound Order Acknowledgment (855). Please contact Elkay's EDI coordinator at (630) 574-8484 to discuss the list of current transaction set versions and your implementation requirements.



#### About Elkay

Family owned since 1920, Elkay has been making innovative products and delivering exceptional customer care for almost a century. Elkay expanded its commercial offerings more than four decades ago, and today delivers faucets, foodservice fixtures, water coolers, drinking fountains and award-winning ezH2O<sup>®</sup> bottle filling stations, in addition to world-class stainless steel and quartz sinks.

Like your family, Elkay has values and traditions that endure; like a commitment to sustainability and to community. Headquartered in Oak Brook, Illinois, Elkay is American-owned and -operated.





EUROPE & AFRICA europe.elkay.com +971 4 428 5526





©2020 Elkay Manufacturing Company